

Table of contents

able of contents	. 1
About DMXzone Bootstrap 3 Elements	.2
he Basics: Accessing DMXzone Bootstrap 3 Elements	
Reference: List of Bootstrap 3 Elements and their Properties1	
/ideo: Accessing DMXzone Bootstrap 3 Elements4	17
/ideo: Using DMXzone Bootstrap 3 Typography Elements4	17
/ideo: Using DMXzone Bootstrap 3 Table Elements4	
/ideo: Using DMXzone Bootstrap 3 List Group and Panel Elements4	
/ideo: Using DMXzone Bootstrap 3 Thumbnails and Label Elements4	
/ideo: Using DMXzone Bootstrap 3 Button Elements4	



About DMXzone Bootstrap 3 Elements



DMXzone Bootstrap 3 Elements is the must have add-on if you want to use the full power of **DMXzone Bootstrap 3**. Its 37 ready to use elements is all you need for designing fully responsive layouts in minutes, directly in your Dreamweaver.

The extension features elements such as tables, forms, buttons, images and icons, and elements for typography, pagination, labels and badges, layouts, thumbnails, progress bars, alerts, media and the brand new list group and panels. All elements are fully customizable through the inspector floating panel and you can choose from various lightweight designs.



Before you begin

Make sure to setup your site in Dreamweaver first before creating a page. If you don't know how to do that please <u>read this</u>.

Installing the extension

Read the tutorial at http://www.dmxzone.com/go/4671/how-to-install-extensions-from-dmxzone/

Login, download the product, and look up your serial at http://www.dmxzone.com/user/products

Get the latest extension manager from Adobe at http://www.adobe.com/exchange/em_download/

Open the .zxp file if you're using Dreamweaver CC or the .mxp file for Dreamweaver CS+ (the extension manager should start-up) and install the extension.

If you experience any problems contact our Live Support!



The Basics: Accessing DMXzone Bootstrap 3 Elements

In this tutorial we will show you how to access <u>DMXzone Bootstrap 3 Elements</u> and Bootstrap Elements Inspector Floating Panel in Dreamweaver. *You can also check out the <u>video</u>.

₩ File Edit View Insert Modify Format Commands Site Window Help	Compact 👻	XI () – – ×
W File Edit View Insert Modify Format Commands Site Window Help dex.html x orrce@code guery.js bootstrap.min.js Code Split Design Live C, Title: Untitled Document	Compact ↓ Insert Bootstrap Elements ▼ Label Badge Hero Unit Page Header Text Thumbnalis	
藗	Advanced Thumbnais Progress Bar Stacked Progress Bar Alert Alert Alert Media Object Media List	F
sriv≥ operties > HTMLEormat None Class None B X ;E; 55 ±E ±E]]tie L CSS None Link	8 🗑 🜉 1155	3 x 475 ↓ *= ②
Page Properties		



How to do it

1. We already placed a **Bootstrap 3** container on our page. Now, click the **insert button (1)** and from the **select menu** choose **Bootstrap 3 Elements** menu item **(2)**.

₩ File Edit View Insert Modify Format Commands Site Window Help		Compact 🗸 🛛 🖾 🚺	- 0	×
iex.html* ×	_	esko Dulusmolususuteskolinda	v labori 🗐	
urce Code style.css jquery-latest.pack.js bootstrap.min.js	Data	Bindings Insert	₩ •≡	{_ }
Code Split Design Live Bootstrap 3 Elements 11 / Container Image: Container Image: Container Image: Container Image: Container Donec id elit non mi porta gravida at eget metus. Fusce dapibus, tellus ac cursus commodo, tortor mauris condimentum nibh, ut fermentum massa just malesuada magna mollis euismod. Donec sed odio dui. Image: Container	2	Common Structure Media Form Bootstrap 3 Elements Bootstrap Elements jQuery Mobile jQuery UI Templates Favorites 960 Grid DMXzone Hide Labels	1	
	BB	IFrame Character	_	
	1	Character		
dy> <div.container> <div.row> <div.col·lq-12> perties Bootstrap 3 Grid</div.col·lq-12></div.row></div.container>		124	ł2 x 441 ≁ ▼≣	
Cell Properties Design View Cell Creation Cell Actions Row Creation Width Image Devices 12 Image Devices Image Devices <th></th> <th></th> <th></th> <th></th>				



2. Here you can access and insert on your page all of the 37 **Bootstrap 3 Elements (1)**. You can insert any of the elements on your page by clicking it. We close the **insert panel (2)**.

🛿 File Edit View Insert Modify Format Commands Site Window Help		Compact 👻	i		×
Jex.html* ×			ununul entrol in	el our la benel 🗐	*
urce Code style.css jquery-latest.pack.js bootstrap.min.js		a Bindings Insert		▶ •≡	{]
Code Split Design Live 🚱 Title: Bootstrap 3 Elements		otstrap 3 Elements	•		
el / Container		Paragraph		Ê	
		Address			29
Heading	١.	Blockquote		=	
Donec id elit non mi porta gravida at eget metus. Fusce dapibus, tellus ac cursus commodo, tortor mauris condimentum nibh, ut fermentum massa justo		Unordered List			ഷം
					4
malesuada magna mollis euismod. Donec sed odio dui.	E				
1	E	Definition List			
	▦	Table			
		Form			
	9	Search Form			
		Horizontal Form			
		Control Group			
		Button			
		Anchor Button		-	
	_				•
dy> <div.container> <div.row> <div.col·ld-12></div.col·ld-12></div.row></div.container>				1242 x 441 *	
perties Bootstrap 3 Grid				*=	
Cell Properties Cell Creation Cell Actions Row Creation	_				
Width 🛨 🔁 12 🗣 🚰 Active View Large Devices 🔹 🖾 Add Cell Left 🛄 Spread Cells 🔛 Add Row Above					
Push 0 Pull 0 Display Properties					
Offset 0 Constraint Cell Cell Constraint Cell Cell Cell Cell Cell Cell Cell Cel					
Delete Cel					



3. Each element has its own properties that can be accessed through the **Bootstrap 3 Elements** Inspector Floating Panel. To access it, select Window top menu (1) and click the Bootstrap 3 Elements menu item (2).

♥ File Edit View Insert Modify Format Commands Site Window	1 Properties	Ctrl+F3	Compact - 🐹 🕡 💶	x
ex.html* ×	CSS Designer	Shift+F11	cake - D:\wamp\www\cake\index.html 🗖	**
urce Code style.css jquery-latest.pack.js bootstrap.min.js	CSS Transitions		T	{
Code Split Design Live 🚱 Title: Bootstrap 3 Elements 🕂	Business Catalyst	Ctrl+Shift+B		2 ⁶
all / Container	Databases	Ctrl+Shift+F10		2
Heading	Bindings	Ctrl+F10		~~~
Donec id elit non mi porta gravida at eget metus. Fusce dapibus, tellus a	Server Behaviors	Ctrl+F9	n nibh, ut fermentum massa justo sit amet risus. Etiam porta sem	击
malesuada magna mollis euismod. Donec sed odio dui.	Components	Ctrl+F7	mibit, ut termentum massa justo sit amet risus. Etiam porta sem	45
maiosuada magna monis cuismod. Donec sed odio dui.	Files	F8		100
	Assets			
	Snippets	Shift+F9		
	jQuery Mobile Swatches			
	Behaviors	Shift+F4		
	History	Shift+F10		
	Code Inspector	F10		
	Results	•		
	Extensions	•		
	Manage Extensions			
	Workspace Layout	•		
	Show Panels	F4		
	Cascade			
	Tile Horizontally			
dy> <div.container> <div.row> <div.col-lg-12></div.col-lg-12></div.row></div.container>	Tile Vertically		□ □ 1242 x 441 ×	
perties Bootstrap 3 Grid	✓ 1 index.html		1	
Cell Properties Design View Cell Creati	HTML5 Data Bindings		Row Creation	
Width 12 C Active View Large Devices	Bootstrap Elements		Add Row Above	
Push 0 Pull 0 Pull 0 Display Properties	DMXzone Lightbox		Add Row Below	
Offset 0 Itext Align Default Show On All Devices	Epub Table Of Contents		Add Row Inside	
	✓ Bootstrap 3 Grid			
2	Bootstrap 3 Elements			



4. The **Bootstrap 3 Elements Inspector Floating Panel** appears. You can drag and dock the Bootstrap 3 Elements Inspector Floating Panel anywhere in your Dreamweaver window.

🛿 File Edit View Insert Modify Format Commands Site Window Help	Compact 🔹	*5	() – –	х
ex.html* ×			e\index.html 🗗	**
urce Code style.css jquery-latest.pack.js bootstrap.min.js			T	'{ }
Code Split Design Live 🚳 Tritle: Bootstrap 3 Elements				
Container				
Heading				2
Incaving				
Donec id elit non mi porta gravida at eget metus. Fusce dapit	amet risus.	Etiam porta	a sem	<i>ъ</i> въ
malesuada magna mollis euismod. Donec sed odio dui.				<
Align Default				
Color Default				
Background Default				
1 HOREN CONTRACTOR OF				
dy> <div.container> <div.row> <div.col·lq-12></div.col·lq-12></div.row></div.container>			1242 x 441 ↔	
perties Bootstrap 3 Grid				
Cell Properties Design View Cell Creation Cell Actions Row Creation				
Width 🗲 🗲 12 🗢 🗲 🔁 Active View Large Devices 👻 🔲 Add Cell Left 🛄 Spread Cells 🔛 Add Row Above				
Push 0 🗢 Pull 0 🗢 Display Properties				
Offset 0 🗢 Text Align Default - Duplicate Cell 📗 Merge With Right Cell 🔟 Add Row Inside				
Show On All Devices				





5. We drag it behind the Properties Inspector and Bootstrap 3 Grid for easier access, where you can easily switch between the panels. This is how you can access **DMXzone Bootstrap 3 Elements** and **Bootstrap 3 Elements Inspector Floating Panel**.

Dw File Edit View Insert Modify Format Commands Site Window Help) – – ×
index.html × cake - Di.wampiw.wwv.cake.index.html	8
Source Kod2 jquery.js bcotstrap.min.js	🍸 🕌 Insert
Code Split Design Live C. Title: Untitled Document	
	CSS Transitions
	CSS Designer
	Files
Chridy > Properties Bootstrap Elements	
K) HTML Eormat None ▼ B I III 1:2 III	•= @
Loss ID None Link	Ğ
	_
Page Properties List Item	



Reference: List of Bootstrap 3 Elements and their Properties


Explore the list of all 37 DMXzone Bootstrap 3 elements, what they can achieve in your design and their properties for customization.

Typography



Title

The default title element is H3. You can change it with another heading between H1 and H6. From the element properties you can change the alignment to be default, left, center, right and justify. Also you can choose from six default lightweight styles (emphasis).






Paragraph

Paragraphs are by default 14px font size with a line height of 1.428. In addition, paragraphs receive a bottom margin of half their line-height (1-px by default).

Dw File Edit View Insert Modify Format Commands Site Window Help	Com
untitled.html* × bootstrap2 - D:\wamp\www\bootstrap2\untitled.ht	tml 🗗
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js	T
Code Split Design Live Strap 3 Elements	
metus urna. In hac habitasse platea dictumst. Phasellus eu sem sapien, sed vestibulum velit. Nam puru	is ^
nibh, lacinia non faucibus et, pharetra in dolor. Sed iaculis posuere diam ut cursus. Morbi commodo	
sodales nisi id sodales. Proin consectetur, nisi id commodo imperdiet, metus nunc consequat lectus, id	
bibendum diam velit et dui. Proin massa magna, vulputate nec bibendum nec, posuere nec lacus. Aliqua	m mi
erat, aliquam vel luctus eu, pharetra quis elit. Nulla euismod ultrices massa, et feugiat ipsum consequat eu.	
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam eget sapien sapien. Curabiti	ur in
metus urna. In hac habitasse platea dictumst. Phasellus eu sem sapien, sed vestibulum velit. Nam po	urus
nibh, lacinia non faucibus et, pharetra in dolor. Sed iaculis posuere diam ut cursus. Morbi comm	odo
sodales nisi id sodales. Proin consectetur, nisi id commodo imperdiet, metus nunc consequat lectu	s, id
bibendum diam velit et dui. Proin massa magna, vulputate nec bibendum nec, posuere nec lacus. Aliqui	am mi
erat, aliquam vel luctus eu, pharetra quis elit. Nulla euismod ultrices massa, et feugiat ipsum consequa	at eu.
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam eget sapien sapien. Curabitur i	n
metus urna. In hac habitasse platea dictumst. Phasellus eu sem sapien, sed vestibulum velit. Nam pu	rus
nibh, lacinia non faucibus et, pharetra in dolor. Sed iaculis posuere diam ut cursus. Morbi commodo	,
sodales nisi id sodales. Proin consectetur, nisi id commodo imperdiet, metus nunc consequat lectus,	id
bibendum diam velit et dui. Proin massa magna, vulputate nec bibendum nec, posuere nec lacus. Alique	ım mi
erat, aliquam vel luctus eu, pharetra quis elit. Nulla euismod ultrices massa, et feugiat ipsum consequat eu.	_
<pre><body> <p.text-center.text-success> </p.text-center.text-success></body></pre>	99 🗸
Properties Bootstrap 3 Grid Bootstrap 3 Elements	-





Address

Add contact information such as address, name, phone number, etc.

Dw File	e Edit	View	Insert	Modi	ify I	Format	Comm	nands	Site	Wind	low	Help					Com
untitled.htr	nl* ×							b	ootstrap	o2 - D:\	wamp	\www\l	boots	trap2\	unt	itled.htr	nl 🗗
Source Cod	e boot	strap-the	me.css	jquery-	latest.	.pack.js	bootstr	ap.js									T
Code	Split D	esign	Live	.	Title:	Bootstra	p 3 Elem	ents		∔t,							
Twitter, Ir 795 Folso San Franc P: (123) 4 <body> <ad< td=""><td>m Ave, isco, C, 56-7890</td><td>A 9410</td><td></td><td></td><td></td><td>*</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>685 x 35</td><td>29 v</td></ad<></body>	m Ave, isco, C, 56-7890	A 9410				*										685 x 35	29 v
Properties	Bootstra	n 3 Grid	Bootstr	ap 3 Elen	nents		-	-	-	-	-	-			-	005 X 5	•≡
						elect a Bo	potstrap	3 Grid E	lement								



<u>"</u>

Blockquote

You can quote any block of content from another source within your page. Blockquote can be aligned to the left or pulled to the right.

Dw File Edit View Insert Modify Format Commands Site Window Help	Com
index.html* × bootstrap3 - D:\wamp\www\Bootstrap3\index.l	html 🗗
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js	-
Code Split Design Live S. Title: Untitled Document	
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer posuere erat a ante.	
Someone famous Source Title	
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer posuere erat a ante) .
Someone famous Source Tit	e
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer posuere erat a ante.	
Someone famous Source Title	
<body> <blockquote></blockquote></body>	x 399 v
Properties Bootstrap 3 Grid Bootstrap 3 Elements	*≣
Pull Right	
Show On All Devices	



Unordered List

Add a list of items with bullets, where the order doesn't matter. From the element properties you can remove the default styling and also show all list items inline.

Dw	Com
File Edit View Insert Modify Format Commands Site Wi	indow Help
index.html* × bootstrap3 - D:\wamp\www\Boo	otstrap3\index.html 🗗
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js	T
Code Split Design Live S. Title: Untitled Document	↓t,
 Lorem ipsum dolor sit amet Consectetur adipiscing elit Integer molestie lorem at massa Facilisis in pretium nisl aliquet Nulla volutpat aliquam velit Faucibus porta lacus fringilla vel Aenean sit amet erat nunc Eget porttitor lorem 	
<body> <u> </u></body>	□ <u></u> 532 x 298 ↔
Properties Bootstrap 3 Grid Bootstrap 3 Elements	*=
Unstyled Inline	
Show On All Devices	



1 ||| 2 ||| 3 |||

Ordered List

Add a list of items with numbering, where the order does matter. From the element properties you can remove the default styling and also show all list items inline.

Dw
File Edit View Insert Modify Format Commands Site Window Help
index.html* × bootstrap3 - D:\wamp\www\Bootstrap3\index.html
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js
Code Split Design Live State: Untitled Document
1. Lorem ipsum dolor sit amet
2. Consectetur adipiscing elit
Integer molestie lorem at massa
4. Facilisis in pretium nisl aliquet
5. Nulla volutpat aliquam velit
Faucibus porta lacus fringilla vel
7. Aenean sit amet erat nunc
8. Eget porttitor lorem
<body> ≤body> ≤i> 532 x 298 ✓</body>
Properties Bootstrap 3 Grid Bootstrap 3 Elements
List Properties
Unstyled 🔲 Inline 📃
Show On All Devices -



l||||

Definition List

Add a list of terms, features or anything that needs a definition or explanation. From the element properties you can make the list also horizontal.

Dw
File Edit View Insert Modify Format Commands Site Window Help
index.html* × bootstrap3 - D:\wamp\www\Bootstrap3\index.html 🗗
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js
Code Split Design Live Stride: Untitled Document
Definition lists
A definition list is perfect for defining terms.
Euismod
Vestibulum id ligula porta felis euismod semper eget lacinia odio sem nec elit.
Donec id elit non mi porta gravida at eget metus.
Malesuada porta
Etiam porta sem malesuada magna mollis euismod.
Felis euismod semper eget lacinia
Fusce dapibus, tellus ac cursus commodo, tortor mauris condimentum nibh, ut
fermentum massa justo sit amet risus.
<body> <dl> <dt> 532 x 298 *</dt></dl></body>
Properties Bootstrap 3 Grid Bootstrap 3 Elements
- Definition List Properties
Horizontal 📃
Show On All Devices -



Tables

		-	-	L
L			063	I
Е	Т	1	(dia	L
		1	1.11	L

Table

Add a table with as many rows and columns as you wish. From the element properties you can choose the table row style and also style the table with borders and rounded corners. You can enable the rows hover state and make it more compact by cutting cell padding in half by checking the condensed mode. Now your table can be also responsive.

Dw	/ File Edit View Ins x.html* ×	,	nds Site Window Help Com strap3 - D:\wamp\www\Bootstrap3\index.html 🗗
	rce Code bootstrap-theme.c	ss jquery-latest.pack.js bootstrap	o.js bootstrap.css
#	ode Split Design Live	Payment Taken	file:///D]/wamp/www/Bootstrap3/index.h
1	TB - Monthly	01/04/2012	Default
1	TB - Monthly	01/04/2012	Approved
2	TB - Monthly	02/04/2012	Declined
3	TB - Monthly	03/04/2012	Pending
4	TB - Monthly	04/04/2012	Call in to confirm
<body< th=""><th>/> <table.table> <tr< th=""><th>surress></th><th>628 x 322 ↔</th></tr<></table.table></th></body<>	/> <table.table> <tr< th=""><th>surress></th><th>628 x 322 ↔</th></tr<></table.table>	surress>	628 x 322 ↔
		otstrap 3 Elements	₩ ₩ ₩ 522¥
	Table Cell Properties	Table Row Properties	Table Properties
	Style None 🔻	Style Success	▼ Style Default ▼
			Hover Condensed
			Show On All Devices



Forms



Form

Add a form where your users enter data for processing. From the element properties, the form can also be inline.

Dw File Edit V	/iew Insert	Modify	Format	Comman	ds Si	ite	Window	Help		Con
index.html* ×				bootst	rap3 - I	D:\wa	amp\www\	Bootstra	p3∖inde	x.html 🗗
Source Code bootstra	ap-theme.css	jquery-late	st.pack.js	bootstrap.	js bo	otstra	ap.css			Ŧ
Code Split Desi	gn Live	Live Code	Inspect	E 🚳, 🔶	•	C	file:///D /w	amp/www	v/Bootst	rap3/index.ł
Legend										
Label name										
Example block-level	help text he	re.								
Check me out										
Submit										
<body> <form> <fieldset< td=""><td>t> <div.checkba< td=""><td>x> <label></label></td><td></td><td></td><td></td><td></td><td></td><td></td><td>— 62</td><td>8 x 322 ₩</td></div.checkba<></td></fieldset<></form></body>	t> <div.checkba< td=""><td>x> <label></label></td><td></td><td></td><td></td><td></td><td></td><td></td><td>— 62</td><td>8 x 322 ₩</td></div.checkba<>	x> <label></label>							— 62	8 x 322 ₩
Properties Bootstrap 3	Grid Bootstra	p 3 Element	s							•≡
Form Properties										
Inline	•									





Search Form

Add a search field to your forms, where your users will type in keywords to search through the content.

DW File Edit View Insert Modify Format Commands Site Window Help	Com
index.html* × bootstrap3 - D:\wamp\www\Bootstrap3\index.html	7
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js bootstrap.css	T
Code Split Design Live Live Code Inspect 🚳 🔶 🔶 file:///D1/wamp/www/Bootst	rap3
Search	
Search	
<	Þ.
<body> <div.container> <div.row> <div.col-xs-12> <form.form-inline></form.form-inline></div.col-xs-12></div.row></div.container></body>	¥ .
Properties Bootstrap 3 Grid Bootstrap 3 Elements	*≣
Paragraph Properties Form Properties Align Default Inline	
Align Default Inline Emphasis None Show On All Devices	



Horizontal Form

In the horizontal form, the labels and input fields are on the same line.

Dw File Edit View Insert	Modify Format Commands	Site Window Help Com
index.html* ×	bootstrap3 - D:\v	wamp\www\Bootstrap3\index.html 🗗
Source Code bootstrap-theme.css	jquery-latest.pack.js bootstrap.js	T
Code Split Design Live	Live Code Inspect 🚳 🔶	G file:///D /wamp/www/Bootstrap:
Email		
Password		
Remember me		
Sign in		
۲ III		F.
<body> <div> <div> <div> <for< td=""><td>rm> <div> <div> <input/></div></div></td><td>🔲 🔲 🛄 1000 x 365 🗸</td></for<></div></div></div></body>	rm> <div> <div> <input/></div></div>	🔲 🔲 🛄 1000 x 365 🗸
Properties Bootstrap 3 Grid Bootstra	ap 3 Elements	*=
Cell Properties	Design View	
	Active View Medium Devices Display Properties	
Push 0 Pull 0	Text Align Default	
Offset 0 🜩	Show On All Devices -	



Control Group

Add a simple input field with a label.

Dw	/ File	Edit	View	Insert	Modify	Format	Comn	nands	Site	Window	Help			Comp
inde	x.html*	×								3 - D:\wamp				Ð
Sou	rce Code	boot	strap-the	me.css	jquery-late	st.pack.js	bootst	rap.js	bootst	rap.css				T
	ode S	plit D	esign	Live	Live Code	Inspec	t 🚳,	+	÷C	file:///D /v	wamp/www	v/Bootstrap	3/index.h	tml
														•
	Text F	ield:												
	Text	Field												
	Text F	ield:												
	Text	Field												_
	Text F	ield:					_							=
	Text	Field												
	Text F	ield:												
	Text	Field												
														-
<	v> <div< td=""><td>> <div< td=""><td>> <div< td=""><td>> <di< td=""><td>///> <div< td=""><td>> <div></div></td><td><div></div></td><td>> < 0</td><td>> cinnu</td><td>+ ></td><td></td><td></td><td>1000 x 3</td><td>* </td></div<></td></di<></td></div<></td></div<></td></div<>	> <div< td=""><td>> <div< td=""><td>> <di< td=""><td>///> <div< td=""><td>> <div></div></td><td><div></div></td><td>> < 0</td><td>> cinnu</td><td>+ ></td><td></td><td></td><td>1000 x 3</td><td>* </td></div<></td></di<></td></div<></td></div<>	> <div< td=""><td>> <di< td=""><td>///> <div< td=""><td>> <div></div></td><td><div></div></td><td>> < 0</td><td>> cinnu</td><td>+ ></td><td></td><td></td><td>1000 x 3</td><td>* </td></div<></td></di<></td></div<>	> <di< td=""><td>///> <div< td=""><td>> <div></div></td><td><div></div></td><td>> < 0</td><td>> cinnu</td><td>+ ></td><td></td><td></td><td>1000 x 3</td><td>* </td></div<></td></di<>	///> <div< td=""><td>> <div></div></td><td><div></div></td><td>> < 0</td><td>> cinnu</td><td>+ ></td><td></td><td></td><td>1000 x 3</td><td>* </td></div<>	> <div></div>	<div></div>	> < 0	> cinnu	+ >			1000 x 3	*
			p 3 Grid		ap 3 Element		Sulvino	~ p		<u></u>			1000 X 3	▼ 0€
			perties	L										
	Align	Default		•										
E	imphasis	Warning	9	•										
	Lead													



Buttons

Button

You can add buttons with different sizes (large, default, small and extra small) and choose one of the predefined lightweight designs. From the element properties you can make a button non-clickable by disabling it or make it fit the cell entirely by width.

Dw File Edit	View Insert	Modify	Format	Commar	ids Sit	te Windo	w Help		Comp
index.html* ×					bootstr	ap3 - D:∖war	np\www\Bo	otstrap3\inde	chtml 🗗
Source Code boot	strap-theme.css	jquery-late	est.pack.js	bootstrap	.js boo	otstrap.css			T
Code Split D	esign Live	Live Code	Inspec	t 🕘, 🗸	$\vdash \Rightarrow i$	C file:///D	/wamp/www	/Bootstrap3/ind	lex.html
	_								*
Button	Button	Button	Button						
Button	Button	Button	Button						
Button	Button	Button	Button						
Button	Button	Button	Button						E
Button	Button	Button	Button						
Button	Button	Button	Button						
Link	Link Link	Link							-
•									
<body> <div.containe< td=""><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td><td>100</td><td>0 x 398 ↔</td></div.containe<></body>					_			100	0 x 398 ↔
		rap 3 Element							*=
Align Default			on Proper Style Warn		•				
Emphasis None	-		Size Extra	-	•				
Lead		l.	Block 📃	Active					
		Disa	abled 📃						





Anchor Button

If you need to use a text link that looks like a button, anchor button element is the right one to choose.

Dw
File Edit View Insert Modify Format Commands Site Window Help
index.html* × bootstrap3 - D:\wamp\www\Bootstrap3\index.html 🗗
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js
Code Split Design Live Live Code Inspect 🚳 🔶 🔶 🔂 file:///Dl/wamp/www/
Button Button
Button Button
Button Button
Button Button
-
<body> <div.container> <div.row> <div.col-xs-12.col-md-8></div.col-xs-12.col-md-8></div.row></div.container></body>
Properties Bootstrap 3 Grid Bootstrap 3 Elements Paragraph Properties Button Properties Image: Constraint of the second se
Align Default Style Danger
Emphasis None
Lead Block Active
Disabled



Button with icon

There are 200 icons supplied in the extension that you can use on any button size or design.

Dw
File Edit View Insert Modify Format Commands Site Window Help
index.html* × bootstrap3 - D:\wamp\www\Bootstrap3\index.html 🗗
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js bootstrap.css
Code Split Design Live Live Code Inspect 🚳 + > 🛛 file:///DI/wamp/www/
★ Button ▲ Button C Button ♦ Button
Q Button ■ Button ■
🛗 Button 🔚 Button 🖸 Button
Rutton La Button Sutton
<body> <div.container> <div.row> <div.col-xs-12.col-md-8> 1000 x 304 *</div.col-xs-12.col-md-8></div.row></div.container></body>
Properties Bootstrap 3 Grid Bootstrap 3 Elements
Paragraph Properties
Align Default 👻
Emphasis None
Lead 📃



Button group

You can add as many buttons next to each other as you need. They can be with or without styling and icons. The alignment can be horizontal as well as vertical.

Dw											Co	mpa
File Edit	View	Insert	Modify	Format	Comm	ands	Site	Wir	dow	Help		
index.html	* ×			bo	otstrap3	- D:\wa	mp\wv	vw∖Bo	otstra	ip3∖inde	x.html	ð
Source Coo	le boots	strap-ther	me.css jq	uery-latest	.pack.js	bootstr	rap.js	boo	tstrap.	CSS		Ŧ
Code	Split D	esign	Live	ive Code	Inspect	9.	+	÷¢) file	:///D /w	amp/ww	w/Bo
												-
	Ξ	=										
E												
-												
												
0												
												-
•						_					۰.	
<body> <div< td=""><td></td><td></td><td></td><td></td><td>-md-8>(<</td><td><u>p></u></td><td>_</td><td></td><td></td><td>) 100</td><td>00 x 304</td><td>_</td></div<></body>					-md-8>(<	<u>p></u>	_) 100	00 x 304	_
Properties	Bootstrap		Bootstrap							*::::		▼ ≣
KTML	Form		graph			xs-12 cc	9	*	8 /		\$# ÷#	
CSS		in den	*	*	Link					*		
							C	Pagel	ylobel	ties)	List.1	tem




Images



Image

There are 4 styles you can add to the images - default, rounded corners, circle and thumbnail. Also you can set the images to be fully responsive.






lcons



Icons

200 icons in sprite form to be used in buttons, button groups for a toolbar, or prepended form inputs.








Pagination



Pagination

Add a simple pagination, great for apps and search results. From the element properties you can choose the position and the size of the paginator.





Pager

Quick previous and next links for simple pagination, implementations with light markup and styles. It's great for simple sites like blogs or magazines.

Dw
File Edit View Insert Modify Format Commands Site Window Help
index.html* × bootstrap3 - D:\wamp\www\Bootstrap3\index.html 🗗
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js bootstrap.css
Code Split Design Live Live Code Inspect 🚳 🔶 🔶 file:///D1/wamp/www/Boots
Previous Next
<body> <div.container> <ul.pager> <a> III III IIII 565 x 289 * Properties Bootstrap 3 Grid Bootstrap 3 Elements *=</ul.pager></div.container></body>
Select a Bootstrap 3 Grid Element



Aligned pager

Quick links for simple pagination aligned to each side.

Dw					C						
File Edit View Insert	Modify Format	Commands	Site Winde	ow Help							
index.html* ×		bootstrap3 - D	:\wamp\www\B	Bootstrap3∖index.ht							
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js bootstrap.css											
Code Split Design	Live Code	Inspect 🚳	. + → Ø	file:///D /wamp/ww	/w/Boots						
← Older				Newer -							
<body> <div.container> <ul.pa< td=""><td></td><td></td><td></td><td>565 x 2</td><td>_</td></ul.pa<></div.container></body>				565 x 2	_						
Properties Bootstrap 3 Grid Bootstrap 3 Elements Select a Bootstrap 3 Grid Element Select a Bootstrap 3 Grid Element											





Breadcrumb

Add easy navigation that allows users to keep track of their locations within programs or documents.

Dw										
File Edit View Insert Modify Format Commands Site Window Help										
index.html* × bootstrap3 - D:\wamp\www\Bootstrap3\index.html 🗗										
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js bootstrap.css										
Code Split Design Live Live Code Inspect 🚳 🔶 🕈 🔂 file:///Dl/wamp/www/Boots										
Home / Library / Data										
<body> <div.container> <ul.breadcrumb> <li.active> 565 x 289 *</li.active></ul.breadcrumb></div.container></body>										
<body> <div.container> <ul.breadcrumb> <li.active></li.active></ul.breadcrumb></div.container></body>										
Container Creation Design View										
Add Container Active View Extra Small Device 🔻										



Labels and Badges



Labels

Create eye catching labels and annotate text with inline labels. From the element properties you can style the labels with lightweight designs.

Dw										
File Edit View Insert Modify Format Commands Site Window Help										
index.html* × bootstrap3 - D:\wamp\www\Bootstrap3\index.html 🗗										
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js bootstrap.css										
Code Split Design Live Live Code Inspect 🚳 🔶 🔶 🔂 file:///Dl/wamp/www/Boo										
Label Label Label										
Label Label Label										
Label Label Label										
Label Label Label										
<pre><body> <div.container> <span.label.label-primary></span.label.label-primary></div.container></body></pre>										
Properties Bootstrap 3 Grid Bootstrap 3 Elements										
Paragraph Properties Label Properties										
Align Default Style Primary										
Color Default Show On All Devices										
Background Default										
Lead										



Badges

Add small and simple badges for displaying an indicator or count. They're commonly found in email clients or on mobile apps for push notification.

Dw
File Edit View Insert Modify Format Commands Site Window Help
index.html* × bootstrap3 - D:\wamp\www\Bootstrap3\index.html 🗗
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js
Code Split Design Live Live Code Inspect 🚳 🔶 🔶 🔂 file:///Dl/wamp/www/Boots
Unread messages 2
Inbox 1
Notifications 15
<body> <div.container> 565 x 289 *</div.container></body>
Properties Bootstrap 3 Grid Bootstrap 3 Elements
Paragraph Properties Badge Properties
Align Default Show On All Devices
Color Default
Background Default
Lead 📃




Layouts



Jumbotron

Add a lightweight, flexible component to showcase key content on your site. It works well on marketing and content-heavy sites. From the element properties you can add a simple effect to give it an inset effect with padding and rounded corners.





Page header

Add text that is separated from the main body of text and appears at the top. From the elements properties it can be aligned center, left and right.

Dw	File	Edit	View	Insert	Modify	Format	Comma	inds	Site	Window	Help		Co
index.ht	tml* >	<					boot	strap3	- D:\wa	amp\www\E	ootstrap	3\index.html	٦
Source	Code	boots	trap-the	me.css	jquery-late	st.pack.js	bootstra	p.js	bootst	ap.css			T
Code	Spl	it De	esign)	Live	Live Code	Inspec	:t 🕘,	+ +	D C	file:///D /w	amp/www	v/Bootstrap3/i	ndex.
E	Xa	am	ple	e p	age	he	ade	er :	Sub	text fo	or he	ader	
•				I	"								Þ
<body> <</body>	<div.co< td=""><td>ntainer</td><td>> <div.p< td=""><td>age-head</td><td>der> <h1></h1></td><td><small></small></td><td></td><td></td><td></td><td></td><td></td><td>📘 1000 x 33</td><td>5*</td></div.p<></td></div.co<>	ntainer	> <div.p< td=""><td>age-head</td><td>der> <h1></h1></td><td><small></small></td><td></td><td></td><td></td><td></td><td></td><td>📘 1000 x 33</td><td>5*</td></div.p<>	age-head	der> <h1></h1>	<small></small>						📘 1000 x 33	5*
Properti	es Bo	otstrap	3 Grid	Bootstra	ap 3 Element	ts							•=
	xt Pro		s										
	Align D	efault		-									
0	Color D	efault		-									
Backgro	ound D	efault		•									





Text

Use this element to add content on your page with a header, paragraph and button.

Dw File Edit Vie	ew Insert Modify	Format	Commands	Site	Window	Help		Co
index.html* ×			bootstrap:	8 - D:\wa	amp\www\B	ootstrap	3∖index.html	٦
Source Code bootstrap	-theme.css jquery-lates	st.pack.js	bootstrap.js					\mathbf{T}
Code Split Design	n Live Live Code	Inspect	E 🚳, 🔶 i	÷ Ø	file:///D /w	amp/www	/Bootstrap3/	index
Heading								
tortor mauris condir malesuada magna View details »	ni porta gravida at eg mentum nibh, ut ferr mollis euismod. Don	nentum i	massa justo					
<body> <div.container> <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre></div.container></body>	p>						624 x 335	i¥
Properties Bootstrap 3 G		5						
Paragraph Propert	ties							
Align	-							
Color Default								
Background Default	_							
Lead 📃								



Thumbnails



Thumbnails

Add grids of photos, videos, products or anything that needs thumbnail display.

Dw File Edit View	Insert Modify Format	t Commands Site V	Window Help Co
index.html* ×		bootstrap3 - D:\wam	p\www\Bootstrap3\index.html 🗗
Source Code bootstrap-then	ne.css jquery-latest.pack.js	s bootstrap.js bootstrap	o.css 🔻
Code Split Design	Live Code Inspe	ect 🕘 💠 🕈 🗘 fi	le:///D /wamp/www/Bootstrap3/index.
< <body></body>	III	*	►
Properties Bootstrap 3 Grid	Bootstrap 3 Elements		- <u>- (</u>)
Container Creation	er Active View Mediu		





Advanced thumbnails

Add any kind of HTML content like headings, paragraphs, or buttons into thumbnails.

Dw index.h		nmands Site Window Help bootstrap3 - D:\wamp\www\Bootstrap3\index.html	6
Source	Code bootstrap-theme.css jquery-latest.pack.js boot	strap.js bootstrap.css	T
Code	e Split Design Live Live Code Inspect 🔮), + + 🖉 file:///D1/wamp/www/Bootstrap3/index.html	
	Image: Constraint of the second se	Image: Additional image: Additiona image: Additional image: Additiona image: Additional i	E
•	m		٢
Properti — In Resp	<div.container> <div.col-md-4> <div.thumbnail> <imq.imq.re< p=""> ies Bootstrap 3 Grid Bootstrap 3 Elements mage Properties </imq.imq.re<></div.thumbnail></div.col-md-4></div.container>	esponsive.imq-thumbnail>	*≡



Progress bars



Progress bar

Visualize the progression of an action with a progress bar. From the element properties you can customize the color and add striped effect. Also you can animate the stripes during process. Note that the animation is not supported in IE9 and below versions as well as in older versions of Firefox. Opera 12 does not support animations.

Dw File Edit View Insert Modify Format Commands Site Window Help	C
index.html* × bootstrap3 - D:\wamp\www\Bootstrap3\index.html i	5
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js bootstrap.css	T
Code Split Design Live Live Code Inspect 🚳 🔶 +	•
	_
III	Þ
<body> <div> <div> <div> <div> <div> <div.progress-bar.progress-bar-danger></div.progress-bar.progress-bar-danger></div></div></div></div></div></body>	
Properties Bootstrap 3 Grid Bootstrap 3 Elements	-
Progress Bar Properties — Bar Properties —	
Striped 🗸 Active 🗌 Colors Danger 👻	
Show On All Devices	



Stacked progress bar

Put multiple bars into the same progress bar to stack them. From the element properties you can use the same lightweight styles like the ones for buttons. Also they can be striped and animated.

Dw	File	Edit	View	Insert	Modify	Format	Comm	ands	Site	Window	Help			C
index.	html*	×								ap3 - D:\war				5
Source	e Code) boots	strap-the	me.css	jquery-late	st.pack.js	bootstr	ap.js	bootst	rap.css				T
Cod	le Sp	olit D	esign	Live	Live Code	Inspec	t 🕘,	+ +	0	file:///D /w	amp/www	/Bootstrap3/i	index.html	•
														_
•					111									•
					/>(<div.p< td=""><td>_</td><td>r.progres</td><td>s-bar-sı</td><td>iccess></td><td>)</td><td></td><td></td><td>1000 x 30</td><td><u> </u></td></div.p<>	_	r.progres	s-bar-sı	iccess>)			1000 x 30	<u> </u>
Proper			-		ap 3 Element					_	_	_	_	*=
P			roperti		Barl	-			_					
	Striped	_		ve 📃	Colo	ors Succes	s	•						
5	Show Or	All De	vices	•										

Note: Progress bars use CSS3 transitions and animations to achieve some of their effects. These features are not supported in Internet Explorer 9 and below or older versions of Firefox. Opera 12 does not support animations.



Alerts



Alert

Add a simple text for a basic warning alert message with a close button that can be styled.

Dw	File	Edit	View	Insert	Modify	Format	Comman	ds S	Site	Window	Help	1		Co
index		×									· · ·	 Bootstran3		2
	ce Code		trap-the	me.css	jquery-late	st.nack.is	bootstrap			ap.css	10 (000000)	bootstraps	Indexation	T
	Code Split Design Live Live Code Inspect 🚳 🔶 + A 🖉 file:///D /wamp/www/Bootstrap3/index.html													'
	de sp		esign	Live	Live Code	Inspect			5	nie:///DI/w	amp/www	/bootstrap3	/index.num	-
	Head impo		! This a	alert ne	eds your	attention	, but it's	not sı	uper	×				
	Well	done	You !	succes	sfully read	d this imp	ortant al	ert me	essa	ge. ×				ш
	Warr	ning!	Best cł	neck yo	self, you	're not lo	oking too	good	d.	×				
	Oh s	nap!	Chang	e a few	things up	o and try	submittir	g aga	ain.					•
•														•
					.col-md-6>		alert-info>) 1000 x 33	1~
	Alert Pro Style	o pertie Info		▼ ▼	ap 3 Element	5								*



Alert Block

Add a longer warning alert message with description and close button.

Dw	File	Edit	View	Insert	Modify	Format	Comm	ands	Site	Window	Help		Co
index	.html*	×						bootsti	rap3 - I	D:\wamp\w	ww\Boot	strap3\inde	x.html 🗗
Sour	ce Code	boots	strap-the	me.css	jquery-late:	st.pack.js	bootstra	ap.js	bootst	rap.css			T
Co	ode S	plit D	esign	Live	Live Code	Inspect	.	+ +	G	file:///D /w	amp/www	v/Bootstrap3	3/index.html
													*
	Best		yo se	f, you're augue.	e not look	ting too g	jood. N	lulla vi	tae e	×			
	Best		yo se	f, you're augue.	e not look	ting too ç	jood. N	iulla vi	tae e	×			E
	Best		yo sel	f, you're augue.	e not look	cing too ູ	jood. N	lulla vi	tae e	×			
													-
<body< td=""><td>> <div c<="" td=""><td>ontaine</td><td>r> <div r<="" td=""><th></th><th>.col-md-6></th><td><div.alert :<="" td=""><th>alert-dan</th><td>ner > <h< td=""><td>14.alert</td><td>t-heading ></td><td></td><td>1 100</td><td>► 00 x 404 v</td></h<></td></div.alert></td></div></td></div></td></body<>	> <div c<="" td=""><td>ontaine</td><td>r> <div r<="" td=""><th></th><th>.col-md-6></th><td><div.alert :<="" td=""><th>alert-dan</th><td>ner > <h< td=""><td>14.alert</td><td>t-heading ></td><td></td><td>1 100</td><td>► 00 x 404 v</td></h<></td></div.alert></td></div></td></div>	ontaine	r> <div r<="" td=""><th></th><th>.col-md-6></th><td><div.alert :<="" td=""><th>alert-dan</th><td>ner > <h< td=""><td>14.alert</td><td>t-heading ></td><td></td><td>1 100</td><td>► 00 x 404 v</td></h<></td></div.alert></td></div>		.col-md-6>	<div.alert :<="" td=""><th>alert-dan</th><td>ner > <h< td=""><td>14.alert</td><td>t-heading ></td><td></td><td>1 100</td><td>► 00 x 404 v</td></h<></td></div.alert>	alert-dan	ner > <h< td=""><td>14.alert</td><td>t-heading ></td><td></td><td>1 100</td><td>► 00 x 404 v</td></h<>	14.alert	t-heading >		1 100	► 00 x 404 v
Prope		Bootstra			p 3 Element				. Haref				+ <u></u>
- 1	Text Pr	opertie	s —			Propertie	:s —		-				
	Align	Default		-	Sty	le Danger		•					
Back	Color ground	Default Default		•	Show (On All Devi	ces	•					



Media



Media object


Float a media object (images, video, audio) to the left or right of a content block.

Dw File Edit View Insert Modify Format Commands Site Window Help Co												
index.html* × bootstrap3 - D:\wamp\www\Bootstrap3\index.html 🗗												
Source Code bootstrap-theme.css jquery-latest.pack.js bootstrap.js bootstrap.css												
Code Split Design Live Live Code Inspect 🚳 🔶 🔶 🛱 file:///D /wamp/www/Bootstrap3/index.h												
Media heading Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicitudin commodo. Cras purus odio, vestibulum in vulputate at, tempus viverra turpis. Fusce condimentum nunc ac nisi vulputate fringilla. Donec lacinia congue felis in faucibus.												
Media heading Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicitudin commodo. Cras purus odio, vestibulum in vulputate at, tempus viverra turpis. Fusce condimentum nunc ac nisi vulputate fringilla. Donec lacinia congue felis in faucibus.												
Media heading Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicitudin commodo. Cras purus odio, vestibulum in vulputate at, tempus viverra turpis.												
Properties Bootstrap 3 Grid Bootstrap 3 Elements Text Properties												
Color Default Background Default												



Media list

You can use media inside list, which is useful for comment threads or articles lists.





List Group

List Group

List groups are a flexible and powerful component for displaying not only simple lists of elements, but complex ones with custom content. You can also add badges to any list group item and it will automatically be positioned on the right.

Dw	File	Edit	View	Insert	Modify	Format	Comma	ands	Site	Window	Help		Co
index.	.html*	×					boo	tstrap3	- D:\w	/amp\www\	,Bootstra	p3∖inde>	chtml 🗗
Sourc	e Code	boot	strap-the	me.css	jquery-late	st.pack.js	bootstra	ap.js	bootst	rap.css			T
Co	de S	plit D	esign	Live	Live Code	Inspec	:t 🚳,	+ +	C	file:///D /w	amp/www	v/Bootstr	ap3/index.ŀ
	Cras	s justo	odio										
	Dap	ibus a	c facilis	is in									
	Mort	bi leo i	risus										
	Port	a ac c	onsect	etur ac									
	Vest	tibulun	n at ero	S									
4					11								- F
<body></body>	> <div.c< td=""><td>ontaine</td><td>r> <div.r< td=""><th></th><th></th><td> (<ul.list-group< li=""> </ul.list-group<></td><td>oup></td><td></td><td></td><td>Į.</td><td></td><td>100</td><td>0 x 325 ↔</td></div.r<></td></div.c<>	ontaine	r> <div.r< td=""><th></th><th></th><td> (<ul.list-group< li=""> </ul.list-group<></td><td>oup></td><td></td><td></td><td>Į.</td><td></td><td>100</td><td>0 x 325 ↔</td></div.r<>			 (<ul.list-group< li=""> </ul.list-group<>	oup>			Į.		100	0 x 325 ↔
Proper			p 3 Grid		ap 3 Element								•=
- L	ist Gro	up Pro	perties										
Sh	iow On	All Devi	ces	•									



Panels

	_	_	
E	=	=	

Panels

You can put your content within panels to save space on your layout. Easily, you can add headings and make a panel more meaningful to a particular context by adding a background color.

Dw	File	Edit	View	Insert	Modify	Format	Comm	ands	Site	Window	Help			Co
inde	k.html*	×			_	_	boo	otstrap:	3 - D:\w	amp\www\	Bootstra	p3∖inde	x.html	8
Sour	ce Code	boot:	strap-the	me.css	jquery-late	est.pack.js	bootstra	ap.js						${\color{black}\overline{\intercal}}$
	ode S	plit D	esign	Live	Live Code	e Inspec	:t 🚱,	+ +	Ð	file:///D /v	wamp/www	w/Bootst	trap3/in	dex.l
														_
						Panel	title							
	Pane	el cont	tent											
	Pane	el foot	er											
	a salta.	s alta	s sala		Ⅲ /> <div< td=""><td>s</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>. ►</td></div<>	s								. ►
			> <an< td=""><td></td><td>ap 3 Elemen</td><td></td><td></td><td>-</td><td>-</td><td></td><td></td><td>100</td><td>0 x 325</td><td>• •≡</td></an<>		ap 3 Elemen			-	-			100	0 x 325	• •≡
	Panel P			Doorser	ap 5 cremen									
	ground			•										
s	how On	All Devi	ces	-										



Video: Accessing DMXzone Bootstrap 3 Elements



With this <u>movie</u> we will show you how to access <u>DMXzone Bootstrap 3 Elements</u> and Bootstrap Elements Inspector Floating Panel.

Video: Using DMXzone Bootstrap 3 Typography Elements



With this <u>movie</u> we will show you the Typography options included in <u>DMXzone Bootstrap 3</u> <u>Elements</u>.

Video: Using DMXzone Bootstrap 3 Table Elements



With this <u>movie</u> we will show you how to use table elements included in <u>DMXzone Bootstrap</u> <u>3 Elements</u>.

Video: Using DMXzone Bootstrap 3 List Group and Panel Elements



With this <u>movie</u> we will show you how to use the list group and panel elements included in <u>DMXzone Bootstrap 3 Elements</u>.



Video: Using DMXzone Bootstrap 3 Thumbnails and Label Elements



With this <u>movie</u> we will show you how to use the thumbnail and label elements included in <u>DMXzone Bootstrap Elements</u>.

Video: Using DMXzone Bootstrap 3 Button Elements



With this <u>movie</u> we will show you how to use the button elements included in <u>DMXzone</u> <u>Bootstrap Elements</u>.