

Table of contents

Table of contents	1
About DMXzone Bootstrap 3 Forms Designer	2
Features in Detail	3
The Basics: Accessing Forms Designer in Dreamweaver	17
Advanced: Building a Horizontal Form	21
Advanced: Using Addons and Buttons in Bootstrap 3 Forms Designer	38
Advanced: Assigning Dynamic Values to Form Fields	
Advanced: Styling Radio Buttons and Checkboxes	50
Advanced: Styling File Fields in Bootstrap 3 Forms Designer	
Video: Accessing Forms Designer in Dreamweaver	61
Video: Building a Horizontal Form	61
Video: Using Addons and Buttons in Bootstrap 3 Forms Designer	61
Video: Assigning Dynamic Values to Form Fields	61
Video: Styling Radio Buttons and Checkboxes	61
Video: Styling File Fields in Bootstrap 3 Forms Designer	61



DMXzone Bootstrap 3 Forms Designer is the next great addition to the Bootstrap 3 family. It is supplied with tons of features, which will help you create amazing forms for your website or application. Each form is fully responsive and easily customizable through the dedicated floating panel.

Make contact, subscription, reservation and various other forms with just a few clicks in Dreamweaver, and offer your users the ultimate experience. You can even give your form inputs dynamic values.

Thanks to the great integration with Bootstrap 3, Elements and Font Awesome you can use all their powers to improve and enhance your forms.



Features in Detail

General Features

The DMXzone Bootstrap Forms Designer is supplied with tons of features, which will help you create amazing forms for your website or application. Each form is fully responsive and customizable. We've made a list of powerful features, so you can see what this latest extension contains.

Create amazing Bootstrap 3 based forms - Use the infinite powers of Bootstrap 3 to create stunning forms and improve the users' experience on your website or application.

		Registratio	n Form
First Name			
Enter your use			Wine Details
Last Name	Name	Wine name	
Enter your pas	Country	France	Booking Form
Country	country	Trance	Name
USA	Region	Text	Full Name
🔿 Female 🔿 Mi	Notes	Add notes	Email
Receive Weekly I	Notes	Add Hotes	Email
			Check-in
			Check-In Date

Awesome CSS Styling beyond the default Bootstrap 3 form styling - Now we have included even more ready to go styling for you, so your checkboxes, radios and file upload controls looks really amazing!

Default	Small	O Next
Primary	Big	One
Success		
Info		Choose file
💟 Warning		
🛃 Check me out		



Easy to create forms - From the dedicated floating panel you can easily add the type of form you need for your page or application.

Bootstrap 3	Forms Designer	Properties	Bootstrap 3 Grid	Bootstrap 3 Elements	DMXzone Fo	ont Awesome		*
- Base F	ield Propertie	s	- Extra Field	Properties	- Text In	put Field Pro	perties —	
Name	name		Title		Туре	Text	~	
ID	name		Place Holder F	ull Name	Height	Default	~	
Value		- {\$	Disabled	Read Only	— Form Fi	eld Group Pr	operties	
			Display D	efault 🗸 🗸	i	Add Help	Block	
				16	Height	Default	~	
					State	Default	~	
					Display	Default	~	

Great visual rendering - Follow the changes of your form fully visually in Dreamweaver Live View. Click the image for larger preview.

ESD (query-latest.pack.js e Split Dive •	bootstrap.min.js bootstrap.min.o		ww.hepeatSindings;form.htm v	۳. 4
		100 100 KG 800 KG 800 KG	Tellon //// Milan Mila Tellon /// Milan Mila	N 2002 (((() 1999) N 2002 1200
50 <u>500 550</u>	ze pe pe pe pe	un Moo Hito Boo Boo Boo Boo Boo Boo Boo Boo Poo	tun landan kantan kan	
	Booking Form			
		input form-control #name +		
	Name 🛄	Full Name		
	Email	Email		
	Check-in	Check-in Date		
	Staying For	1 Night 💟		
	Rooms	1		
		O Sea View O Standard View		
	Special Requests	Special Requests or Remarks		
		Overs Availability	&.i	
	1			
div div div div pa	nel.panel-success div .panel-bo	dy form #bookingForm.form-horizontal div .form-group div	col-em-10.col-lg-8 [rout] mane.form-control	Ø □ Ø, 1236 × 551
s Bootstrap I Grief Bootstra e Field Properties	Beotstrap 3 Forms D		p Properties · · · · Form Field Group Management	- for broading
e name	Extra Field Properties	Text Input Field Properties Form Field Grou Type Text	Add New Input	Form Properties
ID name	Place Holder Pull Name	Height Default - State Default	Move Form Field I Up I Dow	the based poper
	3 Disabled Read Only		and the second sec	Labels Width 2 🗣 🗲 🗲

Copyright © 2015 DMXzone.com All Rights Reserved To get more go to DMXzone.com Page 4 of 61



Full visual form creation - Just select what type of element you want to add to the form and it will be inserted as a well-structured bootstrap form group at once! No need for writing all this HTML codes by hand!

Rearrange forms visually - You can select any form element and rearrange them fully visual by moving the whole group up or down.

Form Types

Choose between vertical, horizontal or inline form. The extension allows you to choose between one of the three major form types from the dedicated floating panel.

Bootstrap 3 Fo	orms Designer	Properties	Bootstrap 3 Grid	Bootstrap 3 Elements	DMXzone Font Awesome	*=
- Form C	reation					
	Add Vertica	l Form				
	Add Horizont	tal Form				
	Add Inline	Form				



Vertical - In a vertical form, the labels are on top of each element.

Booking Form	
Name	
Full Name	
Email	
Email	
Check-in	
Check-In Date	
Staying For	
1 Night	~
Rooms	
1	
O Sea View O Standard View Special Requests Special Requests or Remarks	
☑ Notify me via email Cancel Submit	



Horizontal form - In a horizontal form, the labels are alongside of each element.

Booking Form	
Name	Full Name
Email	Email
Check-in	Check-In Date
Staying For	1 Night 🗸
Rooms	1 ~
	O Sea View O Standard View
Special Requests	Special Requests or Remarks
	Check Availability

Inline - In an inline form, all of the elements are inline, left-aligned, and the labels are alongside.

Login				
Username	Add your username	Password	Add your password	
Already	a member 💦 Register me			Login



Nested forms - You can always combine the different type of forms and create a combo, for example an inline form, nested within a vertical form.

Registration Form	
First Name	
Enter your username	
Last Name	
Enter your password	
Country	
USA	~
Female Male	
Receive Weekly Newsletter Receive Monthly Newsletter	
	Register

Form Elements

Check out the included elements you can use to create various great forms for your website.

Input/Input group - The input element is a text-based input. If you want to add integrated text or buttons, before/after an input, you should use the input group element. For example, you can use input elements in a login form, where your users should add their username and password.

Bootstrap 3 F	orms Designer	Properties	Bootstrap 3 Grid	Bootstrap 3 Elemen	nts DMXzone Font Av	vesome	*≣
	ield Group Pr	operties -	Form Field	Group Manageme Input ~	nt — — Vertica	al Form Prop	erties —
Display	Default	~	Move Form Field	Input Input Group Select Textarea Checkbox Checkbox Group Radio Radio Group File Static Submit Button	Methoo Inline		~



The available input types are: text, number email, URL, password, search, datetime, datetime local, date, month, time, week, telephone and color.

— Base F	ield Propertie	es	Extra Field Prope	rties — 1	ext In	nput Field Properties	
Name	input1		Title		Type	Text 🗸	
ID	input	F	Place Holder Wine nam	ne	Height	Text	
Value		{# }	Disabled R	ead Only 🔄 🛛 👘	orm F	Number Email	5 ~
	8		Display Default	~	State	Url	
					Display	Password Search	
- Form I	Field Group M	anagement 🦳	— — Input Group	Management		Datetime Datetime Local	
Add N	lew Input	~ D i	Add Addon Before	Static 🗸 🗸		Date	
Nove Form F	ield 🔳 Up	Down	Add Button Before	Button ~		Month Time	
	Delete	e Form Field		Delete Addon After		Week Tel	
			- Vertical For	m Properties —		Color	
			ID				
			Method GET	~			
			Inline 🗌				

Select - If you need to add a dropdown with different options, the select element is the right one to use. For example, a dropdown with countries of origin in a registration form.

Bootstrap 3 Forms D	esigner	Properties	Bootstrap 3 Grid	Bootstrap 3 Eler	nents	DMXzone For	nt Awesome	*=
Select	Name	select1	Class	form-c v	Siz	e	Title	
	100000		Required	Form	~] Selected	1 Night 7 Nights 14 Nigths	List Value

Textarea - The textarea element is suitable if your form needs a place where users can add additional notes.

Special Requests	Special Requests or Remarks



DMXzone

Bootstrap 3	Forms Designer	Properties	Bootstrap 3 Grid	Bootstrap 3 Elements	DMXzone Fo	ont Awesome		•=
- Base F	ield Propertie	s	- Extra Field	Properties	- Form Fi	ield Propertie	s	
Name	textarea 1		Title		Height	Default	~	
ID	textarea		Place Holder S	pecial Requests or F	Disabled		-	
Value		{\$	Disabled	Read Only	Display	Default	~	
			Display De	efault 🗸 🗸	- Form Fi	ield Group Pro	operties	
					Height	Default	~	
					State	Default	~	
					Display	Default	~	

Checkbox/ Checkbox group - Checkboxes are for selecting one or several options in a list. You can select only one but you can also select all of them.

Default
Primary
Success
Info
🛃 Warning
Check me out

Bootstrap 3	Forms Designer	Properties	Bootstrap 3 Grid	Bootstrap 3 Elements	DMXzone For	nt Awesome	*=
- Base F	ield Propertie	s	Extra Field	d Properties	- Radio Pr	operties	
Name	radio		Title		Type	Default	~
ID	radio 1		Place Holder		Checked		
Value	option 1	{#}	Disabled	Read Only	— Radio C	Primary Success	nent
			Display [Default 🗸 🗸	Add Radio		t
					Move Radio	Danger	t
						Delete Radi	o Field



Radio/Radio group -Radios are for selecting only one option from many available.

Special Requests	Special Requests or Remarks	
	✓ Notify me via email	
	Check Availability	

	ield Propertie	es		Properties	Radio	Properties	
Name	radio		Title		Туре	Default	~
ID	radio 1		Place Holder		Checked		
Value	option1	{\$	Disabled	Read Only	Radio	Primary Success	nent
			Display D	efault	Add Radio	y Info Warning	t
					Move Radio	Danger	t

File - It allows you to add a file field to your form, where users can submit a number of files. It's super easy to use it with our HTML5 File Upload extension and offer your users upload through Ajax, multiple file upload, storing file info and client side image preview.

Your Name	Name
File	Choose file



DMXzone

Bootstrap 3	Forms Designer	Properties	Bootstrap 3 Gri	d Bootstr	ap 3 Elements	DMXzone F	ont Awesome		*=
Base F	ield Propertie	s	- Extra Fie	ld Propert	ies ——	File Fie	ld Properties	·	
Name	file1		Title			Input		Icon 🗹	
ID	file		Place Holder			Size	Default	~	
Value		{\$	Disabled	Rea	ad Only	Button Text	Choose file		
			Display	Default	~	Туре	Default	~	
						Size	Default	~	
						Disabled	Button	Before	

Static - When you need to place plain text next to a form label within a form.

Email myemail@mail.com Password	Enter password here	Login

Bootstrap 3 F	orms Designer	Properties	Bootstrap 3 Gri	d Bootstrap 3 Elem	ents DMX	zone Font Aw	esome	
Form Fi	ield Group Pr	operties	- Form Field	Group Managem	ent —	— Inline F	orm Proper	rties ——
State	Default	~	Add New	Button		ID		
Display De	Default	~	Move Form Field	Input		Method	GET	~
		17		Input Group Select	-	Inline		
			Checkb Checkb Radio	Textarea Checkbox Checkbox Group Radio Radio Group	eckbox eckbox Group dio	Display Default	Default	~
				File Static				
				Submit Button				

Submit - Adds a submit button to your form.

Copyright © 2015 DMXzone.com All Rights Reserved To get more go to DMXzone.com Page 12 of 61



DMXzone

Bootstrap 3 F	orms Designer	Properties	Bootstrap 3 Gri	d Bootstrap 3 Elen	nents	DMXzone Fo	ont Aw	resome		*
Form F	ield Group Pr	operties -	- Form Field	d Group Managen	nent	Ir	line F	Form Prope	erties	3
State	Default	~	Add New	Submit	~		ID			
Display Default	~	Move Form Field	Input		М	ethod	GET	~		
				Input Group Select	10		Inline			
				Textarea Checkbox Checkbox Group Radio Radio Group File Static		D	isplay	Default	~	
				Submit Button						

Button - You can add any button to your form and customize it. For example, you can add login, cancel or other action button.

Special S Requests	pecial Req	uests or Remark	s		.4		
-	Notify me v	ia email Submit					
Bootstrap 3 Forms Designer	Properties	Bootstrap 3 Grid	Bootstrap 3 Elements	DMXzone	Font Awesome		*=
Button Properties		Data Proper	ties — –	Form G	roup Propertie	es	
Style Default	~	Toggle		State	Default	~	
Size Default	~	Dismiss		Disabled			
Block A	ctive 🗌	Target		Display	Default	~	
Disabled	a de la composition de la comp	Form Proper	rties	Panel P	roperties		
1		Inline 🔽		Background	Warning	~	

Addons for input group - Extend form controls by adding text or buttons before, after, or on both sides of any textbased input group.





Bootstrap 3	Forms Designer	Properties	Bootstrap 3 Grid	Bootstrap 3 Elements	DMXzone Fe	ont Awesome		*=
- Base F	ield Propertie	s	- Extra Fiel	d Properties	- Text In	put Field Pro	perties —	
Name	input1		Title		Туре	Text	~	
ID	input		Place Holder	Text	Height	Default	~	
Value		{\$	Disabled [Read Only	- Form F	ield Group Pr	operties	
			Display [Default 🗸 🗸	State	Default	~	
					Display	Default	~	
- Form F	Field Group Ma	anagement	— — Іпри	ut Group Managemer	nt	1		
Add N	lew Button	~	Add Addo	n Before Static	~ E II			
Move Form F	ield 🔳 Up	Down	Add Butto	n Before Static Checkbox				
	Delete	Form Field	Add Add	lon After Radio	I.			
			Add Butt	ton After Button	~			

Integration with Bootstrap 3, Elements and Font Awesome

Thanks to the great integration with Bootstrap 3, Elements and Font Awesome you can use all their powers to improve and enhance your forms.

Great integration with DMXzone Bootstrap 3 and Elements - Create great-looking and fully responsive forms and add or customize any element easily with the help of DMXzone Bootstrap 3 and Bootstrap 3 Elements.

		🔿 Sea Viev	v 🔿 Standard Viev	v		
SI	Special Requests		Requests or Rem	iarks		
			n .btn-success	.btn-sm		
		Check Av	ailability			
		1				
pody div div	div div div	5	ngForm.form-horizontal	div .forn	n-group.form-g	roup-sm
	and south Mark	<pre>form #booki</pre>		Personal Control of Co	n-group.form-g ont Awesome	roup-sm
	gner Properties	<pre>form #booki</pre>	ngForm.form-horizontal Bootstrap 3 Elements	DMXzone F	1.18.18.18.18.1	
ootstrap 3 Forms Desig	gner Properties	form #booki Bootstrap 3 Grid	ngForm.form-horizontal Bootstrap 3 Elements	DMXzone F	ont Awesome	
Bootstrap 3 Forms Desig	gner Properties	v form #booki Bootstrap 3 Grid Data Proper	ngForm.form-horizontal Bootstrap 3 Elements	DMXzone F	ont Awesome roup Propertio	
Bootstrap 3 Forms Desig Button Properti Style Succes	gner Properties	v form #booki Bootstrap 3 Grid Data Proper Toggle	ngForm.form-horizontal Bootstrap 3 Elements	DMXzone F Form Gr State	ont Awesome roup Propertie Default	

Copyright © 2015 DMXzone.com All Rights Reserved To get more go to DMXzone.com Page 14 of 61



Full compatibility with DMXzone Font Awesome - Use any of the 439 icons in DMXzone Font Awesome, available at your fingertips and include them in your forms. Each icon is stylable in color, size, shadow and anything that is possible through the CSS to match your design perfectly.

Name	Wine name	
Country	France	
Region	Text	
Notes	Add notes	
		_
		S



Before you begin

Make sure to setup your site in Dreamweaver first before creating a page. If you don't know how to do that please read this.

Installing the extension

Read the tutorial at http://www.dmxzone.com/go/4671/how-to-install-extensions-from-dmxzone/

Login, download the product, and look up your serial at http://www.dmxzone.com/user/products

Get the latest DMXzone Extension Manager at http://www.dmxzone.com/go/22670/dmxzone-extension-manager-for-dreamweaver

Open DMXzone Extension Manager and go to your Purchased products tab and click install. If you have a subscription, the extension is to be found and installed in the Explore tab.

Get the latest extension manager from Adobe at http://www.adobe.com/exchange/em_download/

Open the .zxp file if you're using Dreamweaver CC or the .mxp file for Dreamweaver CS+ with Adobe Extension manager and install the extension.

If you experience any problems contact our Live Support!



The Basics: Accessing Forms Designer in Dreamweaver

In this tutorial we will show you how to access and enable DMXzone Bootstrap 3 Forms Designer in Dreamweaver.


*You can also check out the video.

	File Edit View Insert Modify Format Commands Site Window Help		Default - 🔯 🗸	- 0	×
,	index.html × (Scurce.Code) jquery-latest.pack.js bootstrap.min.js dmx8ootstrap.3Navigation.js dmx8ootstrap.3Forms.css dmx8i	atstran®orms is bantstran min css	demo - Di wangi wuwi denginde	x.html 🗗	-
C8*	Code Spit Live V 🖓 🖏			∎ ∔†	1
				_	18
		768px 992px 992px 992px 992px	1200px //////		-8
	© <u>50 p00 p55 p00 p56 p00 p56 p00 p56 p00 p50 p00 p50 p00 p50 p00 p50 p00 p50 p00 p0</u>	650 700 750 800 850 900 850 1000 1050 1100	2150 2200 2250 1300 2350 2400 2450 2500 2550 2600 2650 2700 2750		6
	Brand		Home Profile Messages		4 4
		Registration Form			
	body		⊘ □1 Ø. 1819	x 658 v	
	Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome HTMLS Animate 0	SS Bootstrap 3 Forms Designer		-=	4
	Form Creation Add Vertical Form				
	Add Horizontal Form				
	Add Inline Form				



How to do it

1. In order to access DMXzone Bootstrap 3 Forms Designer, make sure that you have it installed in DMXzone Extension Manager first. Then open Dreamweaver and from the **window menu (1)** choose **Bootstrap 3 Forms Designer (2)**.





2. The Bootstrap 3 Forms Designer panel is now enabled.

Dw	File Edit View Insert Modify Format Commands Site Window Help	Default - 😥 🗕 🗖 💙	×
»	index.html ×	demo - D:\wamp\www\demo\index.html 🗃 📕	
_ 87	index.html X	demo - D∿wamp\wwwidemo\index.html 副	5
	Code Spit Live	E	jel
	760pr) (110ps) (110		<u>م</u>
		1350 1400 1450 1500 1550 1600 1650 1700 1750 18	h
	body +		
	Entring Tarma Designer		di.
	Boostup > rem bages		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Add Vertical Form		_
	Add Horizontal Form		
	Add Inline Form		
		III]	
	im		
	Isody Propertie Boolstrag J Gred Boolstrag J Benefits & Boolstrag J Religion DMXzone Fent Alexanne NTMLS Animate GSS	Ø ↓ 1819 x 658 *	
	Trugelie Wooday J wing Wooday J seemins Wo		
	Add Container Active View Large Devices 🗸		



3. For the best results, please drag and dock the panel to the bottom side of Dreamweaver. Now you're ready to start working with Bootstrap 3 Forms Designer.

Dw	File Edit View Insert Modify Format Comma	nds Site Window Help						Def	ault - 🔅 🗸		x
»	index.html ×								vamp\www\demo\ir	ndex.html 🗗	
87	(Source Code) jquery-latest.pack.js bootstrap.min.js dmx8	lootstrap3Navigation.js dmxBootstrap3Forms.css dmxBoo	tstrap3Forms.js bootstrap.min.css						vamp\www\demo\in	T	50
-	Code Splt Live 💌 \ominus 🐼			+ + Ø file:///D1/wamp/www/demo/m	ndex.html 🗸				2		{3}
			767px	//////////////////////////////////////	////1199ex						-8
	a 160 1600 1620 1900 1920 1900	1520 LUOS LESS 1200 1220 1200	768px	992px	> 1200pi	N	h-400 h-400 h-600	here here he	- D200 D2		
	0 50 100 150 200 250 800 body +	100 P30 P30 P30 P30 P30 P30 P30 P30 P30 P	100 150 100 150 100	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,	1250 1500 1550	1400 14450 1500	perce perce perce perce perce perception perceptication perception perception perception	Net realized and realized	<u></u>	
		Brand				Home Profile	Messages				÷.
											4
			Registration Form								
			Registration Form								
		(
										IP.	
											1
	body							6) 🗔 🌒 1	819 x 658 ×	
	Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap	3 Navigation DMXzone Font Awesome HTML5 Animate C	S Bootstrap 3 Forms Designer							+=	4
	Form Creation Add Vertical Form										
	Add Horizontal Form										
	Add Inline Form										



Advanced: Building a Horizontal Form

In this tutorial we will show you how to build a horizontal form, using DMXzone Bootstrap 3 Forms Designer.

*You can also check out the video.

e Edit View Insert Modify Format Commands Site Window Help lex.html* ×			Default - 😿 –
urce Code) jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstr			
Code Spit Live V 🗘 🖸		/demo/index.html V	28.
	768px ///// 991px 992px ////////////////////////////////////	1200px 1200px	
	20 55 850 850 850 100 1750 800 1850 800 850 1000 1000 1000 1000		
Brand		Home Profile Messages	
(Registration Form		
	Registration		
	Name Your Name		
	Email Your Email		
	Password Your Password		
	Subscribe me to your Newsletter		
	button bbn-defaut +		
	Guomin		
div .container div .row div .col-lo-6.col-lo-oush-3 div .oanel.oanel-default	orm #myForm.form-horizontal div .form-group div .col-am-10 [button].btn.btn-default		⊘ 🛄 🚱 1819 x
rties Bootstrap 3 Grid Bootstrap 3 Bements Bootstrap 3 Navigation DMXzone Font Aveso orm Field Group Properties Form Field Group Management Horizo			
🚺 Add Help Block Add New Submit 🗸 🛄 🖬 ID	ntal Form Properties		
Height Default V Move Form Field Lip Down Method State Default V Delete Form Field Labels Width			
Display Default V Fields Width	. 10 ♦		
Display Default V Fields Width	(a) ↓ 10 ↓ Default ∨		
Display Default V Fields Width			



How to do it

1. We've built a really simple page layout, based on the Bootstrap 3 framework. It contains a div, where we'd like to place our registration form. Click inside the **container (1)**, where you want to insert your form and choose **add horizontal form button (2)**. The labels and form inputs of the horizontal form are aligned in a horizontal layout.

Dw	File Edit View Insert Modify Format Commands Site Window Help		Default - 🐹 🗕 🗆 🗙	<
" ஃ	index.html ×		demo - D:\wamp\\www\demo\index.html 🗗 📮 🗐 , 41, 4	
с8-)	Cource Codo jąuery-latest.pack.js bootstrap.min.js dmxBootstrap.Navigation.js dmxBootstrap.Forms.css dmxBootstrap.Forms.js bootstrap.min.css		T	5
	Code Splt Live • 🗘 🙃 🔶 🔶	ww/demo/index.html v	E	
	768pp:>>>> 《《《991ps 902 766pp:>>>> (《 991ps 902	px 1199px nr 1200nr		<u>م</u>
	o <u>ko</u> boo kao kao kao kao kao kao kao kao kao k	8 1050 1100 1150 1200 1250 1300 1350 1400 1450 1550	1600 1650 1700 1750 18	h
	Brand	Home Profile Messages		đ.
	brand	Home Prome Messages	ā	ŵ.
			4	, ji
	Registration Form			
	1			
			111 J	
	body div .container div .row div .col-ig-6.col-ig-push-3 div .panel-befault (av .panel-body		⊘ 1819 x 658 ↔	
	Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome HTML5 Animate CSS Bootstrap 3 Forms Designer		-=	
	Form Creation			
	Add Vertical Form			
	2 Add Horizontal Form			
	Add Inline Form			



2. First, let's **add an ID** to our form **(1)**. Choose between GET or POST method, for our tutorial we choose POST **(2)**.

	/ File Edit View Insert Modify Format Commands Site Window Help			Default - 🕱 🗕 🗖 🗙
× 000	index.html* ×			demo - D:\wamp\www\demo\index.html 🗗 🤐
ç	1 Conce Code Split Live • 😲 🙃	ootstrap.min.css ightarrow ightarrow i		
		Terps		Ē. Ⅲ. ↓t. (∰
		768px 991px 992px 992px (((1) 768px 992px 992px))	99px 1200px	8,
			2200 2250 1300 1350 2400 1450 2500 2550	1000 pess pro
	Brand		Home Profile Messages	a Ta
	Registratio	n Form		
	form form-hori	zontal #myForm +	•	
				m
				-
	body div .container div .row div .col-ig-6.col-ig-push-3 div .panel.panel-default form #myForm.form-horizontal			⊘ [_1] 🚱 1819 x 658 ↔
	Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome HTML5 Animate CSS Bootstrap 3 Form	ns Designer		•=
	Add New Input			
	Method POST V 2			
	Display Default			



3. Then, let's add some form fields, inside the form. From the dropdown menu, select **input (1)**. The input element is a text-based input. Now, click the **add field button (2)**.

	Edit View Insert Modify Format Commands Site Window Help		Default - 🔯 🗸
	x.html* ×		demo - D:\wamp\www\demo\inde
	code Spit Live 🔻 🗘 🐼		ndex.html V
		768px ////////////////////////////////////	//// 1199px
	Kn hnn h5n 17m 175n 17m 185n 4m 45n Kr	768px 992px 992px	
	Brand		Home Profile Messages
		Ponistration Form	
der ansene Wir nen der rechte sohn ander der Sohn a		Registration offi	
der ansene Wir nen der rache der der der anset wirden besterend der ansene Wir nen der rache der der anset wirden besterend der anseten Bernarden und der anset wirden besterend mernende Bernarden und der anset wirden besterend mernende Bernarden und der anset wirden besterend bernarden Bernarden Proprieter Der anset besterende Bernarden und der anset wirden besterend Der anset besterende Bernarden und der anset wirden besterend Der anset besterende Bernarden und der anset wirden bernarden und der anset wirden besterende		m	
Image: Note: The Management To inform Image: Note: The Management Image: Note: The Management Image: Note: The Management To inform Image: Note: The Management Note: Note: The Management Image: Note: The Management Note:		form .form-horizontal #myForm +	
Image: Note: The Management To inform Image: Note: The Management Image: Note: The Management Image: Note: The Management To inform Image: Note: The Management Image: Note: The Management Image: Note: The Management Note: Note			
Importing 2 Grief [Booting: 2 G			
Northery 2 Grid Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Priod transported Priod transported Northery 2 Howers Northery 2 Howers Priod transported Priod transported Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers Northery 2 Howers			
Isotatra 2 fordi Bostatra 2 Hondi Bostatra 2 Honding 1 Honding 1 Honding 1 Honding 1 form Designer International form Population International form Internation Internation Internation International			
Importing 2 Grief [Bootings 2 G			
Northery Long Northery Dennetic Northery Dennetic Northery Dennetic Northery Long Northery Dennetic Northery Dennetic			
Notifier J Endition December J Honoritation December J Honori			
Northery Long Northery Dennetic Northery Dennetic Northery Dennetic Northery Long Northery Dennetic Northery Dennetic			
Northery Long Northery Dennetic Northery Dennetic Northery Dennetic Northery Long Northery Dennetic Northery Dennetic			
Northery Long Northery Dennetic Northery Dennetic Northery Dennetic Northery Long Northery Dennetic Northery Dennetic			
Northery Long Northery Dennetic Northery Dennetic Northery Dennetic Northery Long Northery Dennetic Northery Dennetic			
Northery Long Northery Dennetic Northery Dennetic Northery Dennetic Northery Long Northery Dennetic Northery Dennetic			
Northery Long Boothery Demonts Boothery Demonts Boothery Demonts Boothery Demonts Image: Internet intern			
Isotatra 2 fordi Bostatra 2 Hondi Bostatra 2 Honding 1 Honding 1 Honding 1 Honding 1 form Designer International form Population International form Internation Internation Internation International			
Isotatra 2 fordi Bostatra 2 Hondi Bostatra 2 Honding 1 Honding 1 Honding 1 Honding 1 form Designer International form Population International form Internation Internation Internation International			
Isotatra 2 fordi Bostatra 2 hondi Bostatra 2 hondina 2 hondin			
Isotatra 2 fordi Bostatra 2 Hondi Bostatra 2 Honding 1 Honding 1 Honding 1 Honding 1 form Designer International form Population International form Internation Internation Internation International			
Northery Long Boothery Demonts Boothery Demonts Boothery Demonts Boothery Demonts Northery Long Point Demonts Boothery Demonts Boothery Demonts Northery Long Dimfram Northery Demonts Dimfram Northery Demonts Dimfram Northery Demonts Dimfram Details Dimfram Details Dimfram Dimfram Dimfram			
Notifier J Endition Denotifier To Honoritation Denotifier To Honoritatio Denotifier To Honoritation Denotifier T			
Isotatra 2 fordi Bostatra 2 Hondi Bostatra 2 Honding 1 Honding 1 Honding 1 Honding 1 form Designer International form Population International form Internation Internation Internation International			
m Feld Haagemeet root la form frogeries root			
Image: Sect: D D m/mon Societ Display Default V Textures Display Default V Rado Group Ref Societ V Ref Societ V V		e HTMLS Animate CSS Bootstrap 3 Forms Designer	
Image: Section 2000 Method POCT V Image: Section 2000 Dipplay [Default] V Image: Section 2000 Diplay [Default] V </td <td></td> <td></td> <td></td>			
Radio Graup Radio Graup Radio Graup Res	Input VIII Method POST V		
Radio Graup Radio Graup Radio Graup Res	Input Group Celect Display Default		
Radio Graup Radio Graup Radio Graup Res	1 Textarea		
Rado Rado Grup Rado Grup Res Sader Sader	Checkbox Checkbox Group		
File Static Static	Radio Radio Group		
Some	File		
	Submit Button		



4. For the horizontal form, you can set the width of the labels and the width of the fields. Just like in Bootstrap 3, their width is based on 12-column grid. We leave the width it to its default 10 as we don't need a narrow form.

Dw	File Edit View Insert Modify Format Commands Site Window Help	Default - 📖 🗙	×	
	deno - Di yana pi yawa deno ji ndez kitali 🗗			
ß	Source Code jquery-latest.padk.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forms.css dmxBootstrap3Forms.js	T	ş	
	Code Splt Live V 🕀 💀	♦ ⇒ Ø file://D/wanp/www/demo/index.html		
		767px		
			<u>م</u>	
	5 <u>50 poo pso pso pso pso pso pso pso pso pso</u>		b	
	Brand	Home Profile Messages	æ	
			-000	
		,	<0=	
	Registration	i Form		
	div .form-group			
	Input	Text		
	·			
	body div .container div .row div .col-lg-6.col-lg-push-3 div .panel.panel-default form #myForm.form-horizontal dv .form	grap 🖉 🛄 1819 x 653 v		
	Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome HTML5 Animate CSS Bootstrap 3 Form			
	Form Field Group Properties Form Field Group Management Horizontal Form Properties			
	Add Help Block Add New Input Inpu			
	State Default V Delete Form Field Labels Width 2 V C E			
	Display Default			



5. Now, select the **input (1)**, that we've just added. You can change its **default name** and **ID attributes**, from within the Bootstrap 3 Forms Designer panel. We add **name** for both **(2)**. Also, you can change the default placeholder text for this input. We enter **"your name" (3)**.

	puery-latest,pack_js bootstrap.min_js dmdbootstrap.Florms_css dmdbootstrap.Florms_js bootstrap.min_css Solt Live O Re://D/namp/num/demo/ndex.html Control Con	:\wamp\www\demo\index
	le_solt_Live_▼ ⊕ 3	
	768px //// 400px //// 4199px	
Band None Poste Messages	768px 992pt 1200pr 1200	
Band None Poste Messages		1650 1700 1750
	DI ATIO HOTRE MESSAGES	
	Registration Form	
linput I I I A A A A A A A A A A A A A		
linput I I I A A A A A A A A A A A A A		
Bit container	input form-control grame +	
lety container Bei vorligh fachlighauch 3 Bie genet genei defaut. Fami amyform familitarational de v fam-geng Bei vorlien 10 city 10 mean familitarational de vorliege 10 mean familitarational de vorliege 10 mean familitaria 10 city 10 ci	Input 🛍 Text	
lety container Bei vorligh fachlighauch 3 Bie genet genei defaut. Fami amyform familitarational de v fam-geng Bei vorlien 10 city 10 mean familitarational de vorliege 10 mean familitarational de vorliege 10 mean familitaria 10 city 10 ci		
Isotharp 1 fordi Isotharp 1 Boender		
Isotharp 1 fordi Isotharp 1 Boender		
Isotharp 1 fordi Isotharp 1 Boender		
Isotharp 1 fordi Isotharp 1 Boender		
Isotharp 1 fordi Isotharp 1 Boender		
Isotharp 1 fordi Isotharp 1 Boender		
Isolative J Grid Booktrag Density Density <thdensity< th=""> Density <thdensity< th=""></thdensity<></thdensity<>		
Isolating J Grid [Boottring]		
Isolating J Gold Bootstrag J Bo		
Isotharp 1 Gold Bootharp 1 B		
Apple Tread Extra Tread Properties Form Tread Group Properties Form Tread Group Properties Form Tread Group Properties 10 rome Proce holdset (CDD - Apple Tread 3 Treat Input Tread Properties Form Tread Group Properties Form Tread Group Properties Form Tread Group Properties 10 rome Proce holdset (CDD - Apple Tread 3 Treat Input Tread Form Tread Group Properties Form Tread Group Properties Form Tread Group Properties 10 rome Obset Profendit Tread Profession Tread Profession Form Tread Group Properties Form Tread Group Properties 10 rome Obset Profession Tread Profession Form Tread Form Tread 10 rome Obset Profession Tread Profession Form Tread Fore Profession		
Title		 2 18 19
DD name Move Proof Pack Holder 3 Height Default Move Prom Field Lob (b) Down alue (#) Dedakel State Default State Default Dedakel (Cefault Dedakel (Cefault Dedakel (Cefault	ies Bootstrap 3 Grid Bootstrap 3 Bements Bootstrap 3 Navigation DMXzone Font Avesome HTML5 Animate CSS Bootstrap 3 Forms Designer	0 🛄 🌒 1819
ate Dealed Read Only State Default DefaultDefault Default Default Default Default Default Default	ies Bootstrag 3 Grief Bootstrag 3 Grief Bootstrag 3 Grief Bootstrag 3 Analystics MiXxone Font Avenuence HTMLS Animate CSS Bootstrag 3 Forms Field Group Properties	O 🖵 🕼 1819
Display Default v Display befault v Display befault v	ies Northers 2 (civil Northers 2 November 2	Ø 🖵 🕼 1819
	is Boothrap 3 Ged Montrap 3 Manuality and Boothrap 3 Manuality and Boot	© [] 🚱 [1819
utepery Default ✓	ies Neutra 2 Geld Readray 1 Benedits Neutra 2 Benedits 2 Benedits 2 Benedits Neutra	eısı 🇶 🖵 🛇
	ise Bedretra 2 Ged Bedretra 2 Beenrich Beenrich Bedretra 2 Beenrich Beenrich Bedretra 2 Beenrich Bee	erst 🕼 🔔 🕞
	ise Bedretra 2 Ged Bedretra 2 Beenrich Beenrich Bedretra 2 Beenrich Beenrich Bedretra 2 Beenrich Bee	e181 , 🕼 (
	ise Bedretra 2 Ged Bedretra 2 Beenrich Beenrich Bedretra 2 Beenrich Beenrich Bedretra 2 Beenrich Bee	© <u></u>



6. Then, select the text input type, from the dropdown. For the name field, we select the **text type (1)**. You can change the height of the input. Choose between the default height, small and big. We just leave the field to its **default height (2)**.

Dw	File Edit View Insert Modify Format Commands Site Window Help		Default - 🐼	×
, 600	index.html* ×		demo - D:\wamp\wvw\demo\index.html 🗃	
ß	Source Code jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forms.css dmx		T	5
	Code Spit Live V 🕀 🐼	♦ ⇒ Ø [file:///D1/wamp/www/demo/index.html ~	📃 🗉 🕂	
		768px ////////////////////////////////////	Alpe I I I I I I I I I I I I I I I I I I I	-9
	0 <u>150 150 120 120 120 100 150 100 150 100 150 150 150 16</u>	768px	1200px	
	Brand		Home Profile Messages	- #1
				43
		Registration Form		
		input form-control #name +		
		Input m Your Name		
				4
	body div .container div .row div .col-lg-fs.col-lg-push-3 div .panel.panel-default form #myForm.form Properties Bootstrap 3 Grid Bootstrap 3 Bements Bootstrap 3 Navigation DMXzone Font Avesome HTMLS Animat		⊘ ⊑1 ② . 1819×658∽	á –
	Base Field Properties Text Input Field Properties Text Input Field Properties	Form Field Group Properties 🗧 💳 Form Field Group Management 💳 💳 Horizontal Form Pro	operties 🦳	1
	Name name Title 1 Type Text ~	Add Help Block Add New Input V		
	ID name Place Holder Your Name Height Default Value {# Disabled Read Only Default 2	Height Default V Move Form Field Up Down Method POST	×	
	Display Default V Small	State Default Display Default		
	Jiidii	Display Default Display Default		




7. You can change the input label text, by double clicking it. We replace it with name.

	File Edit View Insert Modify Format Commands Site Window Help			Default - 😥 – 🗆 🗙
» 200	Source Code j jouery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forms	css dmx8ootstrap3Forms.js bootstrap.min.css		ي. اي ۲
40	Code Spit Live * 🕀 🐼			E
		767px 768mx///// 991mx 992mx///// 1197m	-	10000
	0 120 14700 1420 1990 1920 1990 1920 1490 1420 1200 1	7680 100 100 100 100 100 100 100 100 100 1	1200px	8
	0 <u>50 500 500 150 1200 150 1200 150 100 100 100 100 100 100 100 100 1</u>			12650 1700 1750 128
	Brand		Home Profile Messages	孟
		Registration Form		
		input .form-control #name +		
		Input 📺 Your Name	1	
		7	1	
	`·····			
				III III III III III III III III III II
				⊘1 Sy_ 1819 x 658 ∽
	body div .container div .row div .col-lg-6.col-lg-push-3 div .panel-panel-default form #m Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome HTM			✓ %, 1819 x 658 + -=
	Base Field Properties Extra Field Properties Text Input Field Prop	erties 🗁 📅 Form Field Group Properties 🗧 🦳 Form Field Group Management 🦳 🦳 Horizontal Form Prop	verties	
	Name Title Type Text ID name Place Holder Your Name Height Default	✓ I Add Help Block Add New Input ✓ ID myForm ✓ Height Defxult ✓ Mova Form Field ID ID myForm		
	ID name Place Holder Your Name Height Default Value {# Disabled Read Only			
	Display Default V	State Default Display Default		
		Display Default	v	



8. Now let's add a new input. In order to do that, click **add field after button** from the Form Field Group Management in the floating panel. This adds the form input, after the field, which we've selected on the page.





9. We change the default input field name and ID to **email (1)** and the placeholder text to "your email" **(2)**. From the input field type dropdown we choose **email (3)** as this input field should contain and e-mail address.

w	ile Edit View Insert Modify Format Commands Site Window Help			Default - 🐹 🗕 🗖
	ndex.html* ×			demo - D:\wamp\www\demo\index.html 🗃
þ (Source Code jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forms	css dmx8ootstrap3Forms.js bootstrap.min.css		T
-1	Code Splt Live • 🗘 🙃	♦ ⇒ Ø file:///b]/wamp/wi	ww/demo/index.html ~	Ē
		767px	ax))))) (((1199ax	
		768px 992p	px 1200px	
ĥ		50 <u>1600</u> 1650 1700 1750 1800 1850 1900 1950 100 100 100 100 100 100 100 100 100 1	0 1050 1100 1150 1200 1250 1300 1350 1400 14	50 p500 p550 p600 p650 p700 p750 p854
	Brand		Home Profile Messages	3
- F-				
		Registration Form		
		Registration Form		
		Name Your Name		
		input .form-control #email +		
		Input 🔟 Your Email		
			i	
	xody div .container div .row div .col-lg-6.col-lg-push-3 div .panel.panel-default form #m			⊘ 📑 🚱 1819 x 658 ↔
	ixody av .container av .row av .col+g-6.col+g-push-3 av .panel.panel-default form #m Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome HTM			✓ L 1819 x 658 ÷
- 6	Base Field Properties Extra Field Properties Text Input Field Prop		Horizontal Form Properties	
	Name email Title Type Text	V Add Help Block Add New Input V		
	ID email Place Holder Your Email 2 Height Text	Height Default V Move Form Field 🔳 Up 🔟 Doo	wn Method POST ~	
	Value {#} Disabled Read Only 3 Email	State Default V E Delete Form Field	Labels Width 2 🗢 🗲 💽	
	Display Default V Password	Display Default ~	Fields Width 🗲 🏓 10 🗢	
	Search		Display Default	
	Datetime Oatetime Loal Date			
	Date Month Time			
	Time Week Tul			



10. Don't forget to change the default label text. We replace it with email.

Dw "	File Edit View Insert Modify Format Commands Site Windo	w Help	Default - 📴 🗕 🗆 🗙 demo - D/wamp/wwwi/demo/index.html 🗃 📃
8	Source Code jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.j	a druškoststran Forms ros - druškoststran Forms is - bootstran min ros	denio - D. Wampi WWW (denio Undez. Humi 🖥 🕎
cg.	Code Splt Live • 🗘 💀		E II. H. (8)
		((((() 161px	
		766px	8
	0 50 200 250 300 850 400		p+00 p-50 p500 p550 p600 p650 p700 p750 p850
	Brand	Home Profile	
	Dialiu	nuite Pruite	444
	,		
		Registration Form	
		Name Your Name	
		input form-control #email +	
		Input iii Your Email	
			in la constante de la constante
		•	
	body div .container div .row div .col-lg-6.col-lg-push-3 div .panel.pi	nel-default form #myForm.form-horizontal day .form-group day .col-am-10 [PDUIC] #email.form-control	⊘ 1 @ 1819 × 658 ≁
	Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXz	one Font Awesome HTML5 Animate CSS Bootstrap 3 Forms Designer	-=
	Base Field Properties Extra Field Properties	Text Input Field Properties	
	Name email Title ID email Place Holder Your Email	Type Email I Add Help Block Add New Input III ID myForm Height Default V Height Default Move Form Field III Down Method POST V	
	Value {#} Disabled Read Only		
	Display Default	State Default Delete Form Field Labels Width Fields Width 10	
		Display Default	



11. Click the input field (1) that we just added and add another one after it (2).

ntml* ×	iotstrap3Forms.css dmx8ootstrap3Forms.is bootstrap.min.css		
ie Spit Live • 🗘 🙃	← ⇒ Ø file:///D[/wamp/www	//demo/Index.html ~	2
	////// 767px		
	768px 992px 992px 992px	1199px 1200px	
<u>50 100 150 200 250 300 850 400 450</u>	500 550 600 650 700 750 800 850 200 850 200	1050 1100 1150 1200 1250 1300 1350	1400 1450 1500 1550 1600 1650 1700 1750
Brand		Home Profile	Messages
	Registration Form		
	Name Your Name		
	input form-control #email +		
	Email iii Your Email	<u></u>	
	1		
		I	
		I	
		I	
		I	
]	
		I	
		I	
		I	
		I	
		I	
dru container dru von dru col-166.col-bouch-3 dru consticant-defaul	t form #m-form.form-horizontal day form-group day col-am-10 [month) #ment form-control		
	t form #myform.form-hortcontal (dv) form group (dv), col-an-10 (1002) #mail.form-control		0 🗔 Q. 181
8 Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font A	wesome HTMLS Animate CSS Bootstrap 3 Forms Designer	Horizontal form Properties ~	 © , 101
s Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font A e Field Properties Extra Field Properties Text Inj	wesome HTML5 Animate CSS Bootstrap 3 Forms Designer put Field Properties - Form Field Group Properties - Form Field Group Management -	→ Horizontal form Properties ~~	
s Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXxcore Font A e Field Properties Extra Field Properties Text In ne enai Title Type	weesme HTMLS Animate CSS Bootstrap 3 Forms Designer put Field Properties Form Field Group Properties Form Field Group Management Email V III Add Help Block Add New Input V	D myForm	
s Bootstrap 3 Grid Bootstrap 3 Benents Bootstrap 3 Navigation DMXxone Fort A Field Properties Extra Field Properties Text In emai Title Type ID emai Place Holder Your Emai Height	exercer in TRMIS Animate CSS Booldrap 3 forms Deligner but Field Properties Form Field Group Properties Form Field Group Management Final V III dd Hold Block Add Hoo Block Default V Hoight Default V Move Fram Field III Up III Down	D myForm Method POST V	
s Bootstrap 3 Grid Bootstrap 3 Benents Bootstrap 3 Navigation DMXzone Fort A se Field Properties Extra Field Properties Text In me email Title Type ID email Place Holder Your Email Height	exement INIUS Annuale CS Devolting 1 from Devolting Built field Properties Enal Court of the Strong Properties Default Court of the Strong Properties I Add Help Book Helph Default Court Of the Strong Properties State Default Court of the Strong Properties State Default Court of the Strong Properties State Default Court of the Strong Properties	a Method POST V Labels Width 2 🗣 🗭	
Bettrag 1 Grid Bootstrag 3 Denvents Bootstrag 3 Denvents Bootstrag 3 Denvents Bootstrag 3 Denvents Text 100 me email Title Total Type ID email Place Holder Height Height be (#) Place Holder Height	exercer in TRMIS Animate CSS Booldrap 3 forms Deligner but Field Properties Form Field Group Properties Form Field Group Management Final V III dd Hold Block Add Hoo Block Default V Hoight Default V Move Fram Field III Up III Down	D myForm Method POST V	




12. Change the name and ID of this input to **password (1)** and the placeholder text to **"your password" (2)**. The input field type should be **password (3)** as this will be the password field.

Dw	File Edit View Insert Modify Format Commands Site Window Help			Default - 🗮 🗕 🗖 🗙
>>	index.html* ×			demo - D:\wamp\www\demo\index.html 🗃
»	Source Code) jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forms.css	dmx8ootstrap3Forms.js bootstrap.min.css		T ga
	Code Splt Live • 🗘 🐼	← ⇒ Ø file:///D1/wamp/www/demo/m	ndex.html v	E
		767px 768px 091px 992px 992px	1199px	
		768px 992px 992px 992px	1200px 1200px 1200 1200 1200 1200 1200 1200 1200 120	550 1600 1650 1700 1750 10 1
	0 <u>150 100 150 100 1250 100 150 100 150 100 150 100 150 100 150 100 150 100 150 100 150 100 150 100 150 100 150 100 150 100 150 100 10</u>		0 h100 h150 h200 h250 h300 h350 h450 h450 h500 h	550 1600 2650 1700 2750 2357
	Brand		Home Profile Messages	-#1
		Registration Form		
		-		
		Name Your Name		
		Email Your Email		
		input form-control #password +		
		Input 🛄 Your Password	· · · · · · · · · · · · · · · · · · ·	
		~~		
			······································	
	body dv .container dv .row dv .col-lg-6.col-lg-push-3 dv .panel.panel-default form #myForm. Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome HTMLS An			⊘ 1819 x 658 ↔
	Base Field Properties Extra Field Properties Text Input Field Properties		Horizontal Form Properties	
	Name password Title Type Text ~	👔 Add Help Block Add New Input 🗸 🖼 🖬	ID myForm	
	ID password Place Holder Your Password 2 Height Text Number Number		Method POST	
		E Delete Form Heid	els Width 2 +	
	Display Default V Search Date time		Display Default	
	Datetime Datetime Local			
	Date Month			
	Laterna Date North North The View Tat			




13. Now, let's add a checkbox in our form. Open the input fields dropdown and select **checkbox (1)** and **add it after the password field (2)**. Make sure to always select the previous input first and then add a new one.






14. Click the **checkbox** in order to get its properties (1). You can change its default name and ID. We add **subscribe** (2) and add a **value of 1 (3)**. Don't forget to change the **default checkbox text (4)**.






15. We can move any of the form input fields **up or down**, fully visually in Dreamweaver **(1)**. Now, let's add a submit button to our form. Select **submit** from the dropdown **(2)** and **add it after the checkbox (3)**.





16. And we are done. We've just built a simple registration form for our website. That's how easy it is to build a horizontal form, fully visually in Dreamweaver, using DMXzone Bootstrap 3 Forms Designer.





Advanced: Using Addons and Buttons in Bootstrap 3 Forms Designer

In this tutorial we will show you how to add text or buttons before, after, or on both sides of any text-based input, using DMXzone Bootstrap 3 Forms Designer.

*You can also check out the video.

W File Edit View Insert Modify Format Commands Site Window Help		Default - 🕅 🕶 🗖
index.html ×		demo - D:\wamp\www\demo\index.html
Gource Code) jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Form	.css dmxBootstrap3Forms.js bootstrap.min.css	
Code Split Live * 🕀 🐼	+ + C file:///DI/wamp/www/demo/index.html ~	E
	767px 768px >>>>> (//// 991px 992px >>>>> (/// 119	
	7680v 0020v	1200m (1)))))
body (+)	550 600 150 1700 1750 1600 1650 600 1650 1000 1650 1100 1150	
Brand		Home Profile Messages
(N 14 01 17	
	Newsletter Subscription	
	Your Email Subscribe me!	
		J. J.
body>		⊘ □ 819 x 705
Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome HTI	ALS Animate CSS DMXzone Cordova Builder Bootstrap 3 Forms Designer	
- Form Creation		
Add Vertical Form		
Add Horizontal Form		
Add Inline Form		



How to do it

1. We already added an empty horizontal form on our page. We'd like to add a text field, with a button, which our users can use to subscribe to our newsletter. From the dropdown, select **input group (1)** and click the **add button (2)**.

W File Edit View Insert Modify Format Commands Site Window Help			Default -
index.html × Concession superv-latest.pack.js bootstrap.min.js dmx8ootstrap.Wavigation.js dmx8ootstrap.Starkgation.js dmx8ootstrap.Starkgatii dmx8ootstrap.Starkgation.js dmx8ootstrap.Starkgatii dmx8			demo - D:\wamp\www\demo\index.html ₽ ▼ □ □, ↓t,
Code Split Live * 🕀 🖸		×	E I. H.
	767px 768px>>>>> 《//// 991px 992px>>>>> 《	(//1199px	
	768px 992px	1200px	
	<u> 850 600 650 700 750 100 850 850 900 950 1000 1050 110</u>	1250 1200 1250 1300 1350 1400 1460 1500	
Brand		Home Profile Messages	
	Neurologica Octobergicia		
	Newsletter Subscription		
	in torm-horizontal amyrorm +	- •	
		-	
body div .container div .row div .col-lg-6.col-lg-push-3 div .panel.panel-default div .pan	nel-body form > #myForm.form-horizontal		⊘î 🚳, 1819 x 705 v
Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome HT			-=
- Form Field Management - Horizontal Form Properties -			
Add New Input Group V II IID myForm			
1 2 Display Default			
Delout			



2. Select the **text input** that we've just added (1) and change the placeholder text to "your email" (2). Don't forget to change its type to **email (3)**.

	File Edit View Insert Modify Format Commands Site Window Help		Default - 📰 - 🗆 🗙
* *	Source Code jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forms.css	dmxBootstrap3Forms.js bootstrap.min.css	T S
40	Code Split Live * 🕀 🐼		E E. H. (a
		/////// 767px	
		768px ////////////////////////////////////	
	B0 10 100 150 200 250 300 B50 400 450 B00 B50		
	Brand	Home Profile Messages	
			da
		Newsletter Subscription	
		input form-control #input +	
		Input 🚺 Your Email	
		1	
	Text		
	Number 3 Emai		
	3 Email Uri Password		
	Search		
	Datetime Datetime Local		
	Date body div .container div .row div .col-lg-6.col-lg-push-3 div .panel.panel-defad_Time	form #myForm.form-horizontal div .form-group div .col-sm-10 div .input-group Input) #nput.form-control	⊘ 📑 🚱 1819 x 705 v
	Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font A Week	nute CSS DMXzone Condova Builder Bootstrap 3 Forms Designer	-=
	Base Field Properties Extra Field Properties Text In Coor	🗢 💳 Form Field Group Properties 🗧 💳 Form Field Group Management 🦟 💳 Input Group Management 🦟 Horizontal Form Properties 🦟	
	Name input1 Title Type Text	1 Add Help Block Add New Input V 🖾 🖬 Add Addon Before Static V 🛄 ID myForm	
	ID input Place Holder Your Email 2 Height Default Value {# Disabled Read Only	Height Default V Move Form Field 🖾 Up 💟 Down Add Button Before Button V 🛄 Method POST V	
	Value (#) Usabled Read Only Display Default	State Default V Delete Form Field Add Addon After State U Delete State S	
	poppy pright .	Display Default	
		Display Default	



3. You can see that there are several options, available under Input Group Management. You can use them to add an addon or button before the field or after it. Let's add an addon before the field. Open the dropdown and add **static text**.

	File Edit View Insert Modify Format Commands Site Window Help		Default - 🖾	x
* *	index.html* × (Source code) jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forms.css	des Restation Wessel (s. Seatstan and an	demo - D:\wamp\www\demo\index.html 🗃	
양	Code Spit Live	division approximation in the second seco	۔ ۱۳. ۴۲,	12
		((((((767px		
		768px 991px 992px 1198px 768px 992px 992px 120		₆ ۹
	0 <u>50 p00 p50 p00 p0</u>		3 <u>p.250 p.300 p.350 p.450 p.450 p.550 p.550 p.660 p.700 p.750 p.754</u>	- lo
	Brand		Home Profile Messages	*
	L			4
		Newsletter Subscription		
		input .form-control #input +		
		Input 🛄 Your Email		
	t	I		
			1	
			1	
		form #myForm.form-horizontal div .form-group div .col-sm-10 div .nput-group input; #input.form-control	⊘ 819 x 705 ∨	
	Dody div container div row div conditional div panel-pane		✓ @, 1819 x 705 v	
	Base Field Properties Extra Field Properties Text Input Field Properties			
	Name input1 Title Type Email ✓ ID input Place Holder Your Email Height Default ✓		V D ID myForm V Method POST V	
	Value {#} Disabled Read Only	State Default V Pove Porm Field Add Addon After Static	Labels Width 2 4	
	Display Default ~	Display Default V Add Button After Button	V III Fields Width 🖅 🍨 10 🜩	
			Display Default ~	



4. You can change the **default static text** any time (1). For our tutorial we add the @ **symbol** here (2), under execute, **right click step (3)**.

Dw	File Edit View Insert Modify Format Commands Site Window Help	Default - 📴 🗕 🗆 🗙
••	index.html* ×	demo - D'iwampiwwwi.demoiindex.html 🗃 🚃
* - 22	Source Code jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forms.css dmxBootstrap3Forms.js bootstrap	umin.cs T
	Code Spit Live * 🕀 🐼	
		160pc) (190pc) (190
	0 k0 k0 k0 k0 k50 k0 k0 k50 k0	- 1800 1800 900 960 1000 1600 1100 1130 1200 1200 1200 1200 1200 12
	Brand	Home Profile Messages
	Newsletter Subs	
		input (form-control) #uput +
	Input 🏢 🧔	Your Email
	2	
	body dv .container dv .row dv .col4g-6.col4g-push-3 dv .panel.panel-default dv .panel-body form #myForm.form-horizontal Properties Bootstrap 3 Grid Bootstrap 3 Bements Bootstrap 3 Navigation DMXzone Font Awexome HTMLS Animate CSS DMXzone Cordova Build	
		toround p r units
	Name input1 Title Type Email V II Add Help Blo	
	ID input Place Holder Your Email Height Default V Height Default	V Move Form Field T Up T Down Add Addon After State V T Method POST V
	Value {\$ Disabled Read Only State Default	V Delete Form Field Add Button After Button V III Labels Width 2 🗣 💽
	Display Default V Display Default	Fields width 🛨 🔁 10 🜩
		Display Default 🗸



5. Let's add a button, after the field. Open the dropdown, select button and click add.

File Edit View Insert Modify Format Commands Site Window Help		Default - 💽 🖃 💷	
Source Code jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forms.css	dmxBootstrap3Forms.js bootstrap.min.css	٣	<u>م</u>
 Code Split Live * 🗘 🐼		📃 🗉, 4t,	{8}
	767px 769nx 991nx 992nx 1199nx		
- 1/2 1/24 1/24 1/24 1/24 1/24 1/24 1/24	768px 992px 1200px		\$
Brand		Home Profile Messages	
			4
	Newsletter Subscription		
	input form-control #input +		
	Input 🔲 @ Your Email		
		-	
hade de contriner de cou de colo 5 colo auch 2 de anno anol defe (* de anol hade	form #myForm.form-horizontal div .form-group div .col-sm-10 div .input-group input) #input.form-initrol	⊘ 00, 1819 x 705 v	
Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Avesome HTML5 An		□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	
Base Field Properties Extra Field Properties Text Input Field Properties	s — — Form Field Group Properties - — Form Field Group Management — — Input Group Management —		1
Name input1 Title Type Email V	🚺 Add Help Block Add New Input 🗸 🖽 🖬 Delet don Before		
ID input Place Holder Your Email Height Default ~	Height Default V Move Form Field 🖾 Up 🗵 Down Add Addon After Static V	Method POST V	
Value Disabled Read Only Display Default		Labels Width 2 + + +	
ordensi nggang	Display Default ~	Display Default	
		uspay Delaut	



6. You can change the **default button text (1)**. Also, remove the **input label text** as we don't need it for this form **(2)**.

Dw F	le Edit View Insert Modify Format Commands Site Window Help		Default - 💷	×
	dex.html* ×		demo - D:\wamp\www\demo\index.html 🗃	
······································	urce Code jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forms.css d	mxBootstrap3Forms.js bootstrap.min.css	T	5
	Code Split Live * 🕀 🐼	+ + C file:///DI/wamp/www/demo/index.html ~	E. H.	
		767px		
		768px 991px 992px 115	1200px	18
<u> </u>	50 100 1250 1200 1250 100 150 H00 H50 150 150	<u>600 650 700 750 600 850 800 950 1000 1100 1150</u>	<u>h200 h250 h300 h350 h400 h450 h550 h550 h660 h650 h770 h750 h750 h750 h750 h750 h750 h7</u>	b
	Brand		Home Profile Messages	
			-	
				42
		Newsletter Subscription		
		button .btn .btn-d	efault +	
		Input @ Your Email Subscribe me!		
		2 1		
		2		
		7		
	dy dv .container dv .row dv .col-lg-6.col-lg-push-3 dv .panel.panel-default dv .panel-body operties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXxone Font Avesome HTML5 Anim	form #myForm.form-horizontal div .form-group div .col-sm-10 div .input-group span .input-group-br	tin button .btn.btn default 🥝 🖵 🚳 1819 x 705 v	
	operties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome HTML5 Anin Form Field Group Properties - Form Field Group Management - Input Group Managem		=	
	Add Help Block Add New Input			
	Height Default V Move Form Field Up Down	fter Method POST V		
	State Default V Delete Form Field	Labels Width 2 🜩 📻 🖻		
	Display Default ~	Fields Width 🔄 🌩 10 🜩		
		Display Default 🗸		



7. And we are done! That's how easy it is to add text or buttons before, after, or on both sides of any text-based input, using DMXzone Bootstrap 3 Forms Designer.

	dens - Diwangiwwwidengindes H	e Edit View Insert Modify Format Commands Site Window	Help		Default - 😿
Low Low <thlow< th=""> <thlow< th=""> Low Low</thlow<></thlow<>	00 <u>p459 p550 p550 p550 p560 p660 p700 p790</u>	dex.html ×			
Construction Construction Construction Construction Image: Construction Image: Construction Image: Construction	00 <u>p459 p550 p550 p550 p560 p660 p700 p790</u>	urce Code jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js	mx8ootstrap3Forms.css dmx8ootstrap3Forms.js bootstrap.min.css		
Newsletter Subscription Newsletter Subscription Newsletter Subscription Newsletter Subscription	00 <u>p459 p550 p550 p550 p560 p660 p700 p790</u>	Code Split Live * 🕀 🐼		D]/wamp/www/demo/index.html ~	E .
Pit Iso Pit Pit <td></td> <td></td> <td>////// 767px</td> <td></td> <td></td>			////// 767px		
Brand Home Profile Messages				992mx 1200mx 1200mx	
Brand Home Profile Messages		50 100 150 200 150 300 350 400	50 800 850 800 850 700 750 800 850 800 80	50 <u>p050 p050 p150 p150 p200 p250 p300 p350</u>	1400 <u>1450 1500 1550 1600 1650 1700 1750</u>
Newsletter Subscription		/ +			
		Diana		nome Prome	messages
Your Email Subscribe met			Newsletter Subscription		
Your Email Subscribe met					
			@ Your Email	Subscribe me!	
					1
					⊘ □ 0, 1819 x
	Ø 🗖 🕲 13197	ties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone I	ont Awesome HTML5 Animate CSS DMXzone Cordova Builder Bootstrap 3 Forms Designer		
Tere Booktarg 3 Beneuts Booktarg 3 Resignion DMX:core Foot Amounts 117M3 5 Animate CS DMX:core Conform Builder Booktarg 3 Forms Designer	0 🗔 0 . 1819				
	Ista	Add Vertical Form			
Trime Societargo 3 Generates Bookstago 3 Researche Bookstago 3 Re	। 1819 x	Add Horizontal Form			
Add Vertical Form	⊘ [] @, 1819×				
Terra Creation Terra Creation	Ø 1819 x				
Add Vertical Form	e 1819 x				
am Craston	 • • • • • • • • • • • • • • • • • • •				
am Craston	ා 1819 x				



Advanced: Assigning Dynamic Values to Form Fields

In this tutorial we will show you how to assign dynamic values to your form fields, using DMXzone Bootstrap 3 Forms Designer. In order to do that you'll also need HTML5 Data Bindings and DMXzone Database Connector PHP/ASP extensions.

*You can also check out the video.

ie Code (style.css dmxNotify.css)query-latest.pi	stas bootstap.min.js unkoootstappivavigation.js foncemeating	min.css dmxData8indings.js dmxDataSet.js dmxServerAction.js dmxNotify.js dmxTooltips.js _top_nav.php _jeft_nav.php font	
240px		161px	
241px	///// 480px 481px)))))	Comparison Sector Sec	
50 100 150 200 250 300	850 400 450 500 550 600 650	700 750 800 850 800 850 1000 1050 1100 1150 1200 1250 1300 1350	1400 1450 1500 1550 1500 1650 1700 1750
min Panel			Profile
oducts	RD / PRODUCTS / UPDATE PRODUCT		
d/Edit/Delete products			
	Product		
NEW PRODUCT			
MANAGE PRODUCTS	Name	Apple iPhone 6	
	Price		
0 g I/Edit/Delete blog posts	Price	\$699	
	Category		v
NEW POST		ztarea .form-control #productDescription +	
MANAGE POSTS	Description	12MP pictures. 4K videos.	
	<u>m</u>		
sers d/Edit/Delete/Email users	No.		~
			Update Product
NEW USER			
MANAGE USERS			
SEND EMAIL			
		n.form-horizontal div .form-group div .col-sm-9 textarea #productDescription.form-control	🛄 🌑 1819
ties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap ase Field Properties Extra Field Prop	t Navigation DMXzone Font Awesome HTML5 Animate CSS DMXzo erties Form Field Properties Form Field	ne Cordova Builder Bootstrap 3 Forms Designer	
ame productDescription Title	Height Default ~	Add Help Block Add New Input V	
ID productDescription Place Holder Product /alue {{dsProducts.data[0] {#} Disabled			
	tead Only Display Default V State	Default V Delete Form Field Labels Width 3 🜩 🔄 🔁	



How to do it

1. We created a product update form that contains a few fields, which should display the product info from our database. Now, select the **first input (1)** and select the **HTML5 Data Bindings picker** for its value **(2)**.

	guery-latest.padk.js bootstrap.min.js dmx8ootstrap.3Navigation.js font-awesome.min.css dmxDataBindings.js dmxDataBit.js dmxNotaSet.js dmxNotaSet.js dmxNotaSet.js dmxNotaSet.js	
ode Split Live 🔹 🕀		
240px	1000000000000000000000000000000000000	
50 100 150 200 P	760ga (100ga (10	450 1500 1550 1600 1650 1700 1750
lmin Panel		Profile
imin Panel		Prom
	DASHEDLARD / PRODUCT / UPDATE PRODUCT	
oducts		
d/Edit/Delete products	Update Product Input from control #productName	
NEW PRODUCT		
MANAGE PRODUCTS	Name Product Name 1	
og	Price Product Price	
d/Edit/Delete blog posts		
IEW POST	Category Product Category	~
IANAGE POSTS		
IANAGE POSTS	Description Product Description	
ers		
d/Edit/Delete/Email users		Update Product
IEW USER		opuace Product
IANAGE USERS		
END EMAIL		
	row dv .col·md-12.col/g-12 dv .panel.panel-default dv .panel-body form #insertForm.form/horizontal dv .form-group dv .col·sm-9 rpout_#productName.form.control	Q. 1819
ase Field Properties Ext	ra Field Properties 🦳 🦟 Text Input Field Properties 🦳 Form Field Group Properties 👘 Form Field Group Management 🦳 Horizontal Form Properties 🦷	
Name productName 2	Title Type Text v II Add Help Block Add New Input v III in DinsertForm	
ID productivame Place P	alder Product Name Height Default V Height Default V Move Form Field Lub L Down Method POST V	
	State Default Defaul	



2. We do the same for the rest of the form inputs, selecting the proper data bindings.

e code 🕢 style.css dmxNotify.css	jquery-latest.pack.js bootstrap.min.js dmxR	lootstrap3Navigation.js font-awe	iome.min.css dmxDataBindings.js dmxDataSet.js dmxServerAction.js dmxNotify.js dmxToolitps.js _top_nav.php _left_nav.php bootstrap.min.css font-awesome.min.css jquery.eae	ing.1.3.js structure.cs
ode Split Live 🔻 🥰	0			
////// 240ps	241px	401		
	241px ((((460px	*01px/////		
50 100 150 200	250 800 850 400 450	1600 550 600 6	0 <u>100 1750 1860 1860 1860 1860 1860 1600 1660 1100 1150 1200 1255 1300 1360 1400 1459 1560 1560 1600 1600 1600 1600 1600 1600</u>	1650 <u>1700</u> 1750
lmin Panel				
	DASHBOARD / PRODUCTS / UPDATE PR	DDUCT		
oducts d/Edit/Delete products				
arearo berete producio	Update Product		Input form-control #productName	
NEW PRODUCT				
MANAGE PRODUCTS		Name	Product Name	
og		Price	Product Price	
d/Edit/Delete blog posts				
IEW POST		Category	Product Category	~
EWPOSI				
ANAGE POSTS		Description	Product Description	
sers				
d/Edit/Delete/Email users				Update Product
IEW USER				
IANAGE USERS				
INNAGE ODERD				
SEND EMAIL				
			form #insertForm.form-horizontal dv .form-group dv .col-sm-9 Input>#productName.form-control	L 6 . 1819
			Xzone Cordova Builder Bootstrap 3 Forms Designer	
ase Field Properties	Extra Field Properties Text Input Title Type T		n Field Group Properties - Form Field Group Management Horizontal Form Properties -	
	ce Holder Product Name Height D		ht Default V Move Form Field Up II Down Method POST V	
Value {{dsProducts.data[0] {#}	Disabled Read Only		ate Default V Default Default 3 🜩 🔂	
	Display Default ~		ay Default V Fields Width 🔄 🔁 9 🜩	



3. Let's preview the results! We switch to our testing server, so we can get the database values. And now you can the form inputs display the dynamic values from our database.

	i jquery-latest.pack.js bootstrap.min.js dmx8ootstrap3Navigation.js for D 🖸		C http://192.168.2.71/cake/products/insert.php v		2 .
///////240ps	x 241px))))) (((((480px 481px)))))	767px /////768px 768px//////	///// 991px 992px ///// 1199px		
50 100 150 200	250 800 850 H00 H50 500 850 600	768px 650 700 750 800 850	992px 2000 1100 1150 22	200px	1500 1550 1600 1650 1700 1750
+ Imin Panel					Profile
- 1 - 1	DASHBOARD / PRODUCTS / UPDATE PRODUCT				
oducts d/Edit/Delete products					
	Update Product				
NEW PRODUCT		1-1			
MANAGE PRODUCTS	Nam	e Apple iPhone 6			
og d/Edit/Delete blog posts	Pric	¢ \$699			
	Categor	Constantion of the second			~
NEW POST	cougo	Smartphones			*
MANAGE POSTS	Descriptio	12MP pictures. 4K videos.			
SerS Id/Edit/Delete/Email users		1			
or coro preservation users					Update Product
NEW USER					
MANAGE USERS					
SEND EMAIL					
SEND EMAL					
					🛄 🕲 1819 x
	ments Bootstrap 3 Navigation DMXzone Font Awesome HTML5 Animate CS	5 DMXzone Cordova Builder Bootstrap 3 Forms Desig	iner		
Add Vertical Form					
Add Horizontal Form					
Add Inline Form					



Advanced: Styling Radio Buttons and Checkboxes

In this tutorial we will show you how to style your radio buttons and checkboxes, using DMXzone Bootstrap 3 Forms Designer.

*You can also check out the video.

Edit View Insert Modify Format Commands Site Window Help			Default -
x.html* ×		demi	o - D:\wamp\www\demo\index.h
rce Code) jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Fo	ns.css dmxBootstrap3Forms.js bootstrap.min.css		
iode Split Live 💌 \ominus 🙃	+ + C [fie://D]/wamp/www/demo/index.html	✓	E 0,
	767px 267px 267px	1199ms	
104 1.44 5.74 1045 1074 1046 1075 1076 1075 1076	768px 992px 992px	1200px	1.000 1.000
	<u>1850 1600 1850 1700 1750 1800 1860 1800 1950 1000 1000 1000 1000 1000 1000 10</u>		
Brand		Home Profile Messages	
	Feeback Form		
	1 COURT ON		
	Name Teodor		
	Email teodor@dmxzone.com		
	Your hello!		
	Comments		
	I'm your client I'm not your client		
	I agree to Terms		
	Impnd Feedback		
	2 minu Peeuback		
	nel-body form #myForm.form-horizontal div .form-group div .col-sm-10.chedkbox-group div .chedkbox.ched	dbox-hline.cheddbox-info.cheddbox-circle input>#cheddbox	Ø 1819
ies Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome in see Field Properties Checkbox Style P		oup Management — Horizontal Form Properties —	
ame checkbox1 Title Type Info	Checkbox Group Field Management Form Field Group Properties Form Field Group Add Checkbox III Left III Right I Add Heip Block Add New Sub		
ID checkbox Place Holder Circle 🗸		Up Down Method POST ~	
/alue option1 {#} Checked Disabled		Delete Form Field Labels Width 2 🗢 🗲 🛃	
Read Only Display Default	Display Default ~	Fields Width The To the Total State	



How to do it

1. We've created a horizontal feedback form, which contains several text fields, radio buttons and a checkbox. We'd like to customize them a little bit. We select the **first radio button** on our page **(1)**. Then, under radio style properties, open the type dropdown and select one of the bootstrap styles, listed. For this one we select the **success style (2)**.

¥ File Edit View Insert Modify Format Commands Site	Window Help	Default - 📴 🖌
index.html* ×		demo - D:\wamp\www.\demo\index.html 🗃
	vigation.js dmx8ootstrap3Forms.css dmx8ootstrap3Forms.js bootstrap.min.css	Insert Data Bindings
Code Split Live + 💮 🙃	← → Ø file:///DI/wamp/www/demo/index.html ∨	
	//////////////////////////////////////	
	768px 991px 992px	Data Sources
0 50 100 150 200 250 300 350	1000 H50 B50 B50 B50 B50 100 1200 1200 1200 1200 1200 1200 120	150 1200 1250 1300 1350 1400 1450 1657 Browser Properties
		Database Action Executors
Brand	Home	Profile Messages
		😑 Geo Locatori
	Feeback Form	Server Connect Action Executors
	Name Text	
	Email Text	<
		Insert 🧚
	Your	Behaviors Server Behaviors
	Comments	Tag direky r
	The matt #rado1 +	
	1 🔲 💽 I'm your client 🔷 I'm not your client 📮	
	I agree to Terms	
	Send Feedback	
)
		Files Snippets
		🗁 demo 🗸 Local view
		Local Files Size Type
		E 📦 Site - demo (D: \wamp\www\demo) Folde
		⊕∎ bootstrap Folde ⊕∎ ScriptLibrary Folde
	.panel.panel-default dv .panel-body form #myForm.form-horizontal dv .form-group dv .col-sm-10.radio-group dv .radio.radio-inline	input> #radio1
	B DMXzone Font Awesome HTML5 Animate CSS DMXzone Cordova Builder Bootstrap 3 Forms Designer	-=
Base Field Properties Extra Field Properties Name Client	Radio Style Properties Radio Group Field Management Form Field Group Properties Form Field Group Type Default Add Radio Di Left II Right II Add Heb Block Add New Submit	
ID radio1 Place Holder	Default	Up I Down Method POST
Value option 1 {#} Checked Disabled [dete Form Field Labels Width 2 🗢 💽
Read Only	Z Success Delete Radio Field State Default Warning Display Default	Fields Width 🗧 🗲 10 🜩
Display Default	V Danger	Display Default ~
		<



2. You can see the changes immediately in your Dreamweaver. Now, select the **second radio button (1)** and select the **danger style** for it **(2)**.

Dw File Edit View Insert Modify Format Commands Site Window Hel		Default - 📖 🗙
index.html* ×		demo - D:\wamp\wvvv\demo\index.html 🗃
Source Code jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxB	ootstrap3Forms.css dmxBootstrap3Forms.js bootstrap.min.css	Insert Data Bindings
Code Split Live * 🕀 🐼	← ⇒ C file:///DI/wamp/www/demo/index.html ∨	
a ita kaa kaa kaa kaa kaa kaa kaa kaa kaa k	768px 992px	100ps
Emin. 18 18 19 19	800 850 800 850 100 115 80 80 850 100 115 100 115 800 800 100 100 115 100 100 100 100 100 100 1	Image: 100° 100° 100° 100° Profile Messages Branking Profile Database Action Executors Files Properties Geo Location Server Correct Action Executors Image: Researce Regions Messages
Properties Booldrag 1 Gold Booldrag 1 Bisective Booldrag 1 Marginton DAttrace And Radio Base Field Properties Radio Radio Radio Name (dent Title Tipe Tipe JD (radio2 Pice Holder Tipe Value (option2 (ff) Orbited Deabled Read Only	Send Feedback R dv panelbody form #myForm.form-horzontal dv form-group dv col-en-10.rado-group dv rado.rado-mine rom memorie THALS Annual CC DMXxmer Context all time beighter That Source That Context and the source of th	agement Horizontal Form Properties - B D m/Form Properties - D Down Method ROST -



3. We are done styling our radio buttons and select the **checkbox (1)**. Under the checkbox style properties you can see the type dropdown. We select the **info style**, for our checkbox **(2)**.

Dw File Edit View Insert Modify Format Commands Site Window	Help	Default - 📴 🗙
index.html* ×		demo - D:\wamp\wvvv\demo\index.html 🗧
index.html" × GourceCode jquery-latest.pack.js bootstrap.min.js dmx8ootstrap3Navigation.js	imxBootstrap3Forms.css dmxBootstrap3Forms.js bootstrap.min.css	Inset Data Bindings
Code Split Live * 🗘 🙃	+ + G file:///D]/wamp/www/demo/index.html	
F	15/20 10/20 <td< th=""><th>Image: State State</th></td<>	Image: State
Diana		Home Prome Messages
	Feeback Form Name Text Benall Text Your Comments Image: to Terms Send Feedback	Beauty Provide Secular Server Connect Action Executors
Properties Bootstrap 3 Grid Bootstrap 3 Benevits Bootstrap 3 Navigation DMXzone Base Field Properties	Type Default Add Checkbox Di Left ID Right Add Help Block Add	ddox.deddox.vhe rod releader of the rod relead



4. Also, here we can add a circle style to our checkbox. Enable the circle option.

Control on any identicably includes any	▼ File Edit View Insert Modify Format Commands Site Window	/ Help				Default 🗸 🐹 🗕 🗖
	index.html* ×			demo - D:\wamp\www\demo\index.h		nsert Data Bindings
Brand None Portion Portion Portion Portion Brand None Portion Porti		dmxBootstrap3Forms.css			I	F/X BB
	Code Split Live * 🗘 🐼		+ + C [file:///D]/wamp/www/demo/index.html	[] [],	4t,	😁 \$URL
Bit 100			767px		P	
Brand None Pole Messages Feebaak Form Feebaak			768px	992px 1200px		
Brand Home Politie Messages	0 50 100 150 200 250 800 850 H00	450 500 550	600 650 700 750 600 850 600 950	1000 1050 1100 1150 1200 1250 1300 1350 1400 1450	111 Mar	
	Brand			Home Profile Messares		
Determine Text	Di di la			Home Home moorgee		
Both of the colds double grand and double from majores from field Grang Management To grand double from field Grang Managem		Feeback Form				Server Connect Action Executors
Both of the colds double grand and double from majores from field Grang Management To grand double from field Grang Managem						
boy & dr & colg-Scribg-out-3 & and and debut & dr and dor. The many form form form for the form the fo		Name	Text			
boy & dr & colg-Scribg-out-3 & and and debut & dr and dor. The many form form form for the form the fo		1.L.				
Your Comments Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client Immon dyour client		Email	Text			
Your Comments Import Clent Import Clent Im						
		Your				
bedy dv		Comments				
body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college college coll terms Body div div div of vide college co						+,
body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college coll terms Body div div div of vide college college coll terms Body div div div of vide college co						
Body By dy dy coll-6 colls public Send Feedback Body By dy dy coll-6 colls public Fire Singlet Test Internet: Test Internet: Body By dy dy coll-6 colls public Fire Magnetic Test Internet: Test Internet: Body By dy dy coll-6 colls public Fire Magnetic Test Internet: Test Internet: Body By dy dy coll-6 colls public Fire Magnetic Test Internet: Test Internet: Body By dy dy coll-6 colls public Fire Magnetic Test Internet: Fire Magnetic Test Internet: Fire Magnetic Test Internet: Fire Magnetic Time Gender Fire Magnetic) I'm your client 🔘 I'm not your client			
Send Feedback Se						
body dv dv ovigé 6.okj publi dv ganej panej debut dv s gieldory fom #myfom.fom-horactal dv fom-goup dv .celem-10.dtedbourgnap dv .dtedbourhine.dtedbourning dv .dtedbourning dv .dtedbourning dv .dtedbourhine.dtedbourning dv .dtedbourhine.dtedbourhine.dtedbourning dv .dtedbour			I agree to Terms			
body dv dv ovigé 6.okj publi dv ganej panej debut dv s gieldory fom #myfom.fom-horactal dv fom-goup dv .celem-10.dtedbourgnap dv .dtedbourhine.dtedbourning dv .dtedbourning dv .dtedbourning dv .dtedbourhine.dtedbourning dv .dtedbourhine.dtedbourhine.dtedbourning dv .dtedbour			Pand Foodbask			
body & dv & dv & cely 6, coly public dw & cely			Senu Feeuback			
body & dv & dv & cely 6, coly public dw & cely	1					
body & dv & dv & cely 6, coly public dw & cely						
body & dv & dv & cely 6, coly public dw & cely						
body & dv & dv & cely 6, coly public dw & cely						
body & dv & dv & cely 6, coly public dw & cely						
body dr dr dr or cal-p-6.cal-p-cuh-3 dr g-anel-ganel-defaul. dr o prel-body form #mpform.form-horizontal dr .fmm-group dr .cal-em-10.dtedbox-group dr .cleabox-dedbox-reline_d					F	iles Snippets
body dv dv oxlej 6 coll gould 3 dv gant gant default dv gant body for inn frei form. frei form grup dv celarie 1.0.4cdbox grup dv celarie 1.0.4cdbox grup dv dv debox rhe debox					F	🗋 demo 🗸 Local view
body ev dv dv dv odvje 5.col pouh 3 dv parel parel defait. V 2 opleboly form #myform.form horizontal dv form goup dv .colem 10.decdbox.goup dv .dedbox.dedbox.ettes.devides.vefile .decdbox efile .decdbox efile .decdbox efile .decdbox.ettes.d					1	K C 🖡 🛊 🗄 🖓 în C 🗹
body dv dv dv calg 6xx8 gouth 3 dv anelgandefault dv anlandefault dv anlandefa						
body dv						
Progetties Baster Field Properties Chr. Biototrag 3 Basemeth. Baster Field Properties Chr. Biototrag 3 Basemeth. Baster Field Properties Chr. Biototrag 3 Basemeth. Biototrag 3 Basemeth. <td></td> <td></td> <td></td> <td></td> <td>_</td> <td>E- ScriptLibrary Fol</td>					_	E- ScriptLibrary Fol
Base field Progenties Extra Field Progenties Chardback Stock Freed Field From Field Group Progenties From Field Group Progenties From Field Group Progenties Name Greedboot Title Title Title Title Title Title Title Note Greedboot Pisce Field Pisce Field Title				.cheddbox.cheddbox-inline.cheddbox-info input>#cheddbox @	05~	index.html SKB HT
Name Deckbox1 Title Tipe info Add Onextibox II Add Onextibox II Add Heir Block Add Heir Submit With Tipe info 10 decidion Place Holder Place Holder One Checkbox III Hit Block Add Heir Submit With Tipe info Add Heir Submit With Tipe info Value option1 (f) Cricked Databetic Move Checkbox III eff. High Heir Submit Move Form Field Up Down Method Notif V Value option1 (f) Creaded III Decktor Checkbox IIII Eff. Decktor Checkbox IIII Decktor Checkbox IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII				roperties · · Form Field Group Management · · Horizontal Form Properties		
Value option 1 (f) Orected Deabled Deabled Deabled Deable Creation Field Deable From						
Value gotion 1 (f) Criected Disabled Delete Criectobox Field Delete Criectobox Field Delete Form Field Labels With 2 + Criectobox Field Delete Form Field De		Circle 🗌	Move Checkbox			
Read Only Display Default V Fields Width 🔂 🔁 10 🖨						
Uspey Default V Dupley [Default V]						
	Display Default V			Display Default 🗸		
(%) I local items selected totalling 2508 bytes.						 1 local items selected totalling 2508 bytes.



5. And let's preview the results!

				Default - 💽
ex.html* ×	des Produktes Proventies basebak			demo - Di\wamp\www\demo\index.h
Tableonan julie yaatest patrijs boolst ap minings unitebolist ap sva viga turings unitebolist	s.css unixpoolse apprornis.js poolse	→ Ø file:///D1/wamp/www/demo/index.html	~	
lode spir uve * 6 is	((((())))))		•	20.
	IIIIII III	760px 991px 992px	1199px	
Ko hao hao hao hao hao kao kao kao	REO ECO 850 DOO	768px 992px	1200px	150 1500 1550 1750
<u>50 100 150 200 250 800 850 400 450 500 500 800 850 800 800 800 800 800 8</u>	ก็อื่นหมดได้อนหมดได้อนหมด	ได้แนนนให้แนนได้แนนนให้แนนนให้แนนได้แนนได้เป็นแนะได้เป็นแนะได้เป็น		
Brand			Home Profile Messages	
	Feeback Form	1		
	Name	Teodor		
	Email	teodor@dmxzone.com		
		hello!		
	Comments			
		🔰 I'm your client I'm not your client		
		I agree to Terms		
	C	a ragree to Terms		
		J™pnd Feedback		
	L			
	Ŀ			
	Ŀ			
	e			
	Ľ			
de cotave de celt-fold-part-1 de parel-period-fait de parel	E		herbounder destaunde frank Einsteine	
	nelbady form #myForm.form-horseon	tal dav "formgroup dav "colem-10chedbox-group dav "chedbox.	heddow-nine.cheddox info,cheddox cride (<u>mpar</u>), #cheddox	⊙ \$. 1819 x
ies Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome HTM	eł-body form. #mySorm.form-horazon MLS Animak CSS I MMZczow Cristiwa Bai	tal div "form-group div "colem-10.dtebbox.group div "chebbox.c Bale Booktrap 3 Forms Desjaner	tredbox Hine dredbox Hino dredbox dride [Fpu1) #dredbox Group Nanagement	⊘ [_] ©. 1819×
ier Bootstrap 3 Gridt Bootstrap 3 Bennets Bootstrap 3 Navigation DMXZrone-Font Awwame HTT see Field Properties Extra Field Properties Checkbox Style Prop ame Checkbox 1 Tible Type Info	eł-body form. #mySorm.form-horazon MLS Animak CSS I MMZczow Cristiwa Bai	tal div form-group div col-an-10desbox-group div chesbox.c Billing Bookstrap 3 Forms Designer Billing Bookstrap 3 Forms Designer	Group Management — Horizontal Form Properties — Submit V 🔛 🖬 🔟 myForm	xetat .4 1-2 0
line Bootstrap 3 Grit Bootstrap 3 Remeets Bootstrap 3 Nasigation DMXzone Foot Anexone HTT see Field Properties Extra Field Properties Checkbox Style Prog ame (heckbox) Title Title Title Title Original Checkbox Place Holder Original Checkbox Plac	nel-body form emyForm form-horizon MIC Annual CSS MMCover Controls Ria Perfors Checkloc Kroop Pate	tal div form.group div col-am-10.chedstor.group div chedstor.c alter Bonstrapp Forem Despare M Hanagement — Form Field Group Properties — Form Field Add Hear (II) Add Hear (III) Add Hear (II) Add Hear (III)	Group Management Horizontal Form Properties ~ Submit V II D myForm Lp II Down Method POST V	⊘ ⊑ 1 © , 1819 x
Bits Destroy 3 for Monitory 3 Browski Destroy 3 Monitory 3 Monitory 3 Monitory 3 Monitory 1 Moni	eel-body form #myForm.form-horazon MLX. Animute CSS MMCrawe Contrives Tai Perfuse — Checkbox Que (Archestor Tai Move Checkbox Que (Letter)	tal div form-group div col-em-10.dtedbox-group div detedbox. Biostrap 3 Forms Desjawr M Hanagement - Form Field Group Properties - Form Field Ad New [□ Ad New [□ Right Height Default - Move Form Field	Group Management Horizontal Form Properties ~	○ ↓ 0 \$, 1819 x
Name checkbox1 Title Type Info ID checkbox Place Holder Orde 🖌	vel-body form ≢my¥orm form-horoson Mits Readen CSS DMXcase Generae Ina Perties — Checkbox Kroup Fiel → Ad Checkbox Kill (4)	tal div form-group div col-em-10.dtedbox-group div detedbox. Biostrap 3 Forms Desjawr M Hanagement - Form Field Group Properties - Form Field Ad New [□ Ad New [□ Right Height Default - Move Form Field	Group Management Horizontal Form Properties - Submit V II II III III IIII IIII IIII IIIIIIII	⊘ [_] @. 1859 x



Advanced: Styling File Fields in Bootstrap 3 Forms Designer

In this tutorial we will show you how to style your file fields, using DMXzone Bootstrap 3 Forms Designer.

*You can also check out the video.

	File Edit View Insert Modify Format Commands Site Window Help					_
»	index.html* ×			demo - D:\wamp\www\der		
ß	(Source Code) jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forms.css dmxBoo Code Split Uve ▼ ④ ↔	tstrap3Forms.js boo			T	1.15
	Code Split Live • 🕀 🐼		+ + C file:///DI/wamp/www/demo/index.html ~		E	{
			760px 991px 992px 992px 11	99px		-5
	0 <u>160 100 150 200 250 800 850 400 450 500 850 800 850 800 850 800 800 800 8</u>	650 700	768px 992px 1100 1150 1100 1150	1200px 1250 [1300 [1350 [1400 [1450 [1500 [1550 [1600 [1650 [1700	1750 18	
	andandandandandandandandandandandandanda	handraathaadhaadh		and anti-admitical anti-admitical anti-admitical anti-admitical anti-admitical anti-	uluutuulu%	- 4
	Brand			Home Profile Messages		1
						da
		Feeback Fo				H
		reebackro				
			New Marca			
		Name	Your Name			
		Email	Your Email			
		Your	Your Feedback			
		Comments	Your reedback			
		File	🗁 Your file			
			I'm your client I'm not your client			
			I agree to Terms			
			Send Feedback			
			Send Feedback			
	body dv .container dv .row dv .col-lg-6.col-lg-push-3 dv .panel.panel-default dv .panel-body forn Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Avesome HTMLS Animate C				∂, 1819 x 705 v -=	
	Base Field Properties File Field Properties File Field Properties	Form Field Group	Properties - Form Field Group Management - Horizontal Form Pr	roperties —		1
	Name file1 Title Input Icon 🗸	i Add He				
	ID file Place Holder Size Default V	Height Default	✓ Move Form Field	~		
	Value {	State Default	Delete Form Field			
	Display Default V Type Primary V Size Default V	Display Default	Fields Width T 10			
	Disabled Button Before		Display Default	×		



How to do it

1. We already created a form on our page and we'd like to include a file field inside it. Click some of the **form fields (1)** and select **file (2)** from the dropdown. Don't forget to **add it (3)**.

le Edit View Insert Modify Format Commands Site Window Help		Default -
dex.html ×		demo - D:\wamp\www\demo\index.htm
zurce Code) jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forme		
Code Split Live • 🕀 🖸		
	769px	
<u>50 100 150 200 250 800 850 400 450 600</u>	F60px 992px 1200px 50 850 1700 1750 850 850 1000 1250 120	1+00 1+50 1500 1550 1600 1650 1700 1750 p
Brand	Home Profile	
Diana	Home Prome	messages
	Feeback Form	
	Name Your Name	
	Email Your Email	
	Your Feedback	
	Comments	
	1	
	I'm your client I'm not your client	
	O Lagree to Terms	
	Send Feedback	
y div .container div .row div .col-lg-6.col-lg-push-3 div .panel.panel-default div .pan	l-body form #myForm.form-horizontal div .form-group div .col-sm-10 textarea #textarea.form-control	[] Support 1819 × 7 []
eerties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome HTM	ILS Animate CSS DMXzone Cordova Builder Bootstrap 3 Forms Designer	
Base Field Properties Extra Field Properties Form Field Propertie Name textarea1 Title Height Default		
ID textarea 1 III Height Default ID textarea Place Holder Your Feedback Disabled		
Value { F Disabled Read Only Display Default	Height Default ✓ Move Form Field Input Trout Group State Default ✓ Imput Group Texterea	
Display Default	Display Default V Textarea Fields Width 🛨 🂽 10 🖨	
	Cheddox Group Display Default V	
	2 Radio Group	



2. You can find the file field options, under the File Field Properties section. Choose whether to show the input or just the button. We uncheck the **input option (1)**, as we only like to show the button. Change the default text of the upload field button to **"your file" (2)**.

e Edit View Insert Modify Format Commands Site Window Help		Default - 😥 💻
ex.html* ×		demo - D/\wamp\www\demo\index.ht
urce Code jquery-latest.pack.js bootstrap.min.js dmxBootstrap3Navigation.js dmxBootstrap3Forms.		
Code Split Live • 🕀 🐼	+ > Ø file:///DI/wamp/www/demo/index.html ~	
	767px 768px ///// 991px 992px //// 1399	by a
150 L00 L50 1200 1250 1300 1350 H00 H50 1600 16	768px 902px 902px 1000 1150	1200px
		adomination domination domination domination domination domination domination domination domination domination d
Brand		Home Profile Messages
	Feeback Form	
	Name Your Name	
	Email Your Email	
	Your Feedback	
	Comments	
	File Choose file	
	I'm your client I'm not your client	
	I agree to Terms	
	Send Feedback	
div .container div .row div .col-lg-6.col-lg-push-3 div .panel.panel-default div .pane eties Bootstrap 3 Grid Bootstrap 3 Bements Bootstrap 3 Navigation DMXzone Font Awesome HTM		⊘ 1 \$9, 1819 x
Base Field Properties Extra Field Properties File Field Properties		perties —
Name file1 Title Input 1	con 🗹 🚺 Add Help Block Add New File 🗸 🖬 🖬 ID myForm	
	Height Default	
ID file Place Holder Size Default		
Value {	2 State Default Celete Form Field Eades Width Ead	
Value {#} Disabled Read Only Button Teget Choose file		



3. Open the type dropdown in order to select the button color theme. We select primary type and we're done!

File Edit View Insert Modify Format Commands Site Window Help		Default - 🖾 🗖	×
 index.html* ×		demo - D-\wamp\www\demo\index.html 🗃	
\$ Source Code jquery-latest.pack.js bootstrap.min.js dmx8ootstrap3Navigation.js dmx8ootstrap3Forms.css dmx8ootstrap3F			2
Code Split Live • O O	← → Q file:///D1/wamp/www/demo/index.html ∨	E II. 41.	
	768px	91. 	- ,9
80 100 150 200 250 800 850 400 450 800 850 800 850	768px 982px 700 750 800 850 800 850 1000 1050 1100 1150	2000 px 2250 h300 h350 h400 h450 h500 h550 h600 h650 h700 h750 h0	
Brand			11111
Brand		Home Profile Messages	品
			4
Fe	eback Form		
	Name Your Name		
	Email Your Email		
	Your Your Feedback		
Co	mments		
	File Tour file		d -
	I'm your client I'm not your client		i I
	 I agree to Terms 		
	Send Feedback		
body dv .container dv .row dv .col·lg-6.col·lg-push-3 dv .panel.panel-defau dv .panel-body form #myFi Properties Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXxone Font A exome HTMLS Animate CSS DMD	rm.form-horizontal div .form-group div .col-sm-10 mput #fie.filestyle	⊘ 🖵 î 🔍 1819 x 705 ∨	
	zone Cordova Builder Bootstrap 3 Forms Designer Field Group Properties - Form Field Group Management - Horizontal Form Proj	perties —	1
Name file1 Title Input Icon 🖌 👔	Add Help Block Add New File V 🖬 🖬 ID myForm		
	et Default V Move Form Field Up Down Method POST	×	
	e Default V Delete Form Field Labels Width 2 C C C		
Size Default		·	
Disabled Success			
Unto			



4. Now your upload field looks great and it also looks the same in all browsers!

tml* ×	ns.css_dmx8ootstran.%poms.isbootstran.min.css	demo - D:\wamp\www\demo\index.t
s Spit Live ▼ ⊕ ⊡	+ + Ø file:///D1/wamp/www/demo/index.html >	
	760px 700px>>>>>> 4000000000000000000000000000000000000	
50 p50 p50 p50 p50 p50 p50 p50 p50 p50 p	766px 992px 1200px 850 800 850 800 850 1000 1150 1200 1	2250 <u>1350 1460 1450 1550 1660 1650 1700 1750</u>
Brand		Home Profile Messages
	Feeback Form	
	Name Your Name	
	Email Your Email	
	Your Feedback	
	Comments	
	File 🗁 Your file	
	O I'm your client O I'm not your client	
	O I agree to Terms	
	Send Feedback	
due contribue due cou due colle 6 colle auch 2 due const appel default due	nel-body form #myForm.form-horizontal div .form-group div .col-em-10 rout #file.filesty/e	⊘1 ®J_ 1819 x
s Bootstrap 3 Grid Bootstrap 3 Elements Bootstrap 3 Navigation DMXzone Font Awesome	TML5 Animate CSS DMXzone Cordova Builder Bootstrap 3 Forms Designer	
e Field Properties File Field File Field Fie	Icon 🗹 🚺 Add Help Block Add New File 🧹 🛄 🖬 ID myForm	
ID file Place Holder Size Default ue {\$\$\$ Disabled Read Only Button Text Your file	✓ Height Default ✓ Move Form Field ▲ Up ▲ Down Method POST ✓ State Default ✓ Image: Labels Width 2 ♦ ●	
Display Default V Type Primary	✓ Display Default ✓ Fields Width ▲ 10 ◆	
Size Default	V Display Default V	



Video: Accessing Forms Designer in Dreamweaver



With this movie we will show you how to access and enable DMXzone Bootstrap 3 Forms Designer in Dreamweaver.

Video: Building a Horizontal Form



With this movie we will show you how to build a horizontal form, using DMXzone Bootstrap 3 Forms Designer.

Video: Using Addons and Buttons in Bootstrap 3 Forms Designer



With this movie we will show you how to add text or buttons before, after, or on both sides of any textbased input, using DMXzone Bootstrap 3 Forms Designer.

Video: Assigning Dynamic Values to Form Fields



With this movie we will show you how to assign dynamic values to your form fields, using DMXzone Bootstrap 3 Forms Designer. In order to do that you'll also need HTML5 Data Bindings and DMXzone Database Connector PHP/ASP extensions.

Video: Styling Radio Buttons and Checkboxes



With this movie we will show you how to style your radio buttons and checkboxes, using DMXzone Bootstrap 3 Forms Designer.

Video: Styling File Fields in Bootstrap 3 Forms Designer



With this movie we will show you how to style your file fields, using DMXzone Bootstrap 3 Forms Designer.