

Advanced Tooltips Manual

| About Advanced Tooltips | 2 |
|---|----|
| Features in Detail | |
| Before you begin | 7 |
| Installing the extension | 7 |
| The Basics: Adding Tooltips to Links | 8 |
| Creating the Tooltip | |
| The Basics: Adding Tooltips with HTML Content | 14 |
| Creating the DIV | 14 |
| Adding the Tooltip | 16 |
| The Basics: Adding Tooltips to a Form | 21 |
| Creating a Basic Page | 21 |
| Applying the Hide Advanced Tooltip Behavior | |
| Advanced: Adding Tooltips that include an HTML page | 26 |
| Creating a Basic Page | 27 |
| Advanced: Adding Tooltips that displays dynamic content | 31 |
| Creating a Basic Page | 31 |



About Advanced Tooltips



Create Rich Media Tooltips, provide online help, zoom in to images display rich content and tips with just a few clicks.

Customize the display of the tooltips, including the style, color and position. Apply rich designs, include and auto-fit photos, slideshows, movies, alerts or other content in your tooltips.

Apply **special transition effects** such as fade, slide and fly effects for a staggering user experience and place your tooltips anywhere you like on your site.



Features in Detail

Create Rich Media Tooltips

Provide online help, zoom in to images, display rich content and tips with just a few clicks.





- Customize the display of the tooltips
 - o Choose from a rich collection of styles with shadows and choose from a multitude of colors

| | Create a Rich Media Tooltips, White line help, zoom in to images dealer the content and tips with just a few <u>clicks</u> . White line help, zoom in to images dealer the content and tips the display of the tooltips, including the style, color and position. Apply rich designs, in the display of the tooltips, including the style, color and position. Apply rich designs, a auto-fit photos, slideshows, movies, alerts or other content in your tooltips. Yellow Apply special transition effects such as for a staggering user experience and place your special transition effects. |
|-----------|---|
| Transpare | anywhere you like on your site. |

- o Position your tooltip anywhere, you can even let the tooltip follow the cursor of a user.
- Support for multiple content formats
 - o Include and auto-fit photos, slideshows, movies, alerts or other content in your tooltips.





- Choose from a large collection of transitions
 - Apply **special transition effects** such as fade, slide and fly effects for a staggering user experience
 - o Choose from a tremendous range of easing effects to fine-tune your transitions

| Show Advanced To | oltip | | | | | X |
|----------------------|------------------------|--------------------------------|---------|---|-----------|----------------------|
| | | a Tooltips at Your Fingertips! | 5 | | | OK Cancel Help |
| Positioning and Cor | ntents | | | | | |
| Content: | Enter your F | ull Name | | ~ | 🖻 4 | |
| Width: | auto 🗸 | Height: | auto | ~ | | |
| Show at: | bottom-left | ~ | Outside | ~ | | |
| X: | auto 🗸 | Y: | | | | |
| | | τ; | auto | * | | |
| Behavior | | | | | | |
| Effect: | fly | | | ¥ |] | |
| Easing: | InCirc | | | ¥ | | |
| Effect Duration: | InQuad OutQuad | | | ^ | 1 | |
| Close when: | InOutQuad | | | | | |
| | InCubic OutCubic | | | | | |
| Style | InOutCubic | | | | | |
| Style theme: | InQuart OutQuart | | | | | |
| De altre de Desertes | InOutOuart | | | | | |
| Positioning Preview | InQuint OutQuint | | | | | |
| | InOutQuint | | | | peed. | |
| | InSine | | | | effect | |
| | OutSine | | | | | |
| | InOutSine InExpo | | | | | |
| | OutExpo | | | | | |
| | InOutExpo | | | | | |
| | InCirc | | | | | |
| | OutCirc | | | | | |
| | InOutCirc InElastic | | | | | |
| | OutElastic | | | | | |
| | InOutElastic | | | | | |
| | InBack | | | | 1078 / 16 | sec Unicode (UTF-8) |
| | OutBack | | | | 10/6/10 | |
| | InOutBack InBounce | | | | | *= |
| None 🔽 | OutBounce | | | | | ? |
| # | InOutBounce | | | ~ | | 0 2 |

o Set the delay of the tooltip to determine the exact time before the tooltip fades in



Fully integrated in Dreamweaver •

| Show Advanced To | ooltip | X |
|---------------------|--|----------------------|
| | Advanced Tooltips Rich Media Tooltips at Your Fingertips! | OK Cancel Help |
| Positioning and Co | ntents | |
| Content: | Type a string or select an option 💌 🖻 🔗 | |
| Width: | auto V Height: auto V | |
| Show at: | next to the mouse cursor Voltside V | |
| X: | Y: Y | |
| Behavior | | |
| Effect: | fade 🗸 | |
| Easing: | OutQuad | |
| Effect Duration: | 600 Effect Delay: 600 | |
| Close when: | mouse out 💙 Close button: | |
| Style | | |
| Style theme: | none | |
| Positioning Preview | v — Help — | |
| No Previ | Click on some field for additional information. | |

Set your options within user friendly interface, no coding is required. Works on Windows and on MAC. 0

0



Before you begin

Make sure to setup your site in Dreamweaver first before creating a page, if you don't know how to do this please <u>read this</u>.

Installing the extension

Read the tutorial at http://www.dmxzone.com/ShowDetail.asp?NewsId=4671

Login, download the product, and lookup your serial at http://www.dmxzone.com/myZone.asp?Section=purchases

Get the latest extension manager from Adobe at <u>http://www.adobe.com/exchange/em_download/</u>

Open the .mxp file (the extension manager should start-up) and install the extension.

If you experience problems please read the FAQ at <u>http://www.dmxzone.com/index.asp?TypeId=7&CatId=687</u> before contacting support.



の以 zone

The Basics: Adding Tooltips to Links

Introduction

In this tutorial we'll show you how to create a basic popup that fades in and has its own close button. The popup will also hide if the user moves the mouse out.

Advanced DMXzone Tooltips



Create a Rich Media Tooltips, provide online help, zoom in to images display <u>nich content</u> and tips with just a few clicks. Customize the display of the too include and auto-fit photos, slideshows, movies, alerts or other content in your tooltips.

Apply **special transition effects** such as for a staggering user experience and place your toolhips anywhere you like on your site.



Creating the Tooltip

1. Create a new HTML page

Create a new or open an existing HTML page. Include a link by selecting some text and adding a # in the link field of your property inspector and save the page.



2. Applying the extension

Select the text or image that has the link on it (we select our text), open the **Tag** panel in Dreamweaver, select the **Behaviors** tab press on the + icon and choose **DMXzone -> Show** Advanced Tooltip.





A new popup appears

| Show Advanced Too | oltip 🛛 🗙 |
|---------------------|--|
| | Advanced Tooltips Rich Media Tooltips at Your Fingertips! |
| Positioning and Con | tents |
| Content: | Type a string or select an option 🔽 🔁 🛷 |
| Width: | auto 🗸 Height: auto 🖌 |
| Show at: | next to the mouse cursor 🕑 Outside 😒 |
| X: [| ✓ Y: ✓ |
| Behavior | |
| Effect: | fade |
| Easing: | OutQuad |
| Effect Duration: | 600 Effect Delay: 600 |
| Close when: | mouse out 👻 Close button: |
| Style | |
| Style theme: | none |
| Positioning Preview | Help |
| No Previe | Click on some field for additional information. |

3. Setting the Positioning and Contents options

For this tutorial we enter a basic text in the **Content** field, we type **"Rich Content contains a combination of content forms"**. You can also add rich content such as images, slideshows, or other (dynamic) content.

We set the **Width** and **Height** to **auto**, this means that the size of the tooltip is automatically determined. We define the **Show at** property to **bottom-right** and **Outside**. We set the **X** and **Y** properties to **auto**. If you set these options to **cursor**, the tooltip will follow the cursor.



4. Choosing the Behavior options

We leave the **Effect** to **fade** and the **Easing** to **Outquad**. Feel to experiment with other effects and easing options and experience the rich range of options and combinations. We the **Effect Duration** to **600** but change the **Effect Delay** to **300** to start the appearance of the tooltip. We also leave the **Close when** option to **mouse out** to hide the tooltip again when we move the mouse out (you can also set it to **click out**, which requires a click outside the link area to close the tooltip). We check the **Close button** to insert a close button in the tooltip.



5. Setting the Style options

We set the **Style theme** option to **blue**. To give our tooltip a nice blue background with a shadow. And we press **OK**.

| Show Advanced To | poltip | X |
|---------------------|---|----------------------|
| | Advanced Tooltips Rich Media Tooltips at Your Fingertips! | OK Cancel Help |
| Positioning and Co | ntents | |
| Content: | Rich Content contains a combination of content forms 🛛 🔽 🚀 | |
| Width: | auto V Height: auto V | |
| Show at: | bottom-right 🗸 Outside 🗸 | |
| X: | auto 🗸 Y: auto 🗸 | |
| Behavior | | |
| Effect: | fade 🗸 | |
| Easing: | OutQuad | |
| Effect Duration: | 600 Effect Delay: 300 | |
| Close when: | mouse out 👻 Close button: 🗹 | |
| Style | | |
| Style theme: | blue | |
| Positioning Preview | w — Help | |
| | Select a predefined style template, that will "wrap" your tooltip contents. NOTE: If you want your custom look and feel: Create your custom tooltip inside the page and give it some id. Select none as a style theme. Select your tooltip from the Content list | |



6. Final steps

Optionally change the event of your behavior, we leave it on onMouseOver.



Save the files and upload them to your server. The end result should be similar to the screenshot below.





The Basics: Adding Tooltips with HTML Content

Introduction

In this tutorial we'll show you how to create a tooltip that displays content from a <div> that is hidden on the page.

Advanced DMXzone Tooltips



Creating the DIV

- 1. Create a new HTML page
 - Create a new or open an existing HTML page. We add a few lines of text and an image:

Advanced DMXzone Tooltips



Create a Rich Media Tooltips, provide online help, zoom in to images display rich content and tips with just a few clicks.

Customize the display of the tooltips, including the style, color and position. Apply rich designs, include and auto-fit photos, slideshows, movies, alerts or other content in your tooltips.

Apply special transition effects such as for a staggering user experience and place your toolhips anywhere you like on your site.



2. Insert the div

We insert a div onto our page, add some content and name the div "tip" and set it's visibility to hidden (you can use an APdiv if you prefer).

Apply **special transition effects** such as for a staggering user experience and place your tooltips anywhere you like on your site.







Adding the Tooltip

1. Adding the behavior

Select the text or image on the page where you want to apply the tooltip, open the **Behavior panel** in Dreamweaver, select the **Behaviors** tab press on the + icon and choose **DMXzone -> Show** Advanced Tooltip.

A new popup appears

| Show Advanced T | ooltip 🛛 🔀 |
|---------------------|--|
| | Advanced Tooltips Rich Media Tooltips at Your Fingertips! |
| Positioning and Co | ntents |
| Content: | Type a string or select an option 👽 🖻 🛷 |
| Width: | auto V Height: auto V |
| Show at: | next to the mouse cursor VOutside V |
| X: | Y: V |
| Behavior | |
| Effect: | fade 🔽 |
| Easing: | OutQuad |
| Effect Duration: | 600 Effect Delay: 600 |
| Close when: | mouse out 🔽 Close button: |
| Style | |
| Style theme: | none |
| Positioning Preview | w — Help — |
| No Previ | Click on some field for additional information. |



3. Setting the Positioning and Contents options

Select the div named tip in the Content dropdown box

| Show Advanced To | ooltip | |
|---------------------|---|----------------------|
| | Advanced Tooltips Rich Media Tooltips at Your Fingertips! | OK Cancel Help |
| Positioning and Co | ntents | |
| Content: | DIV#tip 🛛 🖓 🚞 🔗 | |
| Width: | auto V Height: auto V | |
| Show at: | bottom-right 🗸 Outside 🗸 | |
| X: | auto 🗸 Y: auto 🗸 | |
| Behavior | | |
| Effect: | fade 💌 | |
| Easing: | OutQuad | |
| Effect Duration: | 600 Effect Delay: 300 | |
| Close when: | mouse out 💌 Close button: 🔽 | |
| Style | | |
| Style theme: | blue | |
| Positioning Preview | v — Help — | |
| | This can be one of the following: Any element from the page, that has an "id" (select from the list). Some simple string (type it here). Name of javascript function that returns a string. Click the and select dynamic data. Click the and select a file from your site, or type a remote URL there. | |

We set the **Width** and **Height** to **auto**, this means that the size of the tooltip is automatically determined. We define the **Show at** property to **next to the mouse cursor**. We set the **X** and **Y** properties to **cursor** so the tooltip will follow the cursor.

4. Choosing the Behavior options

We set the **Effect** to **slide** and the **Easing** to **InQuart**. Feel to experiment with other effects and easing options and experience the rich range of options and combinations. We the **Effect Duration** to **600** but change the **Effect Delay** to **300** to start the appearance of the tooltip. We also leave the **Close when** option to **mouse out** to hide the tooltip again when we move the mouse out (you can also set

Page 17 of 34



it to **click out**, which requires a click outside the link area to close the tooltip). We check the **Close button** to insert a close button in the tooltip.



5. Setting the Style options

We set the **Style theme** option to **white**. To give our tooltip a nice white background **with a shadow**. And we press **OK**.

| Show Advanced To | poltip 🛛 🔀 |
|---------------------|---|
| | Advanced Tooltips Rich Media Tooltips at Your Fingertips! |
| Positioning and Co | ntents |
| Content: | #tip 🔽 🖓 🔽 |
| Width: | auto 😪 Height: auto 😪 |
| Show at: | bottom-right V Outside V |
| X: | cursor 🗸 Y: cursor 🗸 |
| Behavior | |
| Effect: | slide |
| Easing: | InQuart 🗸 |
| Effect Duration: | 600 Effect Delay: 300 |
| Close when: | mouse out 🔽 Close button: 🗹 |
| Style | |
| Style theme: | white 🗸 |
| Positioning Preview | v — Help — I I I I I I I I I I I I I I I I I I |
| | Select a predefined style template, that will "wrap" your tooltip contents. NOTE: If you want your custom look and feel: Create your custom tooltip inside the page and give it some id. Select none as a style theme. Select your tooltip from the Content list |

6. Final steps

Optionally change the event of your behavior, we leave it on onMouseOver.





Save the files and upload them to your server. The end result should be similar to the screenshot below.

Advanced DMXzone Tooltips

Create a Rich Media Tooltips, provide online help, zoom in to images display rich content



Customize th designs, inclu tooltips.

Apply speci tooltips anywhere you like on your site





The Basics: Adding Tooltips to a Form

Introduction

In this tutorial we'll show you how to add tooltips to a form.

| Cont | tact Information |
|---------|----------------------|
| Name: | |
| Adress: | Enter your Full Name |
| E-mail: | |
| ID: | |

Creating a Basic Page

Create a new HTML page

Create a new or open an existing HTML page. We add a form to our page:

| Contact Information | | | | |
|---------------------|--|--|--|--|
| Name: | | | | |
| Adress: | | | | |
| E-mail: | | | | |
| ID: | | | | |



Adding the Tooltip

1. Adding the behavior

Select the form field where you want to apply the tooltip, open the **Behavior panel** in Dreamweaver, select the **Behaviors** tab press on the + icon and choose **DMXzone** -> **Show Advanced Tooltip**.

A new popup appears

| Show Advanced To | poltip | X |
|---------------------|--|----------------------|
| | Advanced Tooltips Rich Media Tooltips at Your Fingertips! | OK Cancel Help |
| Positioning and Co | ntents | |
| Content: | Type a string or select an option 👽 🖻 🔗 | |
| Width: | auto V Height: auto V | |
| Show at: | next to the mouse cursor 🔹 Outside 🗸 | |
| X: | Y: Y | |
| Behavior | | |
| Effect: | fade | |
| Easing: | OutQuad | |
| Effect Duration: | 600 Effect Delay: 600 | |
| Close when: | mouse out 💙 Close button: | |
| Style | | |
| Style theme: | none | |
| Positioning Preview | w — Help — | |
| No Previe | Click on some field for additional information. | |

 Setting the Positioning and Contents options We enter a basic text in the Content field, we type "Enter your Full Name".



| Show Advanced To | ooltip | |
|---------------------|---|----------------------|
| | Advanced Tooltips Rich Media Tooltips at Your Fingertips! | OK Cancel Help |
| Positioning and Cor | ntents | |
| Content: | Enter your Full Name 🛛 🕞 🔗 | |
| Width: | auto 💙 Height: auto 💙 | |
| Show at: | next to the mouse cursor Voltside V | |
| X: | cursor V: cursor V | |
| Behavior | | |
| Effect: | fly | |
| Easing: | InCirc | |
| Effect Duration: | 600 Effect Delay: 300 | |
| Close when: | mouse out 👻 Close button: 🗹 | |
| Style | | |
| Style theme: | white | |
| Positioning Preview | v — Help — | |
| No Previe | Select the effect easing. It controls the animation speed. NOTE: Different easings requires different effect durations to work well. | |

We set the **Width** and **Height** to **auto**, this means that the size of the tooltip is automatically determined. We define the **Show at** property to **bottom-left**. We set the **X** and **Y** properties to **auto** so the tooltip will stay close to the entry field.

2. Choosing the Behavior options

We set the **Effect** to **fly** and the **Easing** to **InCirc**. Feel to experiment with other effects and easing options and experience the rich range of options and combinations. We the **Effect Duration** to **600** but change the **Effect Delay** to **300** to start the appearance of the tooltip. We also leave the **Close when** option to **mouse out** to hide the tooltip again when we move the mouse out (you can also set it to **click out**, which requires a click outside the link area to close the tooltip). We check the **Close button** to insert a close button in the tooltip.



3. Setting the Style options

We set the **Style theme** option to **white**. To give our tooltip a nice white background **with a shadow**. And we press **OK**.

| Show Advanced To | poltip | × |
|---------------------|--|----------------------|
| | Advanced Tooltips Rich Media Tooltips at Your Fingertips! | OK Cancel Help |
| Positioning and Co | ntents | |
| Content: | Enter your Full Name 🛛 😪 🕫 | |
| Width: | auto 😪 Height: auto 😪 | |
| Show at: | bottom-left 🗸 Outside 🗸 | |
| X: | auto 💌 Y: auto 💌 | |
| Behavior | | |
| Effect: | fly | |
| Easing: | InCirc | |
| Effect Duration: | 600 Effect Delay: 300 | |
| Close when: | mouse out 💙 Close button: 🔽 | |
| Style | | |
| Style theme: | white | |
| Positioning Preview | Help | |
| | Enter Y coordinate in pixels or select 'auto'. | |
| | Preview | |

4. Final steps

Optionally change the event of your behavior, in this case we leave it to **onFocus** so the user sees the tooltip when he enters the form field.

Save the files and upload them to your server. The end result should be similar to the screenshot below.



| Cont | tact Information |
|---------|----------------------|
| Name: | |
| Adress: | Enter your Full Name |
| E-mail: | |
| ID: | |

Applying the Hide Advanced Tooltip Behavior

1. Adding the behavior

Select the form field where you applied the **Show Advanced Tooltip** the tooltip, open the **Behavior** panel in Dreamweaver, select the **Behaviors** tab press on the + icon and choose DMXzone -> Hide Advanced Tooltip and press OK.

| Hide Advanced | Tooltip 🛛 🔀 |
|--|--------------|
| Apply this behavior to close the currently opened Advanced Tooltip. | OK Cancel |

2. Final steps

Change the event of your behavior to **onBlur** so the tooltip is closed when the user has entered his name and moves the cursor to a next form field.

| ∥ ▼ Tag <input/> | | = |
|------------------|-------------------------|---|
| Attributes | Behaviors | |
| | +, | |
| onBlur | 🤮 Show Advanced Tooltip | |
| onFocus | 🍪 Hide Advanced Tooltip | |
| | | |

Save the files and upload them to your server. The end result should be similar to the screenshot below.



Advanced: Adding Tooltips that include an HTML page

Introduction

In this tutorial we'll show you how to include an HTML page into your tooltip.

Advanced DMXzone Tooltips

Create a Rich Media Tooltips, provide online help, zoom in to images display rich content and tips with just a few clicks.





Creating a Basic Page

Create a new HTML page

Create a new or open an existing HTML page. We add a and image and some text to our page:

Advanced DMXzone Tooltips



Create a Rich Media Tooltips, provide online help, zoom in to images display rich content and tips with just a few clicks.

Customize the display of the tooltips, including the style, color and position. Apply rich designs, include and auto-fit photos, slideshows, movies, alerts or other content in your tooltips.

Apply special transition effects such as for a staggering user experience and place your toolhips anywhere you like on your site.

Adding the Tooltip

1. Adding the behavior

Select the text where you want to apply the tooltip, optionally add a # into the text of it's link field so the user can see that the text contains a tooltip because it will have the same markup as a link. Open the **Behavior panel** in Dreamweaver, select the **Behaviors** tab press on the + icon and choose **DMXzone** -> **Show Advanced Tooltip**.

A new popup appears



| Show Advanced To | oltip | |
|---------------------|--|----------------------|
| | Advanced Tooltips Rich Media Tooltips at Your Fingertips! | OK Cancel Help |
| Positioning and Con | itents | |
| Content: | Type a string or select an option 🔽 🔁 🕫 | |
| Width: | auto V Height: auto V | |
| Show at: | next to the mouse cursor | |
| X: | Y: V | |
| Behavior | | |
| Effect: | fade 🗸 | |
| Easing: | OutQuad 🗸 | |
| Effect Duration: | 600 Effect Delay: 600 | |
| Close when: | mouse out 🗸 Close button: | |
| Style | | |
| Style theme: | none | |
| Positioning Preview | Help | |
| No Previe | Click on some field for additional information. | |

2. Setting the Positioning and Contents options

We select the folder icon next to the **Content** field, and enter the name of the HTML page we want to display, in this case that is: <u>http://www.dmxzone.com/demo/3dflow/juri_gallery/juri_gallery.html</u>. This page contains a gallery that is created with the <u>3D ImageFlow Gallery</u> extension.



| | and Contents Positioning Preview //www.dmxzone.com/demo/3dflow/j | OK Cancel |
|---------------------------|--|---------------|
| | Select a file | ? 🔀 |
| Show at: botto X: auto | Select file name from: File system Data sources Server | Image preview |
| Behavior | Zoeken in: 🧰 tooltips 🛛 🗸 🚱 📂 🖽 🗸 | |
| Effect | mmServerScripts | |
| Easing | Dinisa rasarpa | |
| Effect Duration | Connections | |
| Close when | | |
| | CriptLibrary | |
| Style | Styles | |
| Style them | | |
| | | |
| | | |
| | Bestandsnaam: juri_gallery.html | |
| | | |
| | Bestandstypen: Image Files (*.gif;*.jpg;*.jpeg;*.png;*.psd) 💉 Annuleren | |
| CSS B | URL: http://www.dmxzone.com/demo/3dflow/juri_galler 2 | |
| | | |
| | | |
| | <u>Change default Link Relative To</u> in the site definition. Preview images | |

We set the **Width** to **750** and **Height** to **550**. We define the **Show at** property to **left-top**. We set the **X** and **Y** properties to **auto** so the tooltip will stay close to the entry field.

3. Choosing the Behavior options

We set the **Effect** to **fly** and the **Easing** to **InCirc**. Feel to experiment with other effects and easing options and experience the rich range of options and combinations. We the **Effect Duration** to **600** but change the **Effect Delay** to **300** to start the appearance of the tooltip. We also leave the **Close when** option to **mouse out** to hide the tooltip again when we move the mouse out (you can also set it to **click out**, which requires a click outside the link area to close the tooltip). We check the **Close button** to insert a close button in the tooltip.



4. Setting the Style options

We set the **Style theme** option to **white**. To give our tooltip a nice white background **with a shadow**. And we press **OK**.

5. Final steps

Optionally change the event of your behavior, we set it to **onMouseOver**, in this case we leave it to **onClick** so the user sees the tooltip when he enters the form field.

Save the files and upload them to your server. The end result should be similar to the screenshot below.

Advanced DMXzone Tooltips

<section-header><section-header><section-header><section-header><text><text>

Create a Rich Media Tooltips, provide online help, zoom in to images display rich content and tips with just a few clicks.



Advanced: Adding Tooltips that displays dynamic content

Introduction

In this tutorial we'll show you how to include dynamic content using a recordset.

Advanced DMXzone Tooltips



Create a Rich Media Tooltips, provide online help, zoom in to images display rich content and tips with just a few clicks.

Customize the display of the tooltips, including the style, color and position. Apply rich designs, include and auto-fit photos, slideshows, movies, alerts or other content in your tooltips.

Apply special transition effects of

tooltips anywhere you like on your site.

Slideshows, Fades and more

ience and place your

Creating a Basic Page

Create a new ASP or PHP page

Create a new or open an existing ASP or PHP page. We'll create an ASP page and add an image and some text to our page:





Create a Rich Media Tooltips, provide online help, zoom in to images display rich content and tips with just a few clicks.

Customize the display of the tooltips, including the style, color and position. Apply rich designs, include and auto-fit photos, slideshows, movies, alerts or other content in your tooltips.

Apply special transition effects such as for a staggering user experience and place your toolhips anywhere you like on your site.



Adding the Tooltip

1. Adding the behavior

Select the text or image where you want to apply the tooltip. Open the **Behavior panel** in Dreamweaver, select the **Behaviors** tab press on the + icon and choose **DMXzone** -> **Show Advanced Tooltip**.

| A new popup appears | Αn | ew | ρορι | up ar | opears |
|---------------------|----|----|------|-------|--------|
|---------------------|----|----|------|-------|--------|

| Show Advanced To | ooltip 🔀 |
|---------------------|--|
| | Advanced Tooltips Rich Media Tooltips at Your Fingertips! |
| Positioning and Cor | ntents |
| Content: | Type a string or select an option 😪 🖻 🛷 |
| Width: | auto V Height: auto V |
| Show at: | next to the mouse cursor 🗸 Outside 🗸 |
| X: | Y: Y |
| Behavior | |
| Effect: | Fade 🗸 |
| Easing: | OutQuad |
| Effect Duration: | 600 Effect Delay: 600 |
| Close when: | mouse out 🗸 Close button: |
| Style | |
| Style theme: | none |
| Positioning Preview | v — Help — I I I I I I I I I I I I I I I I I I |
| No Previe | Click on some field for additional information. |

2. Setting the Positioning and Contents options

After we've defined our database connection in the **Databases** tab of the **Application panel** and created a recordset, we can include the contents of our database in the tooltip. Select the lightning bold icon next to the **Content Field**.



| Show Advanced Tooltip | | |
|-----------------------|--------------------|-------|
| Posit | oning and Contents | |
| Content: | | 🗸 🖂 🖌 |

Select the contents of the recordset you want to include and press OK.

| Select the dy | namic content of the tooltip | |
|---------------|---|------------------------------|
| Field: | Recordset (Recordset) BioID Image: Second s | OK Cancel <u>H</u> elp |
| Format: | None 🔽 | |
| Code: | <%=(Recordset.Fields.Item("Name").Valu | |

Note: that you need to escape special characters so for example if you have the following value in the Code field:

<%=(Recordset.Fields.Item("Name").Value)%> then you should replace it by <%= Replace(Replace(Replace((Recordset.Fields.Item("Name").Value),"'", "'"),"""","""),"\","\\") %>

This makes sure that you escape single quotes, double quotes and the backslash in the values of your recordset.

We set the **Width** and **Height** to **auto**, this means that the size of the tooltip is automatically determined. We define the **Show at** property to **left-top**. We set the **X** and **Y** properties to **auto** so the tooltip will stay close to the entry field.

3. Choosing the Behavior options

We set the **Effect** to **fly** and the **Easing** to **InCirc**. Feel to experiment with other effects and easing options and experience the rich range of options and combinations. We the **Effect Duration** to **600** but change the **Effect Delay** to **300** to start the appearance of the tooltip. We also leave the **Close when** option to **mouse out** to hide the tooltip again when we move the mouse out (you can also set it to **click out**, which requires a click outside the link area to close the tooltip). We check the **Close button** to insert a close button in the tooltip.

4. Setting the Style options

We set the **Style theme** option to **white**. To give our tooltip a nice white background **with a shadow**.



And we press **OK**.

5. Final steps

Optionally change the event of your behavior, we leave it on onMouseOver.

| ∥ ▼ Tag | | II, |
|------------------|-----------------------|-----|
| Attributes Behav | iors | |
| ■ +, · | | |
| MouseOver 🗸 💈 | Show Advanced Tooltip | |
| onFocus | | _ |
| onKeyDown 👘 | | |
| onKeyPress | | |
| onKeyUp | | |
| onMouseDowr | | |
| onMouseMove 📒 | | |
| onMouseOut | | |
| onMouseOver 🛁 | | |
| onMouseUp 🔛 | | |

Save the files and upload them to your server. The end result should be similar to the screenshot below (but with different content in your tooltip).

Advanced DMXzone Tooltips



Create a Rich Media Tooltips, provide online help, zoom in to images display rich content and tips with just a few clicks.

Customize the display of the tooltips, including the style, color and position. Apply rich designs, include and auto-fit photos, slideshows, movies, alerts or other content in your tooltips.

Apply special transition effects

tooltips anywhere you like on your site.

Slideshows, Fades and more

ience and place your