

Table of contents

Table of contents	1
About DMXzone Bootstrap Elements	2
The Basics: Accessing DMXzone Bootstrap Elements	
Reference: Lift of Bootstrap Elements and their Properties	
Video: Accessing DMXzone Bootstrap Elements	
Video: Using DMXzone Bootstrap Typography Elements	
Video: Using DMXzone Bootstrap Table and Form Elements	
Video: Using DMXzone Bootstrap Buttons, Images, Icons and Pagination Elements	
Video: Using DMXzone Bootstrap Layouts, Thumbnails and Media Elements	



About DMXzone Bootstrap Elements



DMXzone Bootstrap Elements is an amazing addition to the **DMXzone Bootstrap** extension. With its **35 extremely useful and ready to go elements** you can design fantastic pages within minutes, directly in Dreamweaver. The extension comes with easy accessible elements panel and inspector floating panel where you can customize each element with just a few mouse clicks.

It includes a wide range of elements for typography, tables, forms, buttons, images, icons,

pagination, layouts, thumbnails, media and many more. Supplied with lightweight designs, the elements can be styled for any page layout. Build your fully responsive pages with **DMXzone Bootstrap** and select from 35 different, fully customizable **Bootstrap elements** to bring your website to a whole new level!



Before you begin

Make sure to setup your site in Dreamweaver first before creating a page. If you don't know how to do that please <u>read this</u>.

Installing the extension

Read the tutorial at http://www.dmxzone.com/go/4671/how-to-install-extensions-from-dmxzone/

Login, download the product, and look up your serial at http://www.dmxzone.com/user/products

Get the latest extension manager from Adobe at http://www.adobe.com/exchange/em_download/

Open the .mxp file (the extension manager should start-up) and install the extension.

If you experience any problems contact our Live Support!



The Basics: Accessing DMXzone Bootstrap Elements

In this tutorial we will show you how to access <u>DMXzone Bootstrap Elements</u> and Bootstrap Elements Inspector Floating Panel in Dreamweaver *You can also check out the <u>video</u>.

₩ File Edit View Insert Modify Format Commands Site Window Help	Compact 👻	XI () – – ×
W File Edit View Insert Modify Format Commands Site Window Help dex.html x orrce@code guery.js bootstrap.min.js Code Split Design Live C, Title: Untitled Document	Compact ↓ Insert Bootstrap Elements ▼ Label Badge Hero Unit Page Header Text Thumbnalis	
藗	Advanced Thumbnais Progress Bar Stacked Progress Bar Alert Alert Alert Media Object Media List	F
sriv≥ operties > HTMLEormat None Class None B I :E :E ±E ±EIte L CSS ID None Link	8 🗑 🜉 1155	3 x 475 ↓ *= ②
Page Properties		



How to do it

 Once you installed DMXzone Bootstrap and DMXzone Bootstrap Elements in your extensions manager, open Dreamweaver. Click insert (1) and from the dropdown menu select DMXzone Bootstrap Elements menu item (2).

₩ File Edit View Insert Modify Format Commands Site Window Help		Compact 👻	*!	() – – ×
dex.html ×	_	estra Divus movument estravio davi	atarat 🗐	
ource Code) jquery.js bootstrap.min.js	Inser		>>> •=]	Insert
Code Spit Design Live C Title: Untitled Document		Common Structure Media Form Bootstrap Scaffolding Bootstrap Elements jQuery Mobile jQuery UI Templates Favorites DMXzone Hide Labels norzonnar kole Date IFrame - Character		CSS Designer
ntv> operties		1158	x 475 ↔ +≣	
> HTML Eormat None ▼ B I III III IIII IIII IIIII IIIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII) 2	-





Here you can access and insert on your page all of the 35 Bootstrap Elements.
 Note: In order for you to be able to add a Bootstrap Element to your page you need to add a Bootstrap Layout from the Bootstrap Scaffolding panel first.

Dw File Edit View Insert Modify Format Commands Site Window Help		Compact 👻 🖪	¥! (j ×
index.html ×	eska Dihuan			
Source Code juery,s bootstrap.min.js	Insert		▶ • ≣	Januar Insert
Code Split Design Live C, Title: Untitled Document	Bootstrap Elemer	nts 🔻		
	Title			CSS Transitions
	Paragraph			CSS Designer
	Address		=	
	📺 Blockquote			Files
	📃 Unordered L	ist		
	Drdered List	:		
	E Definition Lis	ŧ		
	III Table			
	E Form			
*	Search Form	1		
	Horizontal F	orm		
	Control Grou	q		
	Button		-	
		11111111		
(cybride)		1158 x 4	175 	
Properties			•=	
K) HTML Eormat None ▼ Class None ▼ B I I II II II II III			0	
🗄 CSS ID None 💌 Link 💌 🤀 🗀 Target 💌			Ð	
Page Properties List Item				



 Each element has its own properties that can be accessed through the Bootstrap Elements Inspector Floating Panel. To access it, select Window top menu (1) and click the Bootstrap Elements menu item (2).

Dw File Edit View Insert Modify Format Commands Site	Window Help		Compact - 😿! () – – ×
-				
index.html ×	Insert 1	Ctrl+F2	cake - D:\wamp\www\cake\index.html 🗗	
Source Code jquery.js bootstrap.min.js	✓ Properties	Ctrl F3		Insert
Code Split Design Live 🚱 Title: Untitled Document	CSS Designer	Shift+F11		
	CSS Transitions			CSS Transitions
	Business Catalyst	Ctrl+Shift+B		CSS Designer
	Files	F8		Files
	Assets			
	Snippets	Shift+F9		
	jQuery Mobile Swatches			
	Behaviors	Shift+F4		
	History	Shift+F10		
	Code Inspector	F10		
	Results	+		
	Extensions	+		
	Manage Extensions			
	Workspace Layout	+		
	Show Panels	F4		
	Cascade			
	Tile Horizontally			
	Tile Vertically			
	✓ 1 index.html			
	HTML5 Data Bindings			
2	Bootstrap Elements			
<hody></hody>			■ ■ 1158 x 475 ↔	
Properties			*≣	
K→ HTML Format None Class None B	<i>I</i> ∎ 5∃ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		9 &	
EL CSS ID None ▼ Link	🔹 🕒 📄 🛛 Target		0	
Page Pro	Derties			





4. The Bootstrap Elements Inspector Floating Panel appears. You can drag and dock the Bootstrap Elements Inspector Floating Panel anywhere in your Dreamweaver window.

DW File Edit View Insert Modify Format Commands Site Window Help	Compact - 🗱 (() <u> </u>
index.html ×	p\www\cake\index.html 🗗	
Source Code) query is bootstrap.min.js	7	Insert
Code Split Design Live 😮 Title: Untitled Document		
		CSS Transition
		CSS Designer
× >>		Files
Bootstrap Elements 🛛 📲		
Select a Bootstrap Element		
<pre>chady></pre>	🖹 📕 💻 1158 x 475 🛩	
Properties	*≣	
♦ HTML Eormat None Class None B I ☐ ☐ ☐ ☐ ☐ ☐	0 16	
the CSS ID None ▼ Link ▼ ⊕ Caraget ▼	ß	
Page Properties		



5. We drag it behind the Properties Inspector for easier access, where you can easily switch between the panels. This is how you can access **DMXzone Bootstrap Elements** and **Bootstrap Elements Inspector Floating Panel**.

Dw File Edit View Insert Modify Format Commands Site Window Help	Compact - 🗱 🚺 🗕 🗖 🗙
index.html ×	cake - D:\wamp\www\cake\index.html 🗗
Source Lode jquery.js bootstrap.min.js	T Insert
Code Split Design Live G, Title: Untitled Document	
	CSS Transitions
	CSS Designer
	a ⊈a Files
	Files
chordy.> Properties Bootstrap Elements	E ■ 1158 x 475 v
	0 2
Page Properties List Item	



Reference: Lift of Bootstrap Elements and their Properties


Explore the list of all 35 DMXzone Bootstrap elements, what they can achieve in your design and their properties for customization.

Typography

Title




The default title element is H3. You can change it with another heading between H1 and H6. From the element properties you can change the alignment to be none, left, center or right. Also you can choose from six default lightweight styles (emphasis).





Paragraph

Paragraphs are by default 14px font size with a line height of 20px. In addition, paragraphs receive a bottom margin of half their line-height.





Address

Add contact information such as address, name, phone number, etc.


Dw File Edit View Insert Modify Format Commands Site Window Hel	p
index.html* × DMXzone Bootstrap Elements - D:\wamp\www	test\index.html 🗗
Source Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css	Ŷ
Code Split Design Live Live Code Inspect 🚱 💠 🖒 🧭 file:///Dl/wamp/w	/ww/test/index.html
	A
Twitter, Inc.	
795 Folsom Ave, Suite 600	
San Francisco, CA 94107	
P: (123) 456-7890	
	-
✓ III	4
<body> <div.container-fluid> <address></address></div.container-fluid></body>	1000 x 230
Properties Bootstrap Elements	*≣
Select a Bootstrap Element	
Select a bootstrap Element	



<u>"</u>

Blockquote

You can quote any block of content from another source within your page. Blockquotes can be aligned to the left or to the right.







Unordered List

Add a list of items with bullets, where the order doesn't matter. From the element properties you can remove the default styling and also show all list items on a single line (inline).

Dw	File	Edit	View	Insert	Modify	Format	Com	mands	Site	Window	Help		
index.ht	mi*	×				DMX	zone Boo	tstrap	Element	s - D:\wamp	\www\te	st\index.htm	0
Source (Code	boot	strap-res	sponsive.c	ss jquer	y.js boo	tstrap.mi	n.js l	bootstrap	.CSS			7
Code	Sp	lit [Design	Live	Live Code	e Inspe	ect 🌍	\$	 C 	file:///D /w	amp/www	w/test/index.	html
• (• 1 • F • N • F • A	Cons ntege Facili Nulla Fauc Aene	ectet er mo sis in volut ibus an si	ur adip plestie l pretiu pat alio porta la	erat nur	lit massa liquet lit gilla vel								
•													<u>۲</u>
<body> <</body>	_	_		_		_	_	_	_			1000 x 2	52
Propertie	_		p Elemen	ts									*
		pertie		•-I' 🖂	-								
	nstyle			Inline 📃									
Sł	now Or	n All i	Devices	•									





Ordered List

Add a list of items with numbering, where the order does matter. From the element properties you can remove the default styling and also show all list items on a single line (inline).

Dw File Edit View Insert Modify Format Commands Site Window Help	
index.html* × DMXzone Bootstrap Elements - D:\wamp\www\test\index.htm	nl 🗗
Source Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css	7
Code Split Design Live Live Code Inspect 💭 🗘 🖒 🖉 file:///Dl/wamp/www/test/index	.html
	-
1. Lorem ipsum dolor sit amet	
2. Consectetur adipiscing elit	
 Integer molestie lorem at massa Facilisis in pretium nisl aliquet 	=
5. Nulla volutpat aliguam velit	
6. Faucibus porta lacus fringilla vel	
7. Aenean sit amet erat nunc	
8. Eget porttitor lorem	
III	
<pre><body> <div.container-fluid> </div.container-fluid></body></pre>	252
Properties Bootstrap Elements	
List Properties	
Unstyled Inline	
Show On All Devices	



Definition List

Add a list of terms, features or anything that needs a definition or explanation. From the element properties you can make the list vertical as well.

Dw File Edit View Insert	Modify Format Commands Site Window Help	
index.html* ×	DMXzone Bootstrap Elements - D:\wamp\www\test\index.html	٦
Source Code bootstrap-responsive.css	s jquery.js bootstrap.min.js bootstrap.css	7
Code Split Design Live	Live Code 🛛 Inspect 🛛 🚱 💠 🐡 😍 🔤 file:///D /wamp/www/test/index.html	
Definition lists A definition list is perfect for o Euismod Vestibulum id ligula porta feli Donec id elit non mi porta gra Malesuada porta Etiam porta sem malesuada i	lis euismod semper eget lacinia odio sem nec elit. ravida at eget metus.	^
Definition Lists Horiz Euismod Malesuada porta Felis euismod semp	A definition list is perfect for defining terms. Vestibulum id ligula porta felis euismod semper eget lacinia od Donec id elit non mi porta gravida at eget metus. Etiam porta sem malesuada magna mollis euismod. Fusce dapibus, tellus ac cursus commodo, tortor mauris condit	
		Ŧ
✓ III shandara adar a adar a adar		۱. ۱
<pre><body> <div> <div> <div> <div> <div><div><div></div></div></div></div></div></div></div></body></pre>	> <div> <div.span12> <dl.dl-horizontal> <dd> I I I I I I I I I I I I I I I I I I</dd></dl.dl-horizontal></div.span12></div>	2
Definition List Properties		
Horizontal V		
Show On All Devices		



Tables



Table

Add a table with as many rows and columns as you wish. From the element properties you can choose the table row style and also style the table with borders and rounded corners. You can enable the rows hover state.

D	W File	Edit View Insert I	Modify Format Commands Site Window Help
in	dex.html*	×	DMXzone Bootstrap Elements - D:\wamp\www\test\index.html 🗗
	ource Code	bootstrap-responsive.css	jquery.js bootstrap.min.js bootstrap.css 🖓
	Code S	plit Design Live L	ive Code Inspect 💽 💠 🖒 C file:///D]/wamp/www/test/index.html
			*
	#	Product	Payment Taken
	1	TB - Monthly	01/04/2012
	1	TB - Monthly	01/04/2012
	2	TB - Monthly	02/04/2012
	3	TB - Monthly	03/04/2012
	4	TB - Monthly	04/04/2012
	du Stadiu u	III. container fluid > ktable table >	<tr.warning></tr.warning>
	-	Bootstrap Elements	> <tr.warning> I () 1000 x 396</tr.warning>
	-	Row Properties	Table Properties
	Sty	/le Warning 🔹	Style Default 👻
			Hover Condensed
			Show On All Devices



Forms



Form

Add a form where your users enter data for processing. From the element properties, the form can also be inline.

Dw File Edit View Insert Modify Format Commands Site Window Help	
index.html* × DMXzone Bootstrap Elements - D:\wamp\www\test\index.htm	nl 🗗
Source Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css	7
Code Split Design Live Live Code Inspect 🕄 💠 🗇 C file:///D /wamp/www/test/index.ht	ml
	•
Legend	
Label name	
	=
Example block-level help text here.	
Check me out	
Submit	
	-
	•
<body> <div.container-fluid> <form></form></div.container-fluid></body>	285 *=
Form Properties	
Show On All Devices	
Show on All Devices	





Search Form

Add a search field to your forms, where your users will type in keywords to search through the content.

Dw File Edit View Insert	Modify Format	Commands	Site	Window	Help	
index.html* ×	DN	/IXzone Bootstra	p Elemen	its - D:\wamp)\www\test\index.html	Ð
Source Code bootstrap-responsive.cs	s jquery.js boo	tstrap.min.js bo	ootstrap.o	CSS		Ŷ
Code Split Design Live	Live Code Inspe	ct 🜍, 💠 🛛	C	file:///D /war	mp/www/test/index.htm	l
	Search					^
	Search					
	Search					Е
	Search Search					
	Search					-
Visit A state of the state o		ton htn htn-mini h	to-dance	r> 🔳] 🔲 🚺 1000 x 28	•
Properties Bootstrap Elements			/ur-uange			•• •≡
Paragraph Properties	— Button Prop	erties		Form Pro	perties	-
Align Default 👻	Style D	anger	•	Inline		
Emphasis None 🔻	Size M	lini	•	Show On	All Devices 🔹	
Lead	Block	Disabled				





Horizontal Form

In the horizontal form, the labels and input fields are on the same line.

Dw File Edit View Insert	Modify Format	Commands Site	Window Help	
index.html* ×	DM	(zone Bootstrap Elem	ents - D:\wamp\www\te	st\index.html 🗗
Source Code bootstrap-responsive.	css jquery.js boots	trap.min.js bootstraj	D.CSS	7
Code Split Design Live	Live Code Inspect	©. <> <> C	file:///D /wamp/www/t	est/index.html
				*
Email				
Password				
	Remember me			
	Sign in			
				-
<body> <div> <form.form-horizontal< p=""></form.form-horizontal<></div></body>	III > <div.control-group> <</div.control-group>	(div.controls) <button< td=""><td>.btn> 🔳 🔳 🔳</td><td>1000 x 284</td></button<>	.btn> 🔳 🔳 🔳	1000 x 284
Properties Bootstrap Elements				1000 X 204
Button Properties	_			
Style Default 👻]			
Size Default 💌]			
Block Disabled				





Control Group

Add a simple input field with a label. You can customize the labels with some predefined lightweight styles.

Dw File I	dit View Insert Modify Format Commands Site Window Help	
index.html* ×	DMXzone Bootstrap Elements - D:\wamp\www\	test\index.html 🗗
Source Code	bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css	7
Code Split	Design Live Live Code Inspect 🚱 💠 🖒 🥵 file:///D /wamp/www	/test/index.html
	Text Field:	<u> </u>
	Text Field	E
	Text Field:	
	Text Field	
	Text Field:	
	Text Field	
	Text Field:	
	Text Field	-
▲ 1 × × 1		•
	<div> <div> <div> <div> <div> <div> <div> <div> <label> (III) (III)</label></div></div></div></div></div></div></div></div>	480 x 800 +≡
- Label Pro		
Style		
Show On	All Devices	



Buttons

Button

You can add buttons with different sizes (large, default, small and mini) and choose one of the predefined lightweight designs. From the element properties you can make a button non-clickable by disabling it or make it fit the cell entirely by width. Note that the rounded corners are not supported in IE9.

Dw	/ File Edit	View Inse	rt Modify	Format	Comn	nands	Site	Window	Help		
inde	x.html* ×			DM	Xzone B		Eleme	nts - D:\war			Ð
Sour	rce Code boot	tstrap-responsive	e.css jquery.	js boots	strap.min	.js booi	tstrap	.CSS			7
	ode Split I	Design Live	Live Code	Inspec	t ©.	\$ ⇒	С	file:///D /w	amp/www	/test/index.htm	ıl
	Button	Button	Button	Button							*
	Button	Button	Button	utton							
	Button	Button	Button	Button							
	Button	Button	Button	utton							=
	Button	Button	Button	utton							
	Button	Button	Button	Button							
	Button	Button		Jutton							Ŧ
 I = 1 	a alta da		 		- 1						<u>۴</u> .
		er-fluid> d	button.btn.btn-	nverse.bt	n-large>	_		_		1000 x 39	94 ≡
	Paragraph Pr		- But	ton Prop	erties -		_				
		fault	▼		verse	•					
	Emphasis Nor		- -		irge		-				
	Lead			Block		sabled 📃]				





Anchor Button

If you need to use a text link that looks like a button, anchor button element is the right one to choose.

Dw File Edit View Insert Modify Format Commands Site Window Help	
index.html* × DMXzone Bootstrap Elements - D:\wamp\www\test\index.html	7
Source Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css	7
Code Split Design Live Live Code Inspect 🕄 💠 🖒 🗷 file:///D /wamp/www/test/index.html	
	*
Button Button Button Button Button Button	III
Button Button	-
4	
<body> <div.container-fluid> <a.btn.btn-mini></a.btn.btn-mini></div.container-fluid></body>	
Properties Bootstrap Elements	•
Paragraph Properties Button Properties	
Align Default Style Default	
Emphasis None Size Mini	
Lead Block Disabled	





Button with icon

There are 140 icons supplied in the extension that you can use on any button size or design. Each icon has a white version for dark button backgrounds.

Dw File Edit View Insert Modify Format Commands Site Window Help	
index.html* × DMXzone Bootstrap Elements - D:\wamp\www\test\index.html	8
Source Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css	Ÿ
Code Split Design Live Live Code Inspect 💭 💠 🖒 🕻 file:///D /wamp/www/test/index.html	
★ Button ★ Button ■ Button	
	Ξ
🗄 Button 🗸 Button 🔅 Button 🗿 Button	
La Button A Button G Button	
Button O Button O Button	
III	
<body> <div.container-fluid> <a.btn.btn-mini.btn-success></a.btn.btn-mini.btn-success></div.container-fluid></body>)
Properties Bootstrap Elements	
Paragraph Properties Button Properties Icon Properties	
Align Default	
Emphasis None Size Mini White	
Lead Block Disabled	





Button group

You can add as many buttons next to each other as you need. They can be with or without styling and icons. The alignment can be horizontal as well as vertical.

Dw File Edit View Insert Modify Format Commands Site Window Help								
index.html* × DMXzone Bootstrap Elements - D:\wamp\www\test\index.htm	18							
Source Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css	9							
Code Split Design Live Live Code Inspect 🚱 💠 🖒 🗷 file:///D /wamp/www/test/index.html	nl							
	^							
	III							
C C <	► 85							
Properties Bootstrap Elements	•=							
Select a Bootstrap Element								



Images



Image

There are 4 styles you can add to the images - default, rounded corners, circle and polaroid-like. Note that the rounded corners and circle are not supported in IE7-8 due to the lack of support.

Dw File	Edit View In	sert Modify Form	nat Comman	ds Site Wi	ndow Help	
index.html* ×			DMXzone Boot	strap Elements -	D:\wamp\www\test\ind	dex.html 🗗
Source Code	bootstrap-respons	sive.css jquery.js b	ootstrap.min.js	bootstrap.css		9
Code Split	Design Live	e Live Code Ins	spect 💽 🔇	o 💠 🖸 file:	///D /wamp/www/test/in	dex.html
						-
A STATE	5		SED	-		
18		1-10-16	19-20	0	18-20-2	
					1.1	
131		3430	1 3		134 30	
				A.	10000	
112	3					-
						_
<	0 · b · c			-		P.1
		<pre>(<imq.imq-polaroid>)</imq.imq-polaroid></pre>			1	000 x 232
Properties Boo	otstrap Elements			_	_	*8
- Paragrap	h Properties 🦳	— — Image Pr	operties			
Align	Default	✓ Style	Polaroid	-		
	None	✓ Show On	All Devices	•		
Emphasis						
Emphasis Lead						



Icons



lcon

140 icons in sprite form, available in dark gray (default)for light backgrounds and white for dark ones.

Dw File Edit View Insert	Modify Format Commands Si	ite Window Help
index.html* ×	DMXzone Bootstrap El	ements - D:\wamp\www\test\index.html 🗗
Source Code bootstrap-responsive.cs	s jquery.js bootstrap.min.js boots	trap.css 🕎
Code Split Design Live	Live Code 🛛 Inspect 🕥 🗘 💠	C file:///D /wamp/www/test/index.html
		A
▼ icon-glass	🎜 icon-music	Q icon-search
🎔 icon-heart	★ icon-star	☆ icon-star-empty
目 icon-film	₩ icon-th-large	🗰 icon-th
✓ icon-ok	X icon-remove	Q icon-zoom-in
ථ icon-off	"I icon-signal	icon-cog
♠ icon-home	icon-file	O icon-time
L icon-download-alt	icon-download	
<		4
<body> <div.container-fluid></div.container-fluid></body>		🔳 🔲 🛄 1000 x 232
Properties Bootstrap Elements		*=
Paragraph Properties		
Align Default 🔻		
Emphasis None -		
Lead 🗌		



Pagination



Pagination

Add a simple pagination, great for apps and search results. From the element properties you can choose the position and the size of the paginator.

Dw File	Edit View Ir	nsert Mo	dify F	ormat (Command	ls Site	Window	Help	
index.html* ×				DMXzo		trap Eleme	ents - D:\wan		ex.html 🗗
Source Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css									7
Code Split	: Design Liv	e Live	Code	Inspect	S. ¢	C	file:///D /wa	amp/www/test/ind	ex.html
									*
«	1 2	3	4	5	»				
« 1	2 3	4 5	»						E
« 1	2 3 4	5 »							
« 1 2	3 4 5 »								
									-
•									- F .
<body> <div.con< td=""><td></td><td></td><td>_</td><td>_</td><td></td><td>_</td><td>_</td><td>Image: Image: Image:</td><td>00 x 232</td></div.con<></body>			_	_		_	_	Image:	00 x 232
	otstrap Elements	_	_	_	_	_	_	_	*=
- Paginatio	n Properties								
Size	Large	-							
Position	Default	-							
Show On	All Devices	•							



Pager

Quick previous and next links for simple pagination implementations with light markup and styles. It's great for simple sites like blogs or magazines.

Dw File	e Edit Vie	w Insert	Modify	Format	Comma	ands	Site	Window	Help			
index.html*	×			DM)	(zone Bo		Eleme	nts - D:\wa				đ
Source Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css										7		
Code Split Design Live Live Code Inspect 🕄 🗘 🖒 C file:///DI/wamp/www/test/index.html												
			F	Previous	Ne	xt				* *		
	+									- F		
<body> <div< th=""><th>.container><</th><th>ul.pager></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>48</th><th>0 x 800</th><th></th></div<></body>	.container><	ul.pager>								48	0 x 800	
Properties	Bootstrap Eler	nents	_	_	_			_				•=
Select a Bootstrap Element												



Aligned pager Quick links for simple pagination aligned to each side.

Dw File	e Edit View	Insert N	Aodify F	ormat	Comma	nds S	Site	Window	Help		
index.html*	×			DMXz	one Boo	otstrap E	leme	nts - D:\wan	np\www\t	est\inde>	chtml 🗗
Source Cod	e bootstrap-res	sponsive.css	jquery.js	bootstr	ap.min.js	s boot	strap.	CSS			7
Code	Split Design	Live	ve Code	Inspect	6.	$\Leftrightarrow \Rightarrow$	С	file:///D /w	amp/www	/test/inde	x.html
	← Olde	er						New	er →	H	
										-	
	•									F.	
<body> <div< th=""><td>.container > <ul.p< td=""><td>ager></td><td></td><td></td><td></td><td></td><td></td><td>(</td><td></td><td>480</td><td>x 800</td></ul.p<></td></div<></body>	.container > <ul.p< td=""><td>ager></td><td></td><td></td><td></td><td></td><td></td><td>(</td><td></td><td>480</td><td>x 800</td></ul.p<>	ager>						(480	x 800
Properties	Bootstrap Elemen	its									*≣
			Sele	ect a Boot	strap Eler	ment					





Breadcrumbs

Add easy navigation that allows users to keep track of their locations within programs or documents.

Dw	File	Edit	View	Insert	Modify	Format	Comm	ands	Site	2	Window	Help			
index.	html*	×				DM	Xzone Bo	ootstr	ap Eler	nen	ts - D:\wan	np\www	\test\ind	ex.html	8
Source	e Code	boot	strap-res	ponsive.c	ss jquer	y.js boots	trap.min	.js l	bootstra	ap.c	SS				7
Cod	le S	plit D	esign	Live	Live Code	e Inspec	t 🕥,	\diamond	0 C	3	file:///D /w	amp/www	v/test/ind	dex.html	
															*
		- / 1	1	(Dete											E
	HOM	e / L	Ibrary	/ Data											
															-
<				1	1							(•	
<body></body>	_				_	_	_	-	_		_		10	00 x 232	
Proper			p Element			_	_	-	_	-	_	_	_	_	
	Alig	an Defa sis Non		•											



Labels and Badges

Label

Create eye catching labels and annotate text with inline labels. From the element properties you can style the labels with lightweight designs.

Dw	File	Edit	View	Insert	Modify	Forma	t Con	mand	ls	Site	Window	Help			
index.ht	tml* ×					D	MXzone			Eleme	nts - D:\wa				Ð
Source	Code	bootst	trap-res	ponsive.c	ss jquery	.js boo	tstrap.n	in.js	boot	tstrap	.CSS				9
Code	e Split	t De	esign	Live	Live Code	Insp	ect 🥃). ¢	♦	С	file:///D /	wamp/ww	vw/test	t/index.htm	ıl
															-
La	abel La	abel	abell	abel											
La	abel La	abel L	abel l	abel											Ξ
La	abel La	abelL	abel	abel											
	abel														
La		ibei	apert	aber											
															-
•				1	"										Þ.
<body> ·</body>	<div.cor< td=""><td>ntainer</td><td>> <</td><td><span.lab< td=""><td>el.label-info</td><td>></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>) 1000 x 23</td><td>32</td></span.lab<></td></div.cor<>	ntainer	> <	<span.lab< td=""><td>el.label-info</td><td>></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>) 1000 x 23</td><td>32</td></span.lab<>	el.label-info	>) 1000 x 23	32
Properti	ies Bo	otstrap	Element	s											
- Pa	ragrap	h Proj	perties		- — Lab	el Prop	erties			_					
	Align	Defa	ult	•		Style [Info		•	·					
E	mphasis	None		•	Sh	ow On	All Device	s	-	·]					
	Lead														



Badge

Add small and simple badges for displaying an indicator or count. They're commonly found in email clients or on mobile apps for push notification. From the element properties you can style the badges with lightweight designs.

Dw File Edit View Insert Modify Format Commands Site Window Help	
index.html* × DMXzone Bootstrap Elements - D:\wamp\www\test\index.	html 🗗
Source Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css	7
Code Split Design Live Live Code Inspect 🕄 🗘 🖒 🗷 file:///Dl/wamp/www/test/index.	.html
0000000000	
	E
0100000000	
000000000	
	-
	- F
	x 232
Properties Bootstrap Elements	.
Paragraph Properties Badge Properties	
Align Default Style Default	
Emphasis None Show On All Devices	
Lead	




Layouts



Hero unit

Add a lightweight, flexible component to showcase key content on your site. It works well on marketing and content-heavy sites. From the element properties you can add a simple effect to give it an inset effect with padding and rounded corners.





Page header

Add text that is separated from the main body of text and appears at the top. From the elements properties it can be aligned center, left and right.

Dw File Edit View Insert Modify Format Commands Site	Window H	elp	
index.html* × DMXzone Bootstrap Element	ts - D:\wamp\w	/ww\test\ir	ndex.html 🗗
Source Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.	CSS		9
Code Split Design Live Live Code Inspect 🚱 💠 🖒	file:///D /wamp	/www/test	/index.html
Example page header	Subte	ĸt	
<body> <div.container-fluid> <div.page-header> <h1> <small></small></h1></div.page-header></div.container-fluid></body>			636 x 368
Properties Bootstrap Elements			*=
Alien Default			
Align Default			
Emphasis None			





Text

Use this element to add content on your page with a header, paragraph and button.

Dw	File	Edit	View	Insert	Modify	Format	Commands	Site	Window	Help		
index.	ntml*	×				DMX		Elemen	nts - D:\wam			ī
Source	Code	boots	trap-res	ponsive.cs	ss jquery	.js boots	trap.min.js bo	ootstrap.	CSS			Ÿ
						~						
Cod	e Sp	olit D	esign	Live	Live Code	Inspect	t 🛈 🗘 🗘 d	C	file:///D /w	amp/ww	w/test/index.htm	h

Heading

Donec id elit non mi porta gravida at eget metus. Fusce dapibus, tellus ac cursus commodo, tortor mauris condimentum nibh, ut fermentum massa justo sit amet risus. Etiam porta sem malesuada magna mollis euismod. Donec sed odio dui.

View details »		
	_	
<body> <div.container-fluid></div.container-fluid></body>		636 x 368
Properties Bootstrap Elements		*≣
	_	*≣
Properties Bootstrap Elements		₹
Properties Bootstrap Elements Paragraph Properties		*≣



Thumbnails



Thumbnails

Add grids of photos, videos, products or anything that needs thumbnail display.


index.html* ×			100 AV 20040	Bootstrap Elem	ents - D:\wamp\wv	vw\test\index.html ₫
800 - 00 - 00 - 00	bootstrap-respon			nin.js bootstra		
Code Split	t Design Liv	Live Code	Inspect	$\mathbf{r} \diamond \diamond \mathbf{c}$	file:///D /wamp/	www/test/index.html
e [III				
	rtainer-fluid> <ul.< td=""><td>thumbnails> <li.s< td=""><td>pan3> <mark><a.thum< mark="">bi</a.thum<></mark></td><td>nail>()</td><td></td><td>[[1000 x 351 ↔</td></li.s<></td></ul.<>	thumbnails> <li.s< td=""><td>pan3> <mark><a.thum< mark="">bi</a.thum<></mark></td><td>nail>()</td><td></td><td>[[1000 x 351 ↔</td></li.s<>	pan3> <mark><a.thum< mark="">bi</a.thum<></mark>	nail>()		[[1000 x 351 ↔
Properties Bo	otstrap Elements	10				*
- Image Pr		-				
Style	All Devices					





Advanced thumbnails

Add any kind of HTML content like headings, paragraphs, or buttons into thumbnails.





Progress bars



Progress bar

Visualize the progression of an action with a progress bar. From the element properties you can customize the color and add striped effect. Also you can animate the stripes during process. Note that the animation is not supported in any IE version.

Dw File Edit View Insert Modify Format Commands Site Window Help	
index.html* × DMXzone Bootstrap Elements - D:\wamp\www\test\index.h	tml 🗗
Source Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css	7
Code Split Design Live Live Code Inspect 🚱 💠 🖒 C file:///Dl/wamp/www/test/index.	ntml
	*
	E
	-
<body> <div.container-fluid> <div.progress.progress-danger> <div.bar></div.bar></div.progress.progress-danger></div.container-fluid></body>	242
Properties Bootstrap Elements	*≣
Progress Bar Properties — Bar Properties —	
Colors Danger Colors Default	
Striped Active	
Show On All Devices	



Stacked progress bar

Put multiple bars into the same progress bar to stack them. From the element properties you can use the same lightweight styles like the ones for buttons. Also they can be striped and animated.

Note: Progress bars use CSS3 gradients, transitions, and animations to achieve all their effects. These features are not supported in IE7-9 or older versions of Firefox. Versions earlier than Internet Explorer 10 and Opera 12 do not support animations.

Dw File	e Edit	View	Insert	Modify	Format	Comm	ands	Site	Window	Help			
index.html*	×				DM	Xzone Bo	otstrap	Eleme	nts - D:\wa	mp\www [\]	test\in	dex.html	Ð
Source Cod	e boot	strap-res	ponsive.cs	s jquery	.js boots	trap.min.	js boo	otstrap	.CSS				\mathbb{P}
Code	Split D	esign	Live	Live Code	Inspec	t 🕥,	\$	C	file:///D /v	vamp/wwv	/test/ir	ndex.html	
													=
													-
<body> <div< td=""><td>.containe</td><td>r-fluid> <</td><td>div.progr</td><td>ess>(<div.b< td=""><td>bar.bar-wa</td><td>rninq></td><td></td><td></td><td></td><td></td><td>. 6</td><td>522 x 242</td><td></td></div.b<></td></div<></body>	.containe	r-fluid> <	div.progr	ess>(<div.b< td=""><td>bar.bar-wa</td><td>rninq></td><td></td><td></td><td></td><td></td><td>. 6</td><td>522 x 242</td><td></td></div.b<>	bar.bar-wa	rninq>					. 6	522 x 242	
Properties	Bootstra	p Element	s										
- Progr	ess Bar I	Properti	es 🦳	— Bar	Propertie	25							
Co	olors Def	ault	•		Colors W	arning		•					
Stri	iped 📃	A	ctive 📃										
Show		Devices	•										



Alerts



Alert Add a simple text for a basic warning alert message with a close button that can be styled.

Dv	/ File Edit View Insert Modify Format Commands Site Window Help	
inde	x.html* × DMXzone Bootstrap Elements - D:\wamp\www\test	\index.html 🗗
Sou	rce Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css	7
	code Split Design Live Live Code Inspect 🚱 💠 🖒 🧭 file:///D /wamp/www/tes	st/index.html
	Warning! Best check yo self, you're not looking too good.	×
	Warning! Best check yo self, you're not looking too good.	×
	Warning! Best check yo self, you're not looking too good.	×
	Warning! Best check yo self, you're not looking too good.	×
<bod< td=""><td>y> <div.container-fluid></div.container-fluid></td><td>622 x 242</td></bod<>	y> <div.container-fluid></div.container-fluid>	622 x 242
Prop	Bootstrap Elements	*
	Alert Properties	
	Style Error 👻	
	Show On All Devices	



Alert Block

Add a longer warning alert message with description and close button.

D	W File	Edit View Insert Modify Format Commands Site Window H	lelp	
ind	dex.html* >	C DMXzone Bootstrap Elements - D:\wamp\\	www\test\index.ht	tml 🗗
S	ource Code	bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css		9
	Code Spli	it Design Live Live Code Inspect 🚱 🗇 🖒 🖪 file:///DI/wamp	o/www/test/index.h	ıtml
		block eck yo self, you're not looking too good. Nulla vitae elit libero, a pha Praesent commodo cursus magna, vel scelerisque nisl consectetur		
		block eck yo self, you're not looking too good. Nulla vitae elit libero, a pha Praesent commodo cursus magna, vel scelerisque nisl consectetur		E
		block eck yo self, you're not looking too good. Nulla vitae elit libero, a pha Praesent commodo cursus magna, vel scelerisque nisl consectetur		
		ntainer-fluid>(<div.alert.alert-block.alert-error>)</div.alert.alert-block.alert-error>	🔲 🛄 622 x 3	₹ 334 ₹≣
	- Alert Pro			
		Error		



Media



Media object

Float a media object (images, video, audio) to the left or right of a content block.

Dw File	Edit View Insert Modify Format Commands Site Window Help			
index.html*	× DMXzone Bootstrap Elements - D:\wamp\www\test\index.html 🗗			
Source Code bootstrap-responsive.css jquery.js bootstrap.min.js bootstrap.css				
Code Sp	lit Design Live Live Code Inspect 🕲 🗘 💠 🖒 🗷 file:///D /wamp/www/test/index.html			
	A			
NO A	Media heading			
	Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicitud			
1 10	tempus viverra turpis. Fusce condimentum nunc ac nisi vulputate fringilla. Donec la			
Media heading				
-	Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicitud			
	tempus viverra turpis. Fusce condimentum nunc ac nisi vulputate fringilla. Donec la			
	Madia haadin a			
1	Media heading			



Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque vulputate at, tempus viverra turpis. Fusce condimentum nunc ac nisi v

	-
< III	•
<body> <div> <div> <div> <div> <div.media> <a.pull-left> <imq.media-object.imq-polaroid></imq.media-object.imq-polaroid></a.pull-left></div.media></div></div></div></div></body>	51
Properties Bootstrap Elements	-≡
Image Properties	
Style Polaroid -	
Show On All Devices	





Media list

You can use media inside list, which is useful for comment threads or articles lists.

Dw File Edit View	Insert Modify Format Commands Site Window Help
index.html* ×	DMXzone Bootstrap Elements - D:\wamp\www\test\index.html 🗗
Source Code bootstrap-resp	onsive.css jquery.js bootstrap.min.js bootstrap.css 🚏
Code Split Design	ive Live Code Inspect 🚱 💠 🖒 C file:///D /wamp/www/test/index.html
	eading net nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicit erra turpis.
	Nested media heading Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ≡ vulputate at, tempus viverra turpis.
	Nested media headingCras sit amet nibh libero, in gravida nulla. Nulla vel metus vestibulum in vulputate at, tempus viverra turpis.
	Nested media heading Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque vulputate at, tempus viverra turpis.
Media heading Properties Bootstrap Elements	
	Select a Bootstrap Element



Video: Accessing DMXzone Bootstrap Elements



With this <u>movie</u> we will show you how to access <u>DMXzone Bootstrap Elements</u> and Bootstrap Elements Inspector Floating Panel.

Video: Using DMXzone Bootstrap Typography Elements



With this **movie** we will show you how to use the Typography Elements included in **DMXzone Bootstrap Elements**.

Video: Using DMXzone Bootstrap Table and Form Elements



With this <u>movie</u> we will show you how to use Table and Form Elements included in **DMXzone Bootstrap Elements**.

Video: Using DMXzone Bootstrap Buttons, Images, Icons and Pagination Elements



With this <u>movie</u> we will show you how to use the Buttons, Images, Icons and Pagination Elements included in **DMXzone Bootstrap Elements**.



Video: Using DMXzone Bootstrap Layouts, Thumbnails and Media Elements



With this <u>movie</u> we will show you how to use the Layouts, Thumbnails and Media Elements included in **DMXzone Bootstrap Elements**.