

# Table of contents

Table of contents	1
About DMXzone Slider	2
Features in Detail	3
The Basics: Adding DMXzone Slider on a Website	14
The Basics: Creating Range Selector with DMXzone Slider	23
Advanced: Show the DMXzone Slider Value into a Text Field	35
Advanced: Controlling HTML5 Slideshow with DMXzone Slider	41
Advanced: Using DMXzone Slider to Filter Ajax Datagrid	49
Reference: DMXzone Slider Skins	58
Video: Adding DMXzone Slider on a Website	61
Video: Creating Range Selector with DMXzone Slider	61
Video: Show the DMXzone Slider Value into a Text Field	61
Video: Controlling HTML5 Slideshow with DMXzone Slider	61
Video: Using DMXzone Slider to Filter Ajax Datagrid	61





# About DMXzone Slider

Enrich your website forms with **DMXzone Slider** by adding awesome sliders as user controls for optimal experience, usability and data validation! Select horizontal or vertical orientation and follow the creation process directly in Dreamweaver. It is supplied with 24 CSS designs, fully customizable and easy to select with our built in style picker.


Adding values to your **DMXzone Slider** dynamically is an easy job, just choose them from any dynamic data. Additionally, you can set range option to capture a range of values with two drag handles that can also be stored in hidden fields, when using the slider as form element.

Fully resizable and optimized for touch devices, the DMXzone Slider can control other DMXzone extensions such as <u>Ajax Datagrid</u>, <u>HTML5 Slideshow</u> and <u>Advanced CSS Animator</u> through the **Behavior Connector**.



## Features in Detail

• **24 CSS Designs included** - You can simply choose one of the 24 amazing styles available or edit them through the CSS to fit your website perfectly.







• Easy to choose style picker - We've included a style picker where you can see a preview of the chosen design.

MXzone Slider					×
General	Improve your sit	<b>XZON</b> te usability with			Zone
Main Options			and the statement		
	dmxSlider2		Initial Value:	0	₩
Length:	600	1	Design:	Hot-sneaks	•]
Minimal value	0	<b>~</b>	Maximal va		
Orientation:	Horizontal	•	s	Swanky-p	ourse
Initial Min	Fixed Minimum	<b>~</b>	Initial M	Trontas	tic
Fields:		• •	1		
<u> </u>				UI-Darkn	
Copy the set the m	value to this field when in value to this field. If f	i slider value chang fixed max or min is	es. When range set the selecta	ble value will be co	pied to this field.
Online man	ual			ок	Cancel





• **Fully customizable styles** - Our slider is CSS based so you can easily make your own adjustments in the CSS from within Dreamweaver's CSS editor.

CSS STYLES	AP ELEMENTS	TAG INSPECTOR	•=
All Cu	rrent		
All Rules			
#ui-( = hot-sneal ui-h ui-h ui-h ui-h ui-h ui-h ui-h ui-h	atepicker.ui-wid datepicker-div (s.css elper-hidden elper-hidden-aci elper-clearfix:be elper-clearfix:af elper-clearfix elper-clearfix	- cessible efore, .ui-helper-clea	
ui-ic	tate-disabled on vidget-overlay vidget		Ŧ
<ul> <li>■</li> </ul>		•	


• Horizontal and Vertical sliders - Change the orientation of the slider to horizontal or vertical your choice.



Copyright © 2012 DM Xzone.com All Rights Reserved To get more go to DM Xzone.com Page 5 of 61



• **Range slider** - Set the range option to capture a range of values with two drag handles. The space between the handles is filled with a different background color to indicate that those values are selected.



- **Range slider with fixed minimum** Set the range minimum so your users can only select value to the maximum.
- Range slider with fixed maximum Set the range maximum so your users can only select a minimum value.

Π	🔽 Range					
	Initial Min	0	₩	Initial Max	0	<i>4</i>
		Fixed Minimum			Fixed Maximum	

• The slider can be navigated in Dreamweaver Live view! Note that this feature requires Dreamweaver CS3+

DW File Edit View Insert Modify Format Commands Site Window Help ■	۰.
Common Layout Forms Data Spry JQuery Mobile InContext Editing Text Favorites DMXzone	
index.html* ×	
Source Code dmxSlider.css hot-sneaks.css jquery-latest.pack.js jquery-ui-core.min.js jquery-ui-interaction	s.min.js
Code Split Design Live Code 🔊 🛒 Live View Inspect 🕀 🌍 Multiscreen 🗸	S. C
│	
33	
33	





• **Bind slider values to hidden fields** - It allows you to automatically assign values to and from the slider to specified hidden fields. Very useful when using the slider as form element and saving the output to a database with for example insert or update record server behavior.

Attach Input Fields	
Fields: hidden_dmxSlider2 👻 💭	
Copy the value to this field when slider value changes. W set the min value to this field. If fixed max or min is set to	When range is set without fixed max or min will he selectable value will be copied to this field.
Online manual	OK Cancel





• **Dynamic slider** - Add values to your DMXzone Slider dynamically! Choose min and max value from any recordset.

Xzone Slider	DMXz( Improve your site usabilit	one Slid		) M N N N N
General	About			
Main Options				
Object ID:	dmxSlider 1	Initial Value:	0	]
Length:	100%	Design:	Blitzer 🔻	
Minimal value	php echo \$row_Reco 🧚</td <td>Maximal value</td> <td><?php echo \$row_Reco</td><td>4</td></td>	Maximal value	php echo \$row_Reco</td <td>4</td>	4
Orientation:	Horizontal 🔹	Step	1	
Initial Min Attach Input	Fixed Minimum	Initial Max	0 Fixed Maximum	] 🧲
Fields:	•		•	] 🗿
Set initial m	naximum value of the range.			
Online manu	al		ОК Са	incel

• **Fully resizable** - The length of the slider expands depending on the container that it's in if set to 100% but also it can be set manually.

Appearance				
Length:	100%	Design:	Hot-sneaks 🔹	
Minimal value	0	Maximal value	100	<i>-</i>
Orientation:	Horizontal 🔹	Step	1	



- **Optimized for Touch devices** Now you can drag the slider with your thumb on touch devices like iPad and iPhone and it will respond directly!
- Inline property inspector You can easily change all the visual options later on

PROPERTIES		*≣
DMX Slider	Length 600 Minimal value 0 🌮 Design Vader 🕶 Advanced	? 2
dmxSlider2	Initial Value 0 🧭 Maximal value 100 🌮 Orientation Horizontal 💌 💊	
	Range 🔽 Initial Min 🥟 Fixed Minimal 🔽	
	Step 1 Initial Max 0 🦻 Fixed Maximal 🗌	_

• **Fully controllable by behaviors** - If you want to enable/disable the slider, set value, copy value of slider to text field and more - it can be easily done with the Control DMXzone Slider behavior.

		++
	ADOBE BRO	
	CSS STYL	AP ELEME TAG INSPECTOR
	Attributes	Behaviors Tag <input/>
		+ - •
	onBlu	Call JavaScript
		Change Property
		Check Plugin
Control DMXzone Slider		DMXzone •
		Drag AP Element
		Effects +
	BUSI	Go To URL
	DAT/	Jump Menu
	+,	Jump Menu Go
		Open Browser Window
	То	Popup Message
	~	Preload Images
	L	Set Text 🔸
	FILES	Show-Hide Elements
		Swap Image
		Swap Image Restore
		Validate Form
		Get More Behaviors



Control DMXzone Slider		X
Improve y	DMXzone Slider our site usability with great looking Slider Control	OK Cancel
Action:	Enable Slider 🔹	
Which	Set Value To Slider Copy Value Of Slider To Text Field Copy Value OF Text Field To Slider Copy Value From One Slider To Another Enable Slider Disable Slider	
Perform the specified act	ion on the selected slider.	
		2.0





• Full support for the DMXzone Behavior Connector - You can easily bind other DMXzone extensions like Advanced CSS Animator, Sliding Billboard, HTML5 MP3 player and Universal CSS Transforms to your slider.

OMXzone Behaviors Connector			×
Discover U	Inlimited Possibilitie ecting your DMXzor	s by	
Available Behaviors		Available Events	
<ul> <li>DMXzone</li> <li>Call JavaScript</li> <li>Change Property</li> <li>Check Plugin</li> <li>Drag AP Element</li> <li>Effects</li> <li>Go To URL</li> <li>Jump Menu Go</li> <li>Jump Menu</li> <li>Open Browser Window</li> <li>Popup Message</li> <li>Preload Images</li> <li>Set Text</li> </ul>	E	When slider is created When sliding starts When handle is dragged When value is changed When sliding stops Attached Behaviors	× E •
Usage			
Use this event to run behavior when sl ##value## - returns the value of no ##min## - returns the min value of ##max## - returns the max value of	on range slider range slider;	n use following masks:	
		ОК	Cancel



• Great Dreamweaver integration - Interactive dialog in Dreamweaver with all the options you'll need.

MXzone Slider				×
Statement of the local division in which the local division in the local division in the local division in the	Improve your site usabilit	one Slid		Diny zone
	About		all and the party of the local division of the local division of the local division of the local division of the	
Main Options Object ID:	ImxSlider 1	Initial Value:		<b>%</b>
Length: 1 Minimal value 0 Orientation: H Range	· · · · · · · · · · · · · · · · · · ·	Design: Maximal value Step	100	▼ ■
Initial Min	Fixed Minimum	Initial Max	Fixed Maximur	<b>₩</b>
Fields:	•			• 3
	me of the object.			
Online manual			ОК	Cancel



### Before you begin

Make sure to setup your site in Dreamweaver first before creating a page. If you don't know how to do that please <u>read this</u>.

### Installing the extension

Read the tutorial at http://www.dmxzone.com/go?4671

Login, download the product, and look up your serial at <a href="http://www.dmxzone.com/myZone/purchases">http://www.dmxzone.com/myZone/purchases</a>

Get the latest extension manager from Adobe at <a href="http://www.adobe.com/exchange/em\_download/">http://www.adobe.com/exchange/em\_download/</a>

Open the .mxp file (the extension manager should start-up) and install the extension.

If you experience any problems contact our Live Support!



# The Basics: Adding DMXzone Slider on a Website


In this tutorial we will show you how to insert **DMXzone Slider** on your page. \*You can also check out the <u>video</u>.

DW File Edit View Insert Modify Format Commands Site Window Help 🛛 🖬 🔻 🌣 🕶 🏯 💌	DESIGNER 🔻 🔎	CS Live 🗖 🔲
Common Layout Forms PHP Data Spry InContext Editing Text Favorites DMXzone 960 Grid		
	u 🎬 🖬 • 🔀 🖻 🕕 🔤	🖬 Q
index.php* ×		D:\wamp\www\cake\index.php 🗗
(Source Code) reset.css text.css dmxSlider.css vader.css jquery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js dmxTooltip	s.js	9
Code Split Design Live Code 🛒 Live View Inspect 🊱 Multiscreen 🗟 C Title: DMXzone Slider	Jî.	
🔄 💠 🥸 🏠 Address: file:///DI/wamp/www/cake/index.php 🔹 🔳		
(1) This page may have dynamically-related files that can only be discovered by the server. Discover   Preferences		0
10,,	850 900 950 1000 1000 1000 1000 1000 1000	1100 1150 1200 1200 1200 1200 1200 1200
° 3		
1		
Container 24		
· · · · · · · · · · · · · · · · · · ·		
		F
ة ع		
83		
• =		
 sody> <div.container 24="" dearfix#content=""></div.container>	🔌 🥙 🔍 100% 👻 1234 :	x 465 ↔ 301K / 7 sec Unicode (UTF-8)
PROPERTIES		*=



## How to do it

1. We've already created our page layout. In order to insert the DMXzone Slider, click (1) on your page and hit (2) the DMXzone Slider icon.





#### 2. The **DMXzone Slider** window opens.

DW File Edit View Insert Modify Format Comm	ands Site Window Help 🔳 ▼ 🌣 ▼ 📇 ▼	DESIGNER 🔻 🔎	🗾 🔾 CS Live 🗖 🗖 🗾 🔀
Common Layout Forms PHP Data Spry InContext Edition	g Text Favorites DMXzone 960 Grid		
🖗 🔍 🌣 🏦 🌠 💌 🗔 🔽 💁 🔝 🗔 🗉	🗛 • 🏦 🗊 🕘 🕸 🗖 • 💽 🚍 🚟 🛅 🛅	💌 🍺 📼 🕒 🎬 🖪 • 🔀 🕐 🕕 📟 🗉	1 Q
index.php ×			wamp\www\cake\index.php 🗗 🕂
Source Code reset.css text.css dmxSlider.css black-tie.css	jquery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js	dmxSlider.js dmxTooltips.js	۲ 🔝
Code Split Design Live Code 🛒 Live View In	spect 🜒 Multisoreen 🗟 C Title: DMXzone Slider	<b>步</b> ①-	
🛛 🗇 🎝 🐼 🏠 Address: 🕅 lie:///D]/wamp/www/cake/index.php	DMXzone Slider		₽.
This page may have dynamically-related files that can only be discov			◎ 🗃
			1050 1100 1150 1200 1
	DMXzone Slide		Landaria and Anna and
	Improve your site usability with great looking s		4
0			(i)
t Container 24	General About		
8	Main Options Object ID: CmxSlider 1 Initial Value:	<u>ı</u>	
	Appearance		品
1	Length: 100% Design: B	lack-tie	
	Minimal value 0 🥊 Maximal value 1		
200	Orientation: Forizontal		
,	Range		,
2500	Initial Min 🦻 Initial Max		
	Fixed Minimum	Fixed Maximum	
ACC.	Attach Input Fields		
۲ <u>ــــ</u>	Fields:	• •	i
- The second sec			
0-1	Enter the name of the object.		
1400			
Ŏ	Ŭ		
<body> <div.container 24="" clearfix#content=""> (<div.grid 8="">)</div.grid></div.container></body>	Online manual	OK Cancel @ Q 100% → 1234 x 4	165 v 295K / 7 sec Unicode (UTF-8)
PROPERTIES			*





3. For our tutorial we will **use the default ID (1)** for our Slider and will set the **Initial value to 2 (2)**. You can leave this field blank if you want your initial value to be 0.

DW File Edit View Insert Modify Format Comm	nands Site Window Help 🔳 🕶 🌣	·	DESIGNER 🔻 🔎	📃 🔘 CS Live 🗖 🗉 🗾 🔀
Common Layout Forms PHP Data Spry InContext Editi	rg Text Favorites DMXzone 960 Grid			
🎯 🖹 🕸 🚓 🏹 🖲 🗃 🖓 💁 🖬 🖬	📄 💀 • 🏦 🗊 🔵 🗱 🔲 • 💽 🚍 י	🚔 🖸 🛅 🖿 🔝 💻 💕 📼 🛛	🛓 💷 🖀 🖬 • 🔀 🖻 💷 🖻	۱۹
index.php ×			C	):\wamp\www\cake\index.php 🗗 💻 🕌
Source Code reset.css text.css dmxSlider.css black-tie.css	jquery-latest.pack.js jquery-ui-core.min.js jqu	ery-ui-interactions.min.js dmxSlider.js dm	nxTooltips.js	۲ 🚺
Code Split Design Live Code	spect 🚱 Multiscreen 🗟 C Title:	DMXzone Slider	Jû.	
🕼 🖓 🎲 🕲 🏠 Address: 🕅 lite:///D]/wamp/www./cake/index.php	DMXzone Slider			₽.
This page may have dynamically-related files that can only be discov				◎ 🗃
		cl· I	<b>ERR ***********************</b> ***********	1050 1100 1150 1200 1
		one Slider	zone	
		ity with great looking Slider Control		20
8	of the second			( <del>)</del>
T Container 24	General About			3
1 Conceiner 24	Main Options	2 Initial Value: 2		
	1 Object ID: dmxSlider 1 Appearance	2 Initial Value: 2	<u>_~</u>	品
	Length: 100%	Design: Black-tie	<b>▼</b> ⊞	500
-	Minimal value 0	Maximal value 100		
2	Orientation: Horizontal	Slep 1	-	
		Step -		
	Initial Min	Initial Max		
	Fixed Minimum	Fixed Maximum		
Real Provide P	Attach Input Fields			
	Fields:		<b>•</b> • • • • • • • • • • • • • • • • • •	
			-	
0 -				
4	Set initial value of the Slider.			
4	V			
4				
<pre>chody&gt; <div.container 24="" clearfix#content=""> </div.container></pre>				



4. Use numbers in order to **specify the size** in pixels: 150 or percent for percent: 100%. We'll leave the length at **100%**.

DW File Edit View Insert Modify Format Comm	ands Site Window Help 🔳 ▼ 🌣 ▼ 🖁 ▼	DESIGNER 🔻 🔎 🔘 CS Li	ive 🗖 🗖 🗾
Common Layout Forms PHP Data Spry InContext Editi	ng Text Favorites DMXzone 960 Grid		
🖗 🖹 🌣 🚓 🌠 🔟 🗒 🖓 💁 🖬 🖬	🐟 • 🏦 🗊 🔵 😫 🗖 • 💽 🚍 🚟 🖼 🛅 🗖 📁 🔎	s 🗉 🕞 💷 🎬 🖪 • 🔀 🕐 🕕 🔤 🗟 🔍	
index.php ×		D:\wamp\www\cak	ce\index.php 🗗 💻
Source Code reset.css text.css dmxSlider.css black-tie.css	jquery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlide	er.js dmxTooltips.js	۳ 📐
Code Splt Design Live Code	spect 🚯 Multiscreen 🗟 C Title: DMXzone Slider		
🗇 😔 🙆 🏠 Address: file:///D]/wamp/www/cake/index.php	DMXzone Slider		<b>b</b>
6) This page may have dynamically-related files that can only be discov			o 🛅
	Emprove your site usability with great looking Silder Co General About	ontro	.11501200.L. 
Container 24	Main Options		5
8	Object ID: dmxSlider 1 Initial Value: 2	<u>4</u>	
	Appearance Length: 100% Design: Black-tie		<u>ಹ</u> ಾ
2 -	Minimal value 0 🥬 Maximal value 100	₩ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
8	Orientation: Horizontal  Step 1		
	Range		
Internet in the second s	Initial Min 🦻 Initial Max	₩ <b>₩</b>	
	Fixed Minimum Fixed M	1aximum	
moc -	Attach Input Fields		
	Fields:		
9 1400	Set the lenght of the silder.		- 1
4 <body> <div.container 24="" clearfix#content=""> (<div.grid 8="">) PROPERTIES</div.grid></div.container></body>	Online manual OK	Cancel	Unicode (UTF-8) ▼≣



5. The minimal value is set at 0 (1) and the maximal we change at 20 (2).

DW File Edit View Insert Modify Format Com	nands Site Window Help 📰 🔻 🌣 🖷 🕶	DESIGNER V D CS Live
Common Layout Forms PHP Data Spry InContext Edi	ing Text Favorites DMXzone 960 Grid	
🎄 🖹 😙 🚠 💽 🗷 🛱 💁 🖏 🖬	) 🗛 • 🏦 🕕 🕘 😂 🗖 • 💽 🚍 🚔 🔂 🛅 🛅 🔎 💓 🚍 😱 (	💷 🎬 🖪 = 🔀 🖹 🕐 🕕 🔤 🗟 Q
index.php ×		D:\wamp\www\cake\index.php 🗐
Source Code reset.css text.css dmxSlider.css black-tie.css	jquery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js dmxTor	oltips.js 🛛
Code Split Design Live Code 🛒 Live View 1	nspect 🔇 Multiscreen 🖏 C Title: DMXzone Slider	Jû.
🛛 💠 🖒 🏠 Address: file:///D /wamp/www/cake/index.php	DMXzone Slider	
This page may have dynamically-related files that can only be disco     10     11	Improve your site usability with great looking Slider Control         General       About         Main Options       Initial Value: 2         Object ID:       dmsSlder 1       Initial Value: 2         Appearance       Pesign:       Black-be       Pesign:         Iminimal value 0       0       2       Maximal value 20       0         Orientation:       Horizontal       Step 1       Step 1       1         Range       Initial Min       Fixed Maximum       Fixed Maximum         Attach Input Fields       Iminum       Stet the maximum value of the slider.	************************************
<pre><body> <div.container 24="" dearfix#content="">[<div.grid 8="">]</div.grid></div.container></body></pre>	Online manual     OK     Can	icel Q, 100% v 1234 x 465 v 295K / 7 sec Unicode (UTF-8)



6. The **DMXzone Slider** orientation can be horizontal or vertical. For our tutorial we choose the **horizontal** one.

DW File Edit View Insert Modify Format Comm	ands Site Window Help 🔳 ▼ 🌣 ▼ 🖁 ▼	DESIGNER 🔻 🔎	CS Live
Common Layout Forms PHP Data Spry InContext Edition	ng Text Favorites DMXzone 960 Grid		
🔅 🕃 🗇 🔠 🌠 🔳 📴 📮 💁 🖬 🗖	- 🗛 • 🏦 🕕 🌒 😫 🗖 • 💽 🚍 🚟 🖼 🛅 🗖 🔎 🍺 📼	🕞 💷 🎬 🖬 • 🔀 🖻	🕕 🔤 🗟 Q
index.php ×			D:\wamp\www\cake\index.php 🗗
Source Code reset.css text.css dmxSlider.css black-tie.css	jquery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js	dmxTooltips.js	9
Code Split Design Live Code 🥰 Live View In	spect 🚱 Multiscreen 🗟 🧭 Title: DMXzone Slider	Jû.	-
🛛 💠 🖒 🐼 🏠 Address: file:///D1/wamp/www/cake/index.php	DMXzone Slider	<b>x</b>	
(1) This page may have dynamically-related files that can only be discov			0
10	Control Contro		
1 Container 24	Object ID: dmxSlider 1 Initial Value: 2		-
	Appearance		
5	Length: 100% Design: Black-tie	▼ 🔠	
	Minimal value 0 4 Maximal value 20	<b>₩</b>	
	Orientation: Horizontal  Chevicontal Comparison Step 1 Comparison		
ŝ	Initial Min 🛛 🦻 Initial Max	──≁	
-	Fixed Minimum Fixed Maximum	m	
do l	Attach Input Fields		
	Fields:		
-			
edu > <div.container 24="" clearfix#content=""> (<div.grid 8="">) PROPERTIES</div.grid></div.container>	Coline manual	Cancel 🤭 🔍 100%	v 1234 x 465 v 295K / 7 sec Unicode (UTF-8)     v



7. Choose one of the **predefined designs** packed in the **DMXzone Slider** that matches your website design perfectly. For the design preview, **click the style picker**. Click the OK button when you're done.

$\mathbb{D}\mathbb{W}$ File Edit View Insert Modify Format Comm	ands Site Window Help 🔳 🕶 🌣 🕶 晶 🕶	DESIGNER 🔻 🔎 CS Live	
Common Layout Forms PHP Data Spry InContext Editin	g Text Favorites DMXzone 960 Grid		
👒 💽 🤣 🔠 🖪 🔳 📰 🔽 💊 🚺 🛒 🗔 🕒	🙃 • 🥼 🕕 🗊 😂 🗖 • 💽 🚍 🚟 🔂 🛅 🔎 🍺 🗂	🕞 💷 🎬 🖪 - 🔀 🖹 🕐 🕕 🔤 🗟 Q	
index.php ×		D:\wamp\www\cake\i	ndex.php 🗗
Source Code reset.css text.css dmxSlider.css black-tie.css	query-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js	dmxTooltips.js	8
Code Split Design Live Code	pect 🤀 Multiscreen 🗟 C Title: DMXzone Slider	Jû.	
│	DMXzone Slider		
🚯 This page may have dynamically-related files that can only be discov			0
10	Emprove your site usability with great looking Slider Control General About Main Options		150,   1200,
8	Object ID: dmxSlider 1 Initial Value: 2	<b>#</b>	-
1	Appearance		
	Length: 100% Design: Black-tie		
2	Minimal value 0 49 Maximal value 20		
0	Orientation: Horizontal   Step 1	Black-tie	
2			
ŏ-	Initial Min 57 Initial Max		
	Attach Input Fields	n Blitzer	
Č	Fields:		
		Cupertino	
°=	Select a design from Style Pickup dialog.		
	Select a design nom style riskup dalog.		
<pre>div.container 24 dearfix#content&gt;</pre> <div.container 24="" dearfix#content="">PROPERTIES</div.container>	Online manual         OK	Cancel	icode (UTF-8) +≣



8. This is how easily you can add a **DMXzone Slider** on your page. Now you can save your work and preview the result in your browser.

DW File Edit View Insert Modify Format Commands Site Window Help 🔳 🕶 🌣 🐇 🕶	DESIGNER V	🔾 CS Live 🗖 🔳
Common Layout Forms PHP Data Spry InContext Editing Text Favorites DMXzone 960 Grid		
🔅 😒 🗄 🔽 🔍 🔜 📮 🔍 🔋 🖏 🖬 ڬ 🗛 • 🏦 🗍 🌒 😫 🖬 • 🖸 🚔 🖬 🇮 📓 💭 📁 🤅 💷	🎬 🖬 • 🔀 😰 🕕 🔤 🔍	
index.php* ×	D:\wamp	o\www\cake\index.php 🗗
Source Code) reset.css text.css dmxSlider.css vader.css jquery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js dmxTooltips.js		9
Code Split Design Live Code 🛒 Live View Inspect 🚱 Multiscreen 🗟 🖱 Title: DMXzone Silder 🖏	<b>k</b>	
🕼 💠 🖄 🏠 Address: file:///Dl/wamp/www/cake/index.php <		
() This page may have dynamically-related files that can only be discovered by the server. Discover   Preferences		0
	50 900 950 1000 1050	1100 1150 1200
		-
Container 24 Cell 8		
		Fi
₽_ 		- 1
		_i
4 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -		
순 <body> <div.container 24="" dearfix#content=""></div.container></body>		1K / 7 sec Unicode (UTF-8)
PROPERTIES		*=



## The Basics: Creating Range Selector with DMXzone Slider

In this tutorial we will show you how to create a range selector using **DMXzone Sider**. \*You can also check out the <u>video</u>.

DW File Edit View Insert Modify Format Commands Site Window Help   ■ 🕶 🌣 🕶 🖁 🕶	DESIGNER 🔻 🔎	CS Live
Common Layout Forms PHP Data Spry InContext Editing Text Favorites DMXzone 960 Grid		
	💷 🎬 🖬 - 🔀 🖄 🕕 🔤 🗟 Q	
index.php* ×		np\www\cake\index.php 🗗
(Source Code) reset.css text.css dmxSlider.css blitzer.css jquery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js dmxTooltij	os.js	7
Code Split Design Live Code 🥰 Live View Inspect 🊱 Multiscreen 🗟 C Title: DMXzone Slider	<b>步企-</b>	
🛛 💠 🖄 🏠 Address: file:///DI/wamp/www/cake/index.php		
This page may have dynamically-related files that can only be discovered by the server. Discover   Preferences		0
	[850]990]950]1000]1050	<u></u>
1 Container 24 Cell 24		-
 sody> <div.container 24="" dearfix#content=""></div.container>	▶ 🥙 🤍 100% → 1234 x 358 → 3	
		*=
DMX Slider Length 100% Minimal value 0 9 Design Bitzer V III Advanced dmxSlider1 Initial Value 0 9 Maximal value 100 9 Orientation Horizonta V		0 2
Range 🗸 Initial Min 0 🥍 Fixed Minimal 🗌		
Step 1 Initial Max 5 🧚 Fixed Maximal 🗌		Δ



## How to do it

 We've already created our page layout and now we'll insert the DMXzone Slider. Click on your page (1) and hit the DMXzone Slider icon (2).

DW File Edit View	w Insert Modify Format Co	mmands Site Window Help	III▼ ♀▼ 品▼	DESIGNER 🔻 🔎	🔵 CS Live 🗖 🗖
Common Layout For	ms PHP Data Spry InContext E	diting Text Favorites DMXzone	960 Grid		
🔉 🕾 😒 📾	💌 📰 📮 💁 関 🗔	🕒 💀 - 🏦 🗍 🌒 😫 📕	- 💽 🚍 🚭 🖾 🛅 🔝 💓 🗉	I 🕞 💷 🎬 🖬 • 🔀 🖄 💷 🔜	۹
index.php ×				D:\v	vamp\www\cake\index.php 🖃
Source Code reset.css	text.css dmxSlider.css vader.css	jquery-latest.pack.js jquery-ui-core.r	min.js jquery-ui-interactions.min.js dmxSlider.js	dmxTooltips.js 2	9
Code Split Design	Live Code	Inspect 🧕 Multiscreen 🗟 🤇	3 Title: DMXzone Slider	Jû.	-
🛛 💠 🖒 🔕 🏠 Address:	file:///D /wamp/www/cake/index.php		✓ Ⅲ <sub>▼</sub>		
• • • • •		covered by the server. <u>Discover</u>   <u>Prefere</u>			0
		1,		800	0,,1100,,1150,,1200,
	Cell 24				
	244				
150					
-					
Š.					
-					
250					
-					
0					
3					
<body> <div.container 24="" cl<="" td=""><td>earfix#content&gt; <a>div.grid</a> 24&gt;</td><td></td><td></td><td>🗼 🥙 🔍 100% 👻 1234 x 358 v</td><td>300K / 7 sec Unicode (UTF-8)</td></div.container></body>	earfix#content> <a>div.grid</a> 24>			🗼 🥙 🔍 100% 👻 1234 x 358 v	300K / 7 sec Unicode (UTF-8)
PROPERTIES					*≣
<> HTML Targeted R	ule .container_24 .grid_24 🔻 I	Font Helvetica Neue, Arial, Liberation Sa	ins ▼ B I ≣ ≣ ≣ ≣		0 2
L CSS	Edit Rule CSS Panel	Size 13 🔻 px 💌 🚬			2
		Page Properties List Ite	em		





2. For our tutorial we will **use the default ID (1)** for our Slider and will set the **Initial value to 2 (2)**. You can leave this field blank if you want your initial value to be 0.

DW File Edit View Insert Modify Format Comm	ands Site Window Help 🛛 🖬 🔻 🌣	▼ # ▼	DESIGNER •	🔘 CS Live 🗖 🗉 💌
Common Layout Forms PHP Data Spry InContext Editi	ng Text Favorites DMXzone 960 Grid			
🐵 🖹 🌣 🚓 🏹 🗶 🗟 🗭 🕵 り 📷 🗔 🕒	🙃 • 🏦 🗊 🔵 😫 🔲 • 💽 🚍 🕯	喜 💽 🛅 🖿 🔝 💻 🍺 i	💷 🎬 🖪 - 🔀 🖄 💷 🖼 Q	
index.php ×			D:\wam	np\www\cake\index.php 🖬 💻
Source Code reset.css text.css dmxSlider.css black-tie.css	jquery-latest.pack.js jquery-ui-core.min.js jque	ery-ui-interactions.min.js dmxSlider.js dmxToo	ltips.js	۲ 🚺
Code Split Design Live Code	spect 🚱 Multiscreen 🗟 C Title: 🛙	MXzone Slider	Jû.	
🛛 💠 🖒 🙆 🏠 Address: 🕅 lit:///D]/wamp/www./cake/index.php	DMXzone Slider			₽
This page may have dynamically-related files that can only be discov				8
19	Improve your site usabilit General About Main Options	ty with great looking Slider Contro		
	1 Object ID: dmxSlider 1 Appearance	2 Initial Value: 2		
5	Length: 100%	Design: Black-tie		
2	Minimal value (	Maximal value 100	►	
200	Orientation: Forizontal	Slep 1		· · · · · · · · · · · · · · · · · · ·
2.	Range			
0.01	Initial Min 🥢 🌾	Initial Max 4		
	Fixed Minimum	Fixed Maximum		
Noc	Attach Input Fields			
	Fields:			
<pre>cbody&gt; <div.container 24="" dearfix#content="">(<div.grid 8="">) ROPERTIES</div.grid></div.container></pre>	Online manual	OK Cano	.el Q 100% → 1234 x 465 → 2	95K / 7 sec Unicode (UTF-8) √≣



3. We'll leave the length at **100%**.

DW File Edit View Insert Modify Format Comm	ands Site Window Help 🔳 🕶 🔅	<ul> <li>▲</li> <li>▲</li> </ul>	DESIGNER	<u>م</u>	O CS Live	
Common Layout Forms PHP Data Spry InContext Edition	g Text Favorites DMXzone 960 Grid					
🕼 🖹 🤣 🟦 🌠 🔟 📴 💁 🚺 📷 🗔 🕒	🙃 • 🏦 🗊 🌒 🕸 🔲 • 💽 🚍 🚔	i 💽 🛅 🚞 🔊 💷 💋	= 🕞 💷 🖀 -	🔀 🖻 🕕 🔤 २		
index.php ×				D:\wam	p\www\cake\inc	iex.php 🗗 😽
Source Code reset.css text.css dmxSlider.css black-tie.css	jquery-latest.pack.js jquery-ui-core.min.js jquer	y-ui-interactions.min.js dmxSlider.js	dmxTooltips.js			۳ 📐
Code Splt Design Live Code 🛒 Live View In	spect 🚱 Multiscreen 🗟 🧭 Title: Di	MXzone Slider	<b>₿</b> ₽.			
🛛 💠 🎝 🙆 🏠 Address: file:///D]/wamp/www/cake/index.php	DMXzone Slider		×			₽
This page may have dynamically-related files that can only be discov						S = 1
		ch l	ന്നു 🏙	950 1000 1050	1150	····· <sup>1200</sup> ····
0	I)MX7(	one Slider	zone "			<u> </u>
		with great looking Slider Contr				20
5	Contraction of the local division of the loc					63
L	General About					
Container 24	Main Options					22
	Object ID: dmxSlider 1	Initial Value: 2				
	Appearance	Danian at tu	<b></b>			5 <u>5</u>
°-	Length: 100%	Design: Black-tie	<u> </u>			
6	Minimal value 0	Maximal value 100				
0	Orientation: lorizontal	Step 1				
- Const	Range	•				
ō -	Initial Min	Initial Max	<b>~</b>			
3 -	Fixed Minimum Attach Input Fields	Fixed Maxir	num			
8	Fields:		<b></b> ()			
3 -						
4	Set the lenght of the slider.					
400	0					
4 1 <body> <div.container 24="" dearfix#content=""> <div.grid 8=""></div.grid></div.container></body>	Online manual	ОК	Cancel	Q 100% ♥ 1234 x 465 ♥ 2	95K / 7 sec Unico	de (UTF-8)
PROPERTIES					int, inter orneo	*≡



4. The minimal value is set at 0 (1) and the maximal we change to 100 (2).

DW File Edit View Insert Modify Format Comm	ands Site Window Help 🔳 ▼ 🌣 ▼ 🛔 ▼	DESIGNER V D CS Live
Common Layout Forms PHP Data Spry InContext Edition	ng Text Favorites DMXzone 960 Grid	
🎄 🖹 🗇 🔠 🔳 🔠 🗔 💁 🖬 🗔 🗉	🗛 • 🏦 🗊 🌒 😫 🗖 • 💽 🚍 🚟 🔂 🛅 🗖 🔎	📃 🕞 🗐 🎬 🛃 • 🔀 🖹 🕐 🕕 🔤 🗟 🔍
index.php ×		D:\wamp\www\cake\index.php 🗗
Source Code reset.css text.css dmxSlider.css vader.css jq	uery-latest.padk.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js	dmxTooltips.js
Code Split Design Live Code 🛒 Live View In	spect 🚱 Multiscreen 🗟 🧭 Title: DMXzone Slider	Jû.
🛛 💠 🖒 Address: file:///Dl/wamp/www/cake/index.php	DMXzone Slider	
① This page may have dynamically-related files that can only be discov		×
0         150         150         120	Bunch in the state of the state.     Set the maximum value of the state.	
⟨> HTML         Targeted Rule         .container_24.grid_24         Fon           LSS         Edit Rule         CSS Panel         Siz		0 2
	Online manual OK	Cancel



5. The **DMXzone Slider** orientation can be horizontal or vertical. For our tutorial we choose the **horizontal** one.

DW File Edit View Insert Modify Format Comm	nands Site Window Help 🔳 🕶 🌣 🕶 🖁 🕶	DESIGNER 🔻 🔎 🔘 CS Live 🗖
Common Layout Forms PHP Data Spry InContext Editi	ng Text Favorites DMXzone 960 Grid	
🔅 🖹 🤣 🔠 🌠 🔳 🗔 🔍 🚺 🛒 🗖 🖿	) 🐟 • 🏦 🗊 🜒 😂 🗖 • 💽 🚍 🚔 🔂 🛅 🗖 🔎 🍺 🗂	E 🕞 💷 🎬 🖪 - 🔀 🖻 🕕 🔤 🗟 🔍
index.php ×		D:\wamp\www\cake\index.php 🗗
Source Code reset.css text.css dmxSlider.css black-tie.css	jquery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js	dmxTooltips.js
Code Split Design Live Code 🛒 Live View In	spect 🚱 Multiscreen 🗟 🧭 Title: DMXzone Slider	8î.
🕼 💠 🖒 🖄 🟠 Address: file:///DI/wamp/www/cake/index.php	DMXzone Slider	
(1) This page may have dynamically-related files that can only be discov		· · · · · · · · · · · · · · · · · · ·
10	Control Contro	<b>EXAMPLE 1959</b>
84	Object ID: dmxSlider1 Initial Value: 2	
	Appearance	
- COUN-	Length: 100% Design: Black-tie	▼
	Minimal value 0 9 Maximal value 20	<b>7</b>
	Orientation: Horizontal  Step 1 Iorizontal Vertical	
	Initial Min 🛛 🌾 Initial Max	₩ <b>₩</b>
_	Fixed Minimum Fixed Maximum	um la
	Attach Input Fields	
	Fields:	
	Set the orientation of the slider.	
<pre>4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4</pre>	Conine manual OK	Cancel



6. Choose one of the predefined designs by clicking on the style picker. We chose the Blitzer design.

$D \mathbb{W}$ File Edit View Insert Modify Format Comm	nds Site Window Help 📰 🔻 🗘 🕶	DESIGNER V DC Live
Common Layout Forms PHP Data Spry InContext Editin	J Text Favorites DMXzone 960 Grid	
🔅 😒 🛠 🚮 🔳 📰 📮 💁 🛤 🗔 🕒	l l l l l l l l l l l l l l l l l l l	u 🖀 🖪 • 🔀 🖻 🕕 🔤 🗟 🔍
index.php ×		D:\wamp\www\cake\index.php 🗗
Source Code reset.css text.css dmxSlider.css vader.css jqu	ery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js dmxTooltips	s.js
Code   Split Design   Live Code   🛒 Live View   Ins	ect 🚱 Multiscreen 🗟 C Title: DMXzone Slider	Jû.
🛛 💠 🖒 🐼 🏠 Address: file:///D]/wamp/www/cake/index.php	MXzone Slider	x
(1) This page may have dynamically-related files that can only be discov		Optimized and the second se
0         150         120	General About Main Options	
8	Object ID: dmxSlider 1 Initial Value:	-
	Appearance	
	Length: 100% Design: Vader 🗸	
_	Minimal value 0 🥙 Maximal value 100 4	
	Orientation: Horizontal	
	Range	Blitzer
	Initial Min 🦻 Initial Max 4	
	Fixed Minimum	
3	Attach Input Fields	Cupertino
	Fields:	
<pre>state="color: blue"&gt;state="color: blue"</pre>		Dark bive x 358 v 300K / 7 sec Unicode (UTF-8)
 vision container 24 clearfix#content>( <div.grid 24="">)   PROPERTIES</div.grid>		Dark-hive
↔ HTML Targeted Rule .container_24 .grid_24    Fon	Select a design from Style Pickup dialog.	0
Edit Rule         CSS Panel         Size	Ŭ	<u>ک</u>
	Online manual OK Cance	



7. To add the range selector, **click** on the **range checkbox**.

DW File Edit View Insert Modify Format Comm	ands Site Window Help 🛛 📰 ▼ 🌣 ▼ 🖁 ▼	DESIGNER V D CS Live
Common Layout Forms PHP Data Spry InContext Editin	ng Text Favorites DMXzone 960 Grid	
🎄 🖹 🗇 🏦 🌠 🔳 📰 📮 💁 🗊 🗔 🗉	🙃 • 🏦 🗊 🜒 😂 🗖 • 💽 🚍 🚟 🖼 🛅 🗖 🔎 🎉 🚍 🤅	💷 🎬 🛐 • 🔀 🖻 🕕 🔤 🖪 Q
index.php ×		D:\wamp\www\cake\index.php 🗗
Source Code reset.css text.css dmxSlider.css vader.css jq	uery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js dmxTool	tips.js
Code Split Design Live Code Cive View In:	spect 🚱 Multiscreen 🗟 C Title: DMXzone Slider	8î.
🛛 💠 🖒 🙆 🏠 Address: file:///D1/wamp/www/cake/index.php	DMXzone Slider	×
This page may have dynamically-related files that can only be discov	DMXzone Sider       Difference         Improve your site usability with great looking Silder Control       Improve your site usability with great looking Silder Control         General       About         Hain Options       Object ID:         Object ID:       Initial Value:         Length:       100%         Design:       Bitzer         Length:       100%         Orientation:       Horizontal         Initial Max       0         Initial Max       0         Fixed Minimum       Fixed Maximum         Attach Input Fields       Fixed Maximum	Image: Second state of the second state of
	OK Car	



8. We leave the initial minimal value to 0 (1) and set 5 as initial maximal value (2) for our range.

DW File Edit View Insert Modify Format Comm	ands Site Window Help 🔳 🔻 🌣 🕶 🖁 🔻	DESIGNER 🔻 🔎 🔘 CS Live 🗖 🖻
Common Layout Forms PHP Data Spry InContext Editin	g Text Favorites DMXzone 960 Grid	
👒 💽 🤣 🔠 🌌 🗷 🗔 💁 🗔 🕒	🗛 • 🏦 🕛 🔿 🛱 🗖 • 💽 🚍 🚟 🖬 🛅 🗖	🍺 亘 🕒 🎬 🖪 • 🔀 🖄 🕕 🧧 😫 🔍
index.php ×		D:\wamp\www\cake\index.php 🗗
Source Code reset.css text.css dmxSlider.css vader.css jqu	ery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlide	der.js dmxTooltips.js 🖓
Code   Split Design   Live Code   🛒 Live View   Ins	pect 🚱 Multiscreen 🗟 C Title: DMXzone Slider	Jû.
🛛 💠 😔 🏠 Address: file:///D]/wamp/www/cake/index.php	DMXzone Slider	
① This page may have dynamically-related files that can only be discov		
1         0         150         1200 </td <td>General About Main Options</td> <td></td>	General About Main Options	
	Object ID: dmxSlider 1 Initial Value: 0	<b>5</b>
<pre>double container 24 clearfix #content&gt; (div.grid 24&gt;) PROPERTIES   HTML Targeted Rule .container_24.grid_24 ▼ For  Edit Rule CSS Panel Siz </pre>	Appearance       Length: 100%       Design: Bitzer         Minimal value 0       Maximal value 100         Orientation: Horizontal       Step 1         Imital Min 0       Step 1         Fixed Minimum       Fixed Minimum         Attach Input Fields       Set initial maximum value of the range.         Imital maximum value of the range.       Imital maximum value of the range.	■ ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●
	Online manual         OK	Cancel



9. You can set the Min and Max value of the range selector to be fixed. In this **case if you chose fixed minimum value it will be equal to the Slider min value**, and if the **fixed maximum is checked then the maximum range value will match the Slider max value**.

DW File Edit View Insert Modify Format Comm	nds Site Window Help 🔳 🔻 🌣 🕶 🖁 🕶	DESIGNER V DC CS Live
Common Layout Forms PHP Data Spry InContext Editin	J Text Favorites DMXzone 960 Grid	
🏟 🖹 🧇 🚠 🌠 🔳 📰 📮 💁 🔝 🗔 🕒	🐟 • 🏦 📑 🕘 😫 🗖 • 💽 🚍 🚟 🔂 🛅 🗖 🔎 餫 🕞 🧕	💷 🎬 🖬 - 🔀 🖹 💿 🔤 🗟 Q
index.php ×		D:\wamp\www\cake\index.php 🗗
Source Code reset.css text.css dmxSlider.css vader.css jqu	ery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js dmxToolti	ps.js
Code   Split Design   Live Code   🛒   Live View   Ins	ect 🚱 Multiscreen 🗟 🧭 Title: DMXzone Slider	Jû.
Address: file:///D1/wamp/www/cake/index.php	DMXzone Slider	<b>—</b> × <b>—</b> )
1 This page may have dynamically-related files that can only be discov		0
1 0	Emprove your site usability with great looking Slider Control	<b>2001</b>
8	Object ID: dmxSlider 1 Initial Value: 0	<u>y</u>
	Appearance	
ŝ	Length: 100% Design: Blitzer	
	Minimal value 0 4 Maximal value 100	<del>y</del>
Ś.	Orientation: Horizontal   Step 1	
	✓ Range	
	Initial Min 0 4 Initial Max 5	<u></u>
	Fixed Minimum Fixed Maximum	
	Attach Input Fields	
	Fields:	
<pre>&gt;&gt; <div.container 24="" dearfix#content=""> <div.grid 24=""></div.grid></div.container></pre>		300% v 1234 x 358 v 300K / 7 sec Unicode (UTF-8)
PROPERTIES	Set initial maximum value of the range.	·=
<> HTML Targeted Rule .container_24.grid_24 ▼ For	0	0
Edit Rule CSS Panel Siz		Ø
	Online manual         OK         Can	



10. You can also store the selected values of the range selector into hidden fields. If you like to do so, click the **Add new button** in order to **create a new hidden field**. When you're done, click OK.

\*Note: If you're using fixed min and fixed max then only the selectable value will be copied to the hidden field!

DW File Edit View Insert Modify Format Comm	ands Site Window Help 🔳 🕶 🗘 🔻 📇 🕶	DESIGNE	Q • S	O CS Live	)
Common Layout Forms PHP Data Spry InContext Editin	ng Text Favorites DMXzone 960 Grid				
🌼 🖹 🤣 🚠 🌆 🔳 📰 📮 💁 🖡 🗔 🕒	- 🗛 • 🏦 🗊 🜒 😂 🗖 • 💽 🚍 🚝 🖸 🛅 🗖 🔎 🎉 🗉	E 🕞 💷 🎬 🖬 •	· 🔀 🖹 🕕 🔤 🕄 🔍		
index.php ×			D:\wam	p\www\cake\index.php	5
Source Code reset.css text.css dmxSlider.css vader.css jq	uery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js	dmxTooltips.js		<	7
Code Split Design Live Code	spect 🚱 Multiscreen 🖏 C Title: DMXzone Slider	Jî.			ŀ
🛛 💠 🖒 🔕 🏠 Address: file:///Dl/wamp/www/cake/index.php	DMXzone Slider	<b>— X —</b>			
① This page may have dynamically-related files that can only be discov				(	0
10         150         150         1200         1200         1200         1200         1200         110	General About Hain Options	<b>zone</b>	2		<u>.</u>
8	Object ID: dmxSlider 1 Initial Value: 0	───────────			
John John John John John John John John	Appearance       Length: 100%       Design: Bitzer         Minimal value       0       Maximal value       100         Orientation:       Horizontal       Step       1         Initial Min       0       Initial Max       5         Initial Min       Fixed Minimum       Fixed Maxim         Attach Input Fields       Fields:       hidden_dmxSlider1	er1_ ▼ ©	) Q 100% v 1234x 358v 30	DOK / 7 ser Unicode () ITE-8	8)
ROPERTIES         Targeted Rule         .container_24.grid_24         For           LSS         Edit Rule         CSS Panel         Siz	Copy the value to this field when slider value changes. When range is set without fit set the min value to this field. If fixed max or min is set the selectable value will be c	ved max or min will		(	,, *≣ ?
	Online manual OK	Cancel			



#### 11. Now you can save your work and preview the result in the browser.


DW File Edit View	Insert Modify Format Commands Site Window Help 🔳 🕶 🖏 🕶	DESIGNER V DC Live
Common Layout Forms	PHP Data Spry InContext Editing Text Favorites DMXzone 960 Grid	
💩 🖹 🍲 🔠	9 📴 🖓 💊 11 🥅 🗔 🕒 🗛 · 🏦 🗍 🌒 🕸 🗖 · 💽 🚍 🚟 🖬 🗖 🗭 🎾 🌾 🍙	i 🎬 🖪 • 🔀 🖹 🕐 🕕 🔤 🖪 🔍
index.php* ×		D:\wamp\www\cake\index.php 🗗
Source Code reset.css to	ext.css dmxSlider.css blitzer.css jquery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js dmxTooltips	is P
Code Split Design	Live Code 🛒 Live View Inspect 🚱 Multiscreen 🗟 C Title: DMXzone Slider 2	10.
🕼 💠 🙁 🏠 Address:	file:///Dl/wamp/www/cake/index.php	
- · · · ·	ically-related files that can only be discovered by the server. Discover   Preferences	0
0 100 100	150 100 100 100 100 100 100 100 100 100	850 900 950 1000 1050 1100 1150 1200
5		
1 Container 24	Cel 24	
°		
1		
°=		
2		
Ē		
2		
8		ł
8		
_		
<body> <div.container 24="" clea<="" td=""><td>rfix#content&gt;</td><td>🥙 🔍 100% 👻 1234 x 358 🛩 300K / 7 sec Unicode (UTF-8)</td></div.container></body>	rfix#content>	🥙 🔍 100% 👻 1234 x 358 🛩 300K / 7 sec Unicode (UTF-8)
PROPERTIES		*≡
	Length 100% Minimal value 0 🥊 Design Blitzer 🔻 🖽 Advanced	0 2
dmxSlider 1 Initi	al Value 🛛 🖉 Maximal value 100 🥰 Orientation Horizontai 💌 💊	
	Range 🗹 Initial Min 🗴 🧚 Fixed Minimal 🗌	
	Step 1 Initial Max 5 🧚 Fixed Maximal 🗌	۵



## Advanced: Show the DMXzone Slider Value into a Text Field

In this tutorial we will teach you how to show the **DMXzone Slider** value into a text field while dragging its handle.

\*You can also check out the <u>video</u>.







## How to do it

1. We've already inserted the DMXzone Slider (1) on our page, added a standard Text field (2) and named its ID: valueField (3).

DW File Edit View Insert Modify Format Commands Site Window Help ■ ♥ ♥ 品 ▼ DESIGNER ▼ D	CSLive 🗖 🗖
Common Layout Forms PHP Data Spry InContext Editing Text Favorites DMXzone 960 Grid	
🔅 🔇 🔅 🗄 🛐 🖲 📴 🖓 💊 11 🧊 🖬 🗳 谷 • 🏦 🗍 🕘 🕸 🗖 • 💽 🧮 🖉 🖬 🗮 📓 🗮 📓 🖉 🕼 💷 🖉 • 🚺 👹 🖉 •	
index.php* × index.html × D:\wamp\wv	ww\cake\index.php 🗗
Source Code bootstrap.css dmxSlider.css cupertino.css jquery-latest.padk.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js	9
Code Split Design Live Code 🛒 Live View Inspect 🚱 Multiscreen 😓 C Title: Untitled Document	-
♦ ♦ C Address: file://Dl/wamp/www.cake/index.php v E	
This page may have dynamically-related files that can only be discovered by the server. Discover   Preferences	0
	100 1150 1200
	<u> </u>
	-
	E
2	
	-
 body> <div.container well=""> <div.span3> <diput.input.small#valuefield>) (k) 🙁 1234 x 358 v 347K /</diput.input.small#valuefield></div.span3></div.container>	
PROPERTIES	·=
TextField Char width Type © Single line O Multi line O Password Class input •	- Sector
ValueField Max chars Init val	
3 Disabled	
Read-only	4




2. In order to bind the **Text field** and the **DMXzone Slider** we'll need to use the **Behavior connector.** So, click on the **DMXzone Slider (1)** and then click the **Add/edit behaviors button (2)** in the property inspector.

DW File Edit View Insert Modify Format Commands Site Window Help   ■ 🕶 🌣 🕶 🖁 🔻	DESIGNER V	CS Live 🗖 🔲
Common Layout Forms PHP Data Spry InContext Editing Text Favorites DMXzone 960 Grid		
🔅 🔇 🔆 🖧 🛐 🖲 📴 🖓 💁 🖩 🖬 🖬 🖬 🖬 🗳 🚱 • 🏭 🗊 🖨 🗖 🖬 🚔 📓 💭 🛤 🗖 🖗 🖬	💵 🎬 🖬 • 🔀 😰 🕕 🔤 🖬	L .
index.php* × index.html ×	D:\wa	mp\www\cake\index.php 🗗
Source Code bootstrap.css dmxSlider.css cupertino.css jquery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js		9
Code Split Design Live Code 🛒 Live View Inspect 🚱 Multiscreen 🗟 C Title: Untitled Document	Jû.	-
🗇 🗇 🖸 🏠 Address: file:///DI/wamp/www/cake/index.php		
This page may have dynamically-related files that can only be discovered by the server. Discover   Preferences		0
	850 900 950 1000 1050	1100 1150 1200
0		<u> </u>
20		-
		=
100		
83		
		-
v-div.container well> <div.row></div.row>	限 🥙 🔍 100% 👻 1234 x 358 🗸	347K / 8 sec Unicode (UTF-8)
PROPERTIES		*=
DMX Slider Length 100% Minimal value 1 🌾 Design Cupertino 🕶 🧮 Advanced		0 2
dmxSlider1 Initial Value 0 🦻 Maximal value 100 🤻 Orientation Horizontai 🔹 💊 2		2
Range 📃 Initial Min 🥰 Fixed Minimal 🗌		
Step 1 Initial Max 🦻 Fixed Maximal 📃		



Once the DMXzone behavior connector window opens, select DMXzone folder (1), the Control DMXzone Slider behavior (2), when the handle is dragged event (3) and Add the selected behavior (4).








When the Control DMXzone Slider window opens, select the Copy value of slider to text field action

 from the menu and choose Value (2) from the value to use menu that will return the current value of the slider. From the text field dropdown we select our text field ID – valueField (3).





5. Now you can save your work and preview the result in the browser.

DW File Edit	iew Insert Modify Format Commands Site Window Help   🌆 🔻 🏶 🕶 🖁 🕶	DESIGNER <b>•</b>	Q	O CS Live	
Common Layout I	orms PHP Data Spry InContext Editing Text Favorites DMXzone 960 Grid				
i 😪 😒 🔒	5 🛛 🕄 🖓 🚺 🖏 🗖 🗉 🏟 • 🏦 🗍 🜒 🕸 🗖 • To 🗐 🚔 🖬 🛅 🗖 🗖 🖉 🖬 👘	u 🖀 🖬 - 🔀	😰 🕕 🔤 🗟 ९		
index.php* × index.			-	ip\www\cake\in	dex.php 🗗
(Source Code) bootstra	p.css dmxSlider.css cupertino.css jquery-latest.pack.js jquery-ui-core.min.js jquery-ui-interactions.min.js dmxSlider.js				9
Code Split Desi	n Live Code 🛒 Live View Inspect 🚯 Multiscreen 🗟 🔿 Title: Untitled Document	<b>₿</b> ₽.			
🛛 💠 🗘 🕜 Addr	ess: file:///D1/wamp/www/cake/index.php				
1 This page may have a state of the state	ynamically related files that can only be discovered by the server. Discover   Preferences				0
	)	850 900	950 1000 1050	1100 11	50 1200
°					<u></u>
5					
1 =					
Ö.					
1					
					=
2 -					
8	1				
-					
5	100				
30					
<u>कः</u> <body> <div.container td="" w<=""><td>II&gt; <div.row></div.row></td><td>N 🔊 🔍</td><td>100% ¥ 1234 x 358 ¥ 3</td><td>47K / 8 sec Unic</td><td>ode (UTE-8)</td></div.container></body>	II> <div.row></div.row>	N 🔊 🔍	100% ¥ 1234 x 358 ¥ 3	47K / 8 sec Unic	ode (UTE-8)
PROPERTIES				,	*≣
DMX Slider	Length 100% Minimal value 1 🦻 Design Cupertino 🔻 🏥 (Advanced)				?
dmxSlider 1	Initial Value 0 🦻 Maximal value 100 🦻 Orientation Horizonta 🗸 💊				ک
	Range Initial Min 🦻 Fixed Minimal 🗌				
	Step 1 Initial Max 🛛 🤔 Fixed Maximal 🗌				<u>م</u>



#### Advanced: Controlling HTML5 Slideshow with DMXzone Slider

In this tutorial we will show you how to control the <u>HTML5 Slideshow</u> with **DMXzone Slider**. \*You can also check out the <u>video</u>.





#### How to do it


1. We've already inserted the <u>HTML5 Slideshow</u> that contains 17 images. Outside the slideshow, click on your page and open the **DMXzone Slider window**.

DW File Edit View Insert Modify Format Commands Site Window Help 🔳 🛡 🗘 🕶 🏭 🕶 DESIGNER 🔻 DESIGNER 🔻 D	37
Common Layout Forms PHP Data Spry InContext Editing Text Favorites DMXzone 960 Grid	_
	_
Source Code bootstrap.css dmxSlider.css dmxSlider.css dmxzone inspired.css dmxHTML5Slideshow.css minimalistic.css black-tie.css jquery-latest.pack.;s jquery-ui-core.min.js jauery-ui-interactions.min.js	
Code Split Design Live Code 🛒 Live View Inspect 🚱 Multiscreen 🐻 C Title: Untitled Document	
	<b>B</b>
This page may have dynamically-related files that can only be discovered by the server. Discover   Preferences	
	1
	125
	25
	666
	000
sody> <div.container> <div.spané offset2=""> 1234 x 358 + 474K / 10 sec Unicode (UTF-8)</div.spané></div.container>	
PROPERTES	The second se
C → HT//L Targeted Rule p Font Helvetica Neue, Helvetica, Arial, sans ▼ B I ≣ Ξ Ξ ②	
Left Rule     CSS Panel     Size     13     px     III     #3333333	
Page Proper lies List Item	





2. In the DMXzone Slider window we set the **width to 600px (1)** so it matches our <u>HTML5 Slideshow</u> size. The **minimal value** for our Slider **should be 0 (2)** as this is the first slide of the **HTML5 Slideshow**.








3. We set the **maximum value to 16** as this is the number of the slides in our <u>HTML5 Slideshow</u>. When you're done, click OK.

DW File Edit View Insert Modify Format Comm	ands Site Window Help 🔳 🕶 🛱 🕶 뵯	DESI	GNER 🔻 🔎
Common Layout Forms PHP Data Spry InContext Editin	g Text Favorites DMXzone 960 Grid		
👒 💽 🗇 🔠 🏧 🔳 🖼 📮 💁 🗔 🕒	🙃 • 🏦 🗊 🕘 😫 🔲 • 💽 🚍 🚟 🖪	1 🛅 🚞 🔝 💻 ぼ 💷 🔒 💷 🎬	🖪 • 🔀 😰 🕕 🔤 🗟 Q
index.php* ×			D:\wamp\www\cake\index.php 🗗
Source Code ( bootstrap.css dmxSlider.css dmxSlidingBillboar	d.css dmxzone_inspired.css dmxHTML5Slideshow.css	minimalistic.css black-tie.css jquery-latest.pack	.js jquery-ui-core.min.js jquery-ui-interactions.min.js 🕨 🔊 🌱
Code Split Design Live Code	pect 🚱 Multiscreen 🗟 🦪 Title: Untitled I	Document 👫	
<> <> <> Address: file:///Dl/wamp/www/cake/index.php	DMXzone Slider	×	
① This page may have dynamically-related files that can only be discov			8
	General About Main Options	great looking Slider Control	800950
	Object ID: dmxSlider 1 Appearance Length: 600 Minimal value 0 Orientation: Horizontal Range Initial Min Fixed Minimum Attach Input Fields Fields: ©	Initial Value:	E
<body> <div.container> <div.span6 offset2=""> ()           PROPERTIES           ↓ HTML           Targeted Rule         p           ↓ BCS           Edit Rule         CSS Panel           Siz</div.span6></div.container></body>	Set the maximum value of the slider.		2 Q, 100% v 1234 x 358 v 474K / 10 sec Unicode (UTF-8) -≡ ⑦ Ľ
	Online manual	OK Cancel	




4. Now we're going to connect **the DMXzone Slider** with the <u>HTML5 Slideshow</u>. Click the **Add/edit behaviors button**.








5. From the DMXzone folder, choose Control HTML5 Slideshow behavior (1), select the When handle is dragged action (2) and add the selected behavior (3).








6. In the Control HTML5 Slideshow window select Go to slide item (1) from the Action menu and enter #value# in the number field (2). This mask returns the current value of our slider. When you're done, click the OK button.





7. Now you can save your work and preview the result in the browser.





## Advanced: Using DMXzone Slider to Filter Ajax Datagrid

In this tutorial we will show you how to use **DMXzone Slider** in order to filter <u>Ajax Datagrid</u>. \*You can also check out the <u>video</u>.

		Price	up to: 526
Hotel	Period	Rating	Price
Paradise Beach Hotel	01/07/2012 - 30/07/2012	***	429
Cocoa Hotel	01/07/2012 - 30/07/2012	***	409
Yellow Banana Hotel	01/07/2012 - 30/07/2012	***	129
Coral Reef Hotel	01/07/2012 - 30/07/2012	**	289
Holiday Inn Hotel	01/07/2012 - 30/07/2012	****	499
15 🔹 🚺 4 Page 1	of 1 🕨 🔰 🤣 Displaying 1 to 5	of 5 items	





#### How to do it

1. We've already inserted our <u>Ajax Datagrid</u> on our page and we're going to use **DMXzone Slider** to filter it by the price column.

DW File Edit View Insert Mo	dify Format Commands Site Windov	v Help 🔳 ▼ 🌣 ▼ 晶 ▼	DESIGNER 🔻 🔎	🔷 CS Live 🗖 💷
Common Layout Forms PHP Data	Spry InContext Editing Text Favorites	DMXzone 960 Grid		
💩 🖹 🧇 🏯 🌠 🖲 🕃	💁 🗉 🖬 🖬 🖬 🖬 🖉	😂 🔲 • 💽 🚍 🚝 🖼 🛅 🖿 🔊	) 🍺 🗉 🔒 💷 🎬 🖬 • 🔀 🙋	🕕 🔤 🗟 Q
index.php* ×				0:\develop\WeddingPhotography\index.php 🔒
Source Code reset.css text.css dmxgr	rid.css dmxSlider.css black-tie.css jquery-lat	est.pack.js flexigrid.pack.js jquery-ui-core.min.js	jquery-ui-interactions.min.js dmxSlider.js	Ŷ
Code Split Design Live Code	Live View Inspect 🚱 Multiscree	n 🗟 C Title: Untitled Document	Jû.	
🛛 💠 🖒 🖄 🏠 Address: file:///DI/develo	p/WeddingPhotography/index.php	- E.		
	s that can only be discovered by the server. Discov			0
100         150         150         100         150         100 <td>)</td> <td>9 500 550 600 650 700</td> <td></td> <td></td>	)	9 500 550 600 650 700		
	Hotel Period	Rating	Price	
ŏ				
ूने <body> <div.container 24="" clearfix#header=""> &lt;</div.container></body>	diu arid 12 grafiy 2 cuffy 25 <65		D 20 0 100%	v 1234 x 358 v 381K / 8 sec Unicode (UTF-8)
PROPERTIES			10070	* 1254 X 556 * 561( / 6 Sec   011000c (011 0)
Image: HTML         Targeted Rule         p, dl, hr, h1,           CSS         Edit Rule	h2, h3, h     Font     Helvetica Neue, Arial, I       CSS Panel     Size     13     px	iberation San: ▼ B I ≣ ≣ ≣ ■		0 2
	Page Properties	List Item		~



2. In a separate container we will insert the **DMXzone Slider** so open the DMXzone Slider window.

DW File	Edit Viev	v Inser	t Modify	Format Con	nmands Site	Window Help		▼ 晶▼		DES	IGNER 🔻	Q		O CS Live	
Common	Layout For	ms PHP	Data Spry	InContext Ed	iting Text Fa	vorites DMXzon	960 Grid								
🗟 🍥	🕹 🔠 👩	1	i 🖉 🖓 🛙	i 🛼 🗔 (	<b>:</b> 🖓 • 🥼	🔲 🌒 😫 🚺	- 💽 📑	i 🖬 🖪	= 🔝 💻 💓 📼	i 🔒 💷 🞬	🖬 • 🔀	1	🔤 💽 Q		
index.php*	×			_					_			D:\dev	elo, Wedding	Photography\ir	ndex.php 🗗
Source Code	reset.css	text.css	dmxgrid.css	dmxSlider.css	black-tie.css	jquery-latest.pack	.js flexigrid.pack	.js jquery-ui-co	ore.min.js jquery-ui-in	nteractions.min.js	dmxSlider.js	5	7		9
Code S	Split Design	Live	Code 🛒	Live View	Inspect 😽	Multiscreen 🗟	. C Title: U	Intitled Document		Jî.					
000	Address:	file:///D	/develop/Wedd	ingPhotography	/index.php		- 8.								
🚺 This page	may have dyna	amically-re	lated files that c	an only be disco	vered by the serv	ver. <u>Discover</u>   <u>Pref</u>	erences								0
			200	250 300	350 40	0	550	600 650	700 750	800 850	900	950 1	000 1050	1100 11	50 1200
0 Container 24	1	Cell 12													
			·												
5															
1													۹		
			Hote			Period		Rating		Price					
oou]															
0-															
2															
ŏ															
2 -															
5															
3 -															
<u>ě</u>															
-	container 24 d	earfix#he	ader > <div.grid< td=""><td>12 prefix 2 su</td><td>ffix 2&gt;</td><td></td><td></td><td></td><td></td><td></td><td>🕙 🔍</td><td>100% *</td><td>1234 x 358 × 3</td><td>81K / 8 sec Unio</td><td>ode (UTF-8)</td></div.grid<>	12 prefix 2 su	ffix 2>						🕙 🔍	100% *	1234 x 358 × 3	81K / 8 sec Unio	ode (UTF-8)
PROPERTIES															*=
<> HTML	Targeted R		, hr, h1, h2, h3,			eue, Arial, Liberation	San: • B I	E E E E							? 2
La css		Edit Rule	CSS P	anel Si	ze 13 👻	рх 🕶 🗖									
					Page Pro	perties	: Item								



3. In the DMXzone Slider window we set 200 as a minimal value and 800 as a maximal value (1), also in the range options we check the fixed maximum (2) and use 200 as an initial max value (3).

DW File Edit View Insert Modify Format Comm	ands Site Window Help 🛛 🖬 🔻 🌣 🔻 몲 🖲	DESI	GNER 🔻 🔎 🖸 CS Live 🗖
Common Layout Forms PHP Data Spry InContext Editin	g Text Favorites DMXzone 960 Grid		
🐵 🖹 🤣 🏦 🌠 🔳 📴 🖓 💁 🖬 🗔 🕒	💀 • 🏦 🗒 🔵 😫 🔲 • 💽 🚍 🚟 💽	🛅 🖹 🔝 💻 🎉 🗔 🕒 🎬 I	🖪 • 🔀 😰 🕕 🔤 🗟 Q
index.php* ×			D:\develop\WeddingPhotography\index.php 🗗
Source Code reset.css text.css dmxgrid.css dmxSlider.css	lack-tie.css jquery-latest.pack.js flexigrid.pack.js jque	ry-ui-core.min.js jquery-ui-interactions.min.js	dmxSlider.js 🛛 🖓
Code Split Design Live Code Cive View Inst	pect 🚱 Multiscreen 🗟 🔿 Title: Untitled Do	cument 🛛 🖓 🗘 🗸	
📗 💠 🖒 🖄 Address: file:///DI/develop/WeddingPhotography/	DMXzone Slider	×	
① This page may have dynamically-related files that can only be discov		New York Control of Co	0
100         150         1200         1250         1250         1200         1	General About About Main Options		800,, 1950,, 11000,, 11050,, 11100,, 11150,, 12200,
	Appearance       1     Length:     100%       Minimal value     200     %       Orientation:     Horizontal     •       If Range     —     —	Initial Value: 0 9	
Cody> <div.container< td="">     24 dearfix#header&gt; <div.crid< td="">     12 prefix     2 suff       PROPERTIES    </div.crid<></div.container<>	Set initial maximum value of the range.		
	Online manual	OK Cancel	




4. Now we're going to connect **the DMXzone Slider** with the <u>Ajax Datagrid</u> through the **Behavior connector**. Click the **Add/edit behaviors button**.

DW File Edit View	Insert Mod	dify Format Co	mmands Site	Window Help	<b>Ⅲ</b> ▼ ♀▼	* *		DESIGNER •	Q	🔘 CS I	ive 🗖 🗖
Common Layout Forms	s PHP Data	Spry InContext E	diting Text Fa	avorites DMXzone 9	960 Grid						
🐵 🖹 🍲 🔝	💌 📰 🗔 (	🖸 📧 🔋	🕒 🙃 - 🏦	🔲 🕘 😫 🔲 •	· 💽 📃 🚭	🔁 🔚 🛅 🛽	= 🗾 🗎	💷 🎬 🖬 • 💈	ु 😰 🕕 ।	🔤 🛃 Q	
index.php* ×									D:\deve	lop\WeddingPhotograp	hy\index.php 🗖
Source Code reset.css to	ext.css dmxgri	d.css dmxSlider.cs	s black-tie.css	jquery-latest.pack.js	flexigrid.pack.js	jquery-ui-core.min.js	jquery-ui-interactio	ns.min.js dmxSlider	.js		9
Code Split Design	Live Code	Live View	Inspect 🚱	Multiscreen 🗟 🤇	Title: Untit	led Document		<b>₿</b> ₽.			
🕼 💠 😒 🏠 Address:	file:///D /develop	o/WeddingPhotograph	ny/index.php		- 🗉 -						
This page may have dynam	nically-related files	s that can only be dis	covered by the ser	rver. <u>Discover</u>   <u>Preferen</u>	ices						0
0 50 100		250 300	350 40	00 450 500	550 600	650 700	750 800	850 900	950 100	0 1050 1100	1150 1200
0 Container 24	Cell 12										
		巌		_							
5											
1											
8											
		Hotel		Period		Rating	Pr	ice			
5											
201											
5											
3											
6											
<body> <div.container 24="" clea<="" td=""><td>arfix#header&gt;</td><td></td><td></td><td></td><td></td><td></td><td></td><td>💽 🧶 🔍</td><td>100% * 1</td><td>234 x 358 🛩 381K / 8 sec</td><td>Unicode (UTF-8)</td></div.container></body>	arfix#header>							💽 🧶 🔍	100% * 1	234 x 358 🛩 381K / 8 sec	Unicode (UTF-8)
PROPERTIES	_	_				_	_	_			*≣
	Length 100%	Minimal value	200 🦻	Design Black-tie 🔻	Advanced						? 3
dmxSlider1 Initi	ial Value 0	۶ Maximal value	800 🥍 Orie	entation Horizonta 💌	<b>S</b>						
	Range 🔽	Initial Min	🔑 Fixe	ed Minimal 🔽							
	Step 1	Initial Max	200 🏸 Fixed	d Maximal 📃							






5. From the DMXzone folder (1), choose Control Ajax Datagrid behavior (2), select the When handle is dragged action (3) and add the selected behavior (4).






6. In the Control Ajax Datagrid window select the Ajax Datagrid ID (1) from the Grid ID menu and add the Set grid filter item (2) from the select action dropdown menu.





7. We're going to use the **Price column** in our **Ajax Datagrid (1)** with **< item** as a **condition (2)**, **entered value** as **value (3)** and **##value##** as a **mask (4)** that returns the current value of the handle.







8. Now you can save your work and preview the result in the browser.

DW File	Edit View	/ Insert M	odify Format C	Commands Site	Window Help	<b>Ⅲ • ♀ •</b> ♣	l ▼	DESIGN	ER 🔻 🔎		CS Live	
Common L	ayout Form	ns PHP Data	Spry InContext	Editing Text Favo	orites DMXzone 9	960 Grid						
i 😵 💽 💈	> 🔠 🛐	💌 🔡 🗔	💁 🛯 🔜 🗖	🖪 🙃 - 🥼	📃 🌒 📚 📃 -	· 💽 🗐 📑 💽	) 🛅 🚞 🔝 💻 🗊 🗖 (	🎍 💷 🎬 🛃	- 🔀 😰 🕕	🏧 🛃 Q		
index.php* ×	(										notography\ind	dex.php 🗗
Source Code	reset.css	text.css dmx	grid.css dmxSlider.o	css black-tie.css j	query-latest.pack.js	flexigrid.pack.js jq	query-ui-core.min.js jquery-ui-intera	actions.min.js dm	xSlider.js			9
Code Sp	lit Design	Live Code	Live View	Inspect 🜍 🚺	Multiscreen 🗟 🤇	Title: Untitled D	Document	Jî.				
⇔ ⇔ ⊗	Address:	file:///DI/deve	lop/WeddingPhotogra	phy/index.php		- 💷						
					er. <u>Discover</u>   <u>Preferen</u>							0
0 50 0 50 0 50 0 70 0 70		150	0	0				9	900	001 1150	, <u> 1100, 115</u>	<u>0,, 1200,.</u>
1			Hotel		Period	Ri	ating	Price				
5												- 1
2 =												
8												
2 =												
6												
3												
0												
<body></body>									🥙 🔍 100% 👻 1	224	14 / O and a Maine	de (UTTE O)
<pre>&gt; PROPERTIES</pre>	_	_	_					<u> </u>	< 100% ♥ 1	234 X 356 Y 361	K / 8 sec Unico	-=
	Targeted Ru	ile body	-	Font Helvetica Neu	e, Arial, Liberation Sar	× Β I ≣ ≣	111					? 3
🖿 css		Edit Rule	CSS Panel	Size 13 💌	рх 🔻 🔽							۵
				Page Prop	erties) List Iter	m						

## **Reference: DMXzone Slider Skins**










#### **UI-Darkness**





## Video: Adding DMXzone Slider on a Website



With this **movie** we will show you how to insert **DMXzone Slider** on your website.

## Video: Creating Range Selector with DMXzone Slider



With this **movie** we will show you how to create a range selector using **DMXzone Sider**.

## Video: Show the DMXzone Slider Value into a Text Field



With this **movie** we will teach you how to show the **DMXzone Slider** value into a text field while dragging its handle.

# Video: Controlling HTML5 Slideshow with DMXzone Slider



With this movie we will show you how to control the HTML5 Slideshow with DMXzone Slider

# Video: Using DMXzone Slider to Filter Ajax Datagrid



With this movie we will show you how to use DMXzone Slider in order to filter Ajax Datagrid