

# Table of contents

Table of contents	
About Smart Mailer PHP	2
Features in Detail	
Installing the extension	6
The Basics: Sending mail to one recipient when form is submitted	7
Advanced: Sending mail to multiple recipient when form is submitted	
Advanced: Sending Mail with Attachment	
Advanced: Sending Mail with Attachment (Recordset)	





# - Cor

# About Smart Mailer PHP

You can offer your clients the ability to **send HTML mails** based on a template (either on your machine or at a URL), each personalized with the recipient's name. You can add attachments to everyone, or a group of people, there's **progress bars** while you're sending them - all this in an external PHP include file, so just a couple of lines on your page.



# Features in Detail

- Generates fully MHTML compatible mails with the images included or linked to the web You can send mail with the images included in the mail so the mail can be read offline, or create links to the images where the image reside on the internet somewhere.
- Send to single or multiple users You can easily choose to send a mail to one person, send CC's or BCC's, or multiple recipients from a recordset.

art Mailer				
Main Conte	ent Attachments Se	tup		OK.
From				Cancel
Name:	Ø	Emai:	2	Help
ío				
One Receiver				
fo Name:	2	Email:	<u> 1</u>	
c Name:	2	Email:	2	
Rcc Name:	2	Email:	2	
Multiple Receivers				
	Recordset Found			
Name:	Y	Email:	×.	
Submitting & Proce	essing			
When Send: On Fo	rm Submit 👻	Form: Form1	~	
Context Help				
Enter the name t	o who the mail will be send			
0				

• Use cool real-time Flash progress bars when sending bulk mail - When sending mail to multiple recipients you can choose to show a real time progress bar that follows the progress of the mail being send.

Sending E-mail 5	5 of 150	
	Sending E-mail	37% →□
Note: all all one official server polarises is at one from the server. While the possible official to wante the server is a log plantation of the preside polarises of the server wante to be a server of the server wante to be a server of the server to be a server of the server polarises to be a server of the s		
- chang palita p	37%	
- sector - His II and A Addaptional Residence Residence and the sector addaption of the sector addaption of the SEC Mark and the SEC Mark addaption of the SEC Mark addaption of the SEC Mark addaption of the sector addaption of the SEC Mark addaption		

• Fully personalize your mails so that they include personal information - You can include dynamic data to personalize the mail, form variables for example.



• Use any URL as template for the mail body! - This way you can send for example personalized invoices and still have them available on the web as well!

Main	Content	Attachments	Setup			OK.
Subject						Cance
Subject:					<u>9</u>	Help
Content Type						
🖸 HTML 🔘 1	Text 📃 Em	bed images in E-	mail			
Body						
Template						
URL:				Browse		
<ul> <li>Static text</li> </ul>	/html					
<u>&lt;</u>				<u>×</u>	Ø	
Context Hel	P	ni you want as b				

- Send fully customized HTML mails based on a Template Imagine sending a newsletter just like the one from DMXzone
- Add attachments in any way you want one by one, full folder or via recordset!

mart Mailer	2
Main Content Attachments Setup	OK
Attach files	Cancel
<ul> <li>No attachments</li> </ul>	Help
Complete folder	
Folder: Browse	
Recordset	
Recordset: *** No Recordset Found 🗸 Filefield:	
Create own list	
+ _ [Add Folder] Clear Al	
Attachments	
Context Help	
0	
v	

Copyright © 2010 DMXzone.com All Rights Reserved To get more go to DMXzone.com Page 4 of 23





- Support for lots of standard mail components for mail processing The following mail components are supported: SendMail and SMTP.
- **Extended error checking** The extension includes a error checking function that you can turn on or off. If you turn it on and something goes wrong with sending the mail you will get an error message.

Smart Mailer	X
Main Content Attachments Setup	OK.
Server Component	Cancel
Component: CDO (Win/P/Win2000)	Help
Server: 2 Port: 2	
User: 2 Pass: 2	
Progress Bar (Only available with multiple receivers and on submit form)	
Use Progress Template: *** No Progress 💌 Preview	
Window Width: Height:	
Temp Folder:	
Redirect	
URL: Browse	
BY DEVELOPERS FOR DEVELOPERS	
ZOTE Copyright (c) 2003 George Petrov, DMXzone.com	
Context Help	
0	

• Generates just a few lines of code on your page - Your page size stays small with the code for the Smart Mailer extension in a separate include file.



### Installing the extension

Read the tutorial at <a href="http://www.dmxzone.com/go?4671">http://www.dmxzone.com/go?4671</a>

Login, download the product, and look up your serial at <a href="http://www.dmxzone.com/myZone.ASP?Section=purchases">http://www.dmxzone.com/myZone.ASP?Section=purchases</a>

Get the latest extension manager from Adobe at <u>http://www.adobe.com/exchange/em\_download/</u>

Open the .mxp file (the extension manager should start-up) and install the extension.

If you experience problems please read the FAQ at <u>http://www.dmxzone.com/index?7/964</u> before contacting support.



## The Basics: Sending mail to one recipient when form is submitted

You've created a simple contact us form and would like to have the results of the form emailed to you? In this tutorial we will create a simple contact form and when the user submits the form results will be mailed to you.

#### How to do it

• **Open page** - Open your php file that will display the contact form. I have created a form with the following fields: Name, Company, Email, Question/Concern.

Contact Us	
Your Name:	
Your Company:	
Your Email:	
Question/Concern	
Submit	



• **Create your variables** - To be able to email the content of the form, you need to create variables for the different fields and bind them to the form. I have named my textfields according to the info needed like name, company, email and question.

Click on the Bindings tab and the + sign. Select Form Variable and fill in the name of your fields. Do this for each field, so four times. In the Bindings you will see this



Apply Smart Mailer extension: Main - You can find the Smart Mailer extension under Server Behaviors
 | DMXzone | Smart Mailer.

There are 4 tabs: Main, Content, Attachments, Setup.

#### Main:

Here you can enter where the mail is coming from and where it is going to. For this tutorial I selected One Receiver.

In the Submitting choose on any form submit. This will send the mail as soon as a user hits the submit button.

Click on the lightning bolts for the dynamic data for the From Name and Email:



Dynamic Data	
Field: Form  Field:  Form  Form Form	OK Cancel <u>H</u> elp
Format: None	✓
Code: php \$HTTP_POST_VARS['name']</td <td>8</td>	8

Smart Mailer	
Main Content Attachments Setup	ОК
From Name: \$HTTP_POST_VARS['name'] 2 Email: \$HTTP_POST_VARS['email'] 2	Cancel Help
To         One Receiver         To       Name:         Martha       Z         Email:       martha@dmxzone.com	
Cc Name:	
Bcc     Name:     Image: Image	
Recordset: **** No Recordset Found  Name: Email:	
Submitting & Processing	
When Send: On Form Submit V Form: form1	
Context Help  Enter the e-mail address to who the mail will be send	



• Apply Smart Mailer: Content - In Subject I choose to select the company name as dynamic data. In Body I choose Static text/html. I will see the company name and the question they have. To spruce up the mail you can add html tags. Here the word Company and has the following question will be italic.

Smart Mailer	
Main Content Attachments Setup	ОК
Subject	Cancel
Subject: ".\$HTTP_POST_VARS['company']."	Help
Content Type	
💽 HTML 🔘 Text 🔄 Embed images in E-mail	
Body	
O Template	
URL: Browse	
Static text/html	
<pre><m>Company:</m> ##\$HTTP_POST_VARS['company']## Has the following question: ##\$HTTP_POST_VARS['question']##  </pre>	
Put here the text/html you want as body in the e-mail	

• Apply Smart Mailer: Attachments - No attachments added for this tutorial.





• Apply Smart Mailer: Setup - There are two components: SMTP and SendMail. Select the Server you are using.

In Redirect select the URL users will be directed to after they submit the form. In this case a thank you page.

Smart Mailer	
Main Content Attachments Setup	ОК
Server Component	Cancel
Component: Sendmail 🛛 Ignore errors Timeout: 300	Help
Server:   mail.yourserver.com   Ø   Port:   Ø     User:   Ø   Pass:   Ø	
Progress Bar (Only available with multiple receivers and on submit form)	
Use Progress Template: *** No Progress Preview Window Width: Height:	
Temp Folder: "" Browse	
Redirect	
URL: thankyou.php Browse	
BY DEVELOPERS FOR DEVELOPERS Copyright (c) 2003 George Petrov, DMXzone.com	
Context Help  Enter the URL where the page should be redirected after the mail has been send. Usualy a follow up page	

• Click OK - Click the OK button to apply the Smart Mailer extension. 5 messageboxes will appear saying that the following files have been copied into your site ScriptLibrary directory: incSmartMailer.php, htmlMimeMail.php, MimePart.php, RFC822.php and smtp.php Don't forget to upload them to the server.



# Advanced: Sending mail to multiple recipient when form is submitted

In this tutorial we will show you how to set up an email application that will send personalized template to multiple recipients.

#### How to do it

• **Open page** - Open your asp file that displays a form with a submit button that you will use to send the newsletter.

# Send Newsletter

1		r	-	 -	 -	•	-		 -	 -	-	-	-	-	-		 
1	Submit																
				 -	 -		-	-	 -	 -	-	 	-	-	-	-	 

• **Create a recordset** - To be able to email to multiple recipients from a database, you need to create a recordset. Open the Server Behaviors Panel | Click on the + | Recordset.

Recordset		
Connection: Table:		OK Cancel Test Advanced Help
Filter: Sort:	None	



Apply Smart Mailer extension: Main - You can find the Smart Mailer extension under Server Behaviors
 DMXzone | Smart Mailer.

There are 4 tabs: Main, Content, Attachments, Setup.

#### Main:

Here you can enter where the mail is coming from and where it is going to. In this case we are going to send a newsletter from DMXzone.

Select Multiple Receivers. Choose the recordset and fields for name and email.

In the Submitting choose on any form submit. This will send the mail as soon as a user hits the submit button.

Smart Mailer	
Main Content Attachments Setup	ОК
From Name: \$HTTP_POST_VARS['name'] 2 Email: \$HTTP_POST_VARS['email'] 2 To	Cancel Help
O One Receiver To Name:	
Cc Name:	
Bcc     Name:	
Recordset: Recordset1	
Name: name 💟 Email: name 💟	
Submitting & Processing         When Send: On Form Submit         V         Form: form1	
Context Help  Select the field from the recordset that contains the receivers e-mail address	



• Apply Smart Mailer: Content - In Subject I choose to select the name of the recipient as dynamic data with Hello, ..... here us our newsletter.

Content Type is HTML, since the newsletter is HTML based. When you select the option "Embed images in E-mail" all the images in the newsletter will be send with the mail, making the mail larger. Not selecting this option will result in the recipient not seeing the images if they are not connected to the internet.

In Body I choose Template. I choose the newsletter file.

Smart Mailer	
Main       Content       Attachments       Setup         Subject       Subject:       Hello, ##\$HTTP_POST_VARS['name']## here is our newsletter       Image: Main and the setup	OK Cancel Help
Content Type  Text Embed images in E-mail  Body	
Template     URL: mail.htm     Browse     Static text/html	
Context Help	
Select the template page that should be send	

• Apply Smart Mailer: Attachments - No attachments added for this tutorial.





• Apply Smart Mailer: Setup - There are two components: SMTP and SendMail. Select the Server you are using.

I checked the option Ignore errors so the process of sending the newsletter will keep going no matter what.

I increased the Timeout to give the process enough time to complete.

Let's show a progress bar during the process. We selected multiple receivers and through the submit button.

In Redirect select the URL you will be directed to after the newsletter has been send.

Smart Mailer	
Main Content Attachments Setup	ОК
Server Component	Cancel
Component: Sendmail 🕑 🔲 Ignore errors Timeout: 300	Help
Server: mail.yourserver.com 💋 Port: 💋 User: 📝 Pass: 💆	
Progress Bar (Only available with multiple receivers and on submit form)	
Use Progress Template: *** No Progress  Preview Window Width: Height: Temp Folder: "" Browse	
Temp Folder: Browse Redirect	
URL: newshasbeensend.php Browse	
BY DEVELOPERS FOR DEVELOPERS Copyright (c) 2003 George Petrov, DMXzone.com	
Context Help Enter the URL where the page should be redirected after the mail has been send. Usualy a follow up page	

• Click OK - Click the OK button to apply the Smart Mailer extension. 5 message boxes will appear saying that the following files have been copied into your site ScriptLibrary directory: incSmartMailer.php, htmlMimeMail.php, MimePart.php, RFC822.php and smtp.php Don't forget to upload them to the server.



# Advanced: Sending Mail with Attachment

In this tutorial we will show you how you can receive an email with the information attached every time someone registers on your web site.

#### How to do it

- **Open page** Open your asp file that will display the registration form.
- Apply Smart Mailer extension: Main You can find the Smart Mailer extension under Server Behaviors
   DMXzone | Smart Mailer.
   The server Atalase Atlastate Atlastate Seture

There are 4 tabs: Main, Content, Attachments, Setup.

#### Main:

Here you can enter where the mail is coming from and where it is going to. For this tutorial I selected One Receiver.

In the Submitting choose on any form submit. This will send the mail as soon as a user hits the submit button.

Click on the lightning bolts for the dynamic data for the From Name and Email:

Smart Mailer	
Main Content Attachments Setup	ОК
From	Cancel
Name: \$HTTP_POST_VARS['name'] 💋 Email: \$HTTP_POST_VARS['email'] 🗹	Help
То	
One Receiver	
To Name: Martha	
Cc Name: 2 Email: 2	
Bcc Name:	
O Multiple Receivers	
Recordset: **** No Recordset Found	
Name: Email:	
Submitting & Processing	
When Send: On Form Submit 🗸 Form: form1	
Context Help	
Enter the e-mail address to who the mail will be send	



• Apply Smart Mailer: Content - In Subject I entered User Registration. In Body I choose Static text/html. In the body of the mail I will enter the name of the person who registered.

Smart Mailer	×
Main Content Attachments Setup	ОК
Subject	Cancel
Subject: User Registration	Help
Content Type	
💽 HTML 🔘 Text 🔄 Embed images in E-mail	
Body	
URL: Browse  Static text/html	
Attached you will find the user registration form ##\$HTTP_POST_VARS['name']##	
Context Help	
Enter the subject of the mail	



• Apply Smart Mailer: Attachments - Click on Create your Own List, and select through the + button the attachment(s) you would like to send.

Smart Mailer	×
Main Content Attachments Setup	ОК
Attach files	Cancel
O No attachments	Help
🔘 Complete folder	
Folder: Browse	
O Recordset	
Recordset: Recordset1 🕑 Filefield: id	
💽 Create own list	
+ - Add Folder Clear All	
Attachments	
registration.php         Context Help         Image: Context Help	



• Apply Smart Mailer: Setup - There are two components: SMTP and SendMail. Select the Server you are using.

In Redirect select the URL users will be directed to after they submit the form. In this case a thank you page.

Smart Mailer	
Main Content Attachments Setup	ОК
Server Component	Cancel
Component: Sendmail 🕑 Ignore errors Timeout: 300	Help
Server: mail.yourserver.com  Port: User: Pass:	
Progress Bar (Only available with multiple receivers and on submit form)	
Use Progress Template: *** No Progress  Preview Window Width: Height: Temp Folder: "" Browse	
Redirect	
URL: "thankyou.php" Browse	
BY DEVELOPERS FOR DEVELOPERS Copyright (c) 2003 George Petrov, DMXzone.com	
Context Help	
Inter the URL where the page should be redirected after the mail has been send. Usually a follow up page	

• Click OK - Click the OK button to apply the Smart Mailer extension. 5 messageboxes will appear saying that the following files have been copied into your site ScriptLibrary directory: incSmartMailer.php, htmlMimeMail.php, MimePart.php, RFC822.php and smtp.php Don't forget to upload them to the server.



# Advanced: Sending Mail with Attachment (Recordset)

In this tutorial we will show you how to send an email with the invoice attached (when user purchase a product) and a purchase confirmation.

#### How to do it:

- **Open page** Open your php file that will display Purchase Confirmation form. Here the user can see all the info he/she has entered and verify one last time. I assume you have a recordset and possibly session variables to hold all the info.
- Apply Smart Mailer extension: Main You can find the Smart Mailer extension under Server Behaviors
   | DMXzone | Smart Mailer.

There are 4 tabs: Main, Content, Attachments, Setup.

#### Main:

Here you can enter where the mail is coming from and where it is going to. For this tutorial I selected One Receiver.

In the Submitting choose on any form submit. This will send the mail as soon as a user hits the submit button.

Click on the lightning bolts for the dynamic data for the From Name and Email:

Smart Mailer		
Main Content Attachments Setu	up	ОК
From		Cancel
Name: \$HTTP_POST_VARS['name'] 🗹	Email: \$HTTP_POST_VARS['email'] 🕺	Help
То		
One Receiver		
To Name: DMXzone	Email: info@dmxzone.com	
Cc Name: \$HTTP_POST_VARS['name'] 🕺	Email: \$HTTP_POST_VARS['email']	
Bcc Name:	Email: 🧾 💈	
O Multiple Receivers		
Recordset: Recordset1		
Name: id	Email: id	
Submitting & Processing		
When Send: On Form Submit 💌	Form: form1	
Context Help		
Enter the e-mail address to who the mail will b	e send	



• Apply Smart Mailer: Content - In Subject I choose to select the company name as dynamic data. In Body I choose a template. They will get a copy of the confirmation mail in the body.

Smart Mailer	
Main Content Attachments Setup	ОК
Subject	Cancel
Subject: ##\$HTTP_POST_VARS['company']##	Help
Content Type	
⊙ HTML ◯ Text 🛄 Embed images in E-mail	
Body	
⊙ Template	
URL: confirmation.php Browse	
O Static text/html	
Context Help	
Select the template page that should be send	



• Apply Smart Mailer: Attachments - Select Recordset. Choose the recordset to use and the filefield that contains the filename of the attachment. The invoice will be send as an attachment.

Smart Mailer	×
Main Content Attachments Setup	ОК
Attach files	Cancel
🔘 No attachments	Help
O Complete folder	
Folder: Browse	
Recordset	
Recordset: Recordset1 🗸 Filefield: invoiœ	
O Create own list	
+ Add Folder Clear All	
Attachments	
Context Help	
$\odot$ Select the database field that contains the filenames of the attachments	



• Apply Smart Mailer: Setup - There are two components: SMTP and SendMail. Select the Server you are using.

In Redirect select the URL users will be directed to after they submit the form. In this case a thank you page.

Smart Mailer	
Main Content Attachments Setup	ОК
Server Component	Cancel
Component: Sendmail 🛛 Ignore errors Timeout: 300	Help
Server:       mail.yourserver.com       Ø       Port:       Ø         User:       Ø       Pass:       Ø	
Progress Bar (Only available with multiple receivers and on submit form)	
Use Progress Template: *** No Progress Preview Window Width: Height: Temp Folder: "" Browse	
Redirect         URL: "thankyou.php"         Browse	
BY DEVELOPERS FOR DEVELOPERS Copyright (c) 2003 George Petrov, DMXzone.com	
Context Help	
Enter the URL where the page should be redirected after the mail has been send. Usualy a follow up page	

• Click OK - Click the OK button to apply the Smart Mailer extension. 5 messageboxes will appear saying that the following files have been copied into your site ScriptLibrary directory: incSmartMailer.php, htmlMimeMail.php, MimePart.php, RFC822.php and smtp.php Don't forget to upload them to the server.